

TecNiq *inc*

Changing the Shape of Light™

2020 PRODUCT CATALOG



TRAILERS
WORK TRUCKS
FLEETS
MARINE
EMERGENCY
... And More



A PREMIER MANUFACTURER OF QUALITY LED LIGHTING SOLUTIONS

 **TecNiq**

9100





TecNiq LED Lighting Solutions are the NEW STANDARD in LED lighting for commercial, industrial, personal, and emergency vehicle lighting applications. TecNiq begins with a simple belief that we can offer our customers the greatest value, the highest quality LED lights and custom solutions, with the best customer care in the industry. From OEM businesses, large scale fleets, upfitters, weekend warriors, and even individual owner operators – TecNiq provides consistent, reliable, high quality LED performance. This is the commitment that drives every aspect of our business. The business relationships we build with our customers reflect back on our “Customer for Life” motto, ensuring that we remain your trusted partner for all of your lighting needs. TecNiq Inc. is headquartered in Galesburg, MI and proudly designs, engineers, and assembles our products in America. Our goal is always 100% satisfaction with not only our product, but also with how we handle our customers with support and service.

TecNiq was started in 2004 to create a more efficient, and cost saving LED product. Engineer owned and operated, the owners Jeff Condon and Mark Pruss, envisioned a company that could utilize today’s technologies to create new lens design methods. These innovative technologies allow the projection and distribution of highly controlled light patterns, and even images, directly from our lamps. Our products incorporate marine grade passivated stainless steels, automotive grade polycarbonates and polyurethane sealed circuit boards. We source the highest quality materials and LEDs, so that our customers can be assured they are getting the best LED products on the market. And finally, we continue to test each and every light that comes out of our facility to the highest standards in the industry.

TABLE OF CONTENTS

TECNIQ CAPABILITES

OVER 80” ID BARS, STOP/TAIL/TURN & REVERSE.....	1
SIDERMARKERS	17
STROBES & EMERGENCY LIGHTING.....	27
ACCENT & AREA LIGHTING.....	35
ACCESSORIES & REFERENCES.....	58
PART NUMBERS.....	67

California Proposition 65

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, birth defects or other reproductive harm



TecNiq's Work Truck Lighting is utilized throughout the industry, with some of today's largest fleets.

Customized Lighting Solutions In-House

At TecNiq we take our customers success just as seriously as we do the products that we make. We do this by focusing our efforts at continuous improvements, on time shipping, and providing state of the art manufacturing facilities. Traditionally customers don't notice the differences in lighting until they stop working. Our goal is to not only keep your lights up and running, but also to provide unique selling opportunities for your brand to stand out from its competitors. TecNiq's custom lighting capabilities include in-house 3D printing, state-of-the-art injection molding machines, and more.

We start by asking the critical questions, making sure the functionality, size, and basic needs are met. From there, we dive into the aesthetics of your product – assuring we match the style of your brand. Next, we produce drawings, 3D renderings, and in most cases – working 3D prototypes to assure proper fit and visual appeal. The end result - a finished piece that compliments your application and sets you apart from your competition in both style and function. (continued)



Customized Lighting Solutions In House (continued)

Injection Molding:

(2) 110 (110 US Ton):

- Maximum Shot Size: 3.3 oz. (PolyStyrene)
- Maximum/Minimum Die Thickness: 21.7"/7.1"
- Maximum Die Width (h): 18.1"
- Maximum Die Width (v): 16.1"

(2) 200 (198 US Ton) w/ U34 Injection Unit:

- Maximum Shot Size: 6.3 oz. (PolyStyrene)
- Maximum/Minimum Die Thickness: 23.6"/7.9"
- Maximum Die Width (h): 22.0"
- Maximum Die Width (v): 20.1"

(1) 200 (198 US Ton) w/ U48 Injection Unit:

- Maximum Shot Size: 12.7 oz. (PolyStyrene)
- Maximum/Minimum Die Thickness: 23.6"/7.9"
- Maximum Die Width (h): 22.0"
- Maximum Die Width (v): 20.1"

(1) 250 (254 US Ton):

- Maximum Shot Size: 12.7 oz. (PolyStyrene)
- Maximum/Minimum Die Thickness: 26.8"/9.8"
- Maximum Die Width (h): 24.0"
- Maximum Die Width (v): 22.0"

(1) 390 (385 US Ton):

- Maximum Shot Size: 27.5 oz. (PolyStyrene)
- Maximum/Minimum Die Thickness: 32.3"/11.8"
- Maximum Die Width (h): 32.3"
- Maximum Die Width (v): 29.1"

(1) 110 Ton Vertical Injection: 20oz shot size

- Maximum Shot Size: 3.74 oz. (PolyStyrene)
- Maximum/Min. Die Thickness: 17.72"/13.78"
- Maximum Die Width (h): 19.96"
- Maximum Die Width (v): 19.96"

PCB Automated Assembly:

SMT Line (surface mount technology):

Can produce circuit boards ranging in size from **75mm x 50mm** to **508mm x 450mm**

3D SPI (solder paste inspection)/

3D AOI inspection machines after screen printing and reflow ensure optimal quality during the run and that processes are running as expected

Pick and place machines:

Capable of placing parts ranging in size from **0.4mm x 0.2mm** to **27mm x 27mm** and heights **up to 15.5mm**, at a rate of up to **37,000 components per hour**.

For a more in-depth conversation about our custom light capabilities please reach out to one of our Business Development Representatives.

New to TecNiq is our **PCB Automated Assembly Line**. Having an SMT line in house gives us the ability to reduce our costs, and create savings for our customers. It improves our quality control, production times, and helps us reduce lead times on custom solutions. The SMT will also allow TecNiq to have more control over the processes involved in circuit board assembly, and allows us to react faster to changes needed on existing and custom products.



OVER 80" ID BARS STOP/TAIL /TURN REVERSE


TecNiq's STOP/TAIL/TURN/REVERSE lights offer some of the brightest, most efficient and cost effective solutions on the market today. These lights incorporate the highest quality materials, and are designed to be rugged, durable, and reliable time after time. And, every light is **IP68 rated**, ensuring the quality you demand. If you are looking for style and toughness, there is no better choice.



S50 – Heavy Duty Identification Bar



- Submersible over 80" ID bar
- Rugged impact resistant design
- Available in colored or clear impact resistant lens
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 rating while exceeding FMVSS 108 standards
- Reliable performance over 100,000 hours




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S50-AAB0-1	Tri-Bar Amber Amber Lens Black Body	0.18A - 0.24A		25
S50-ACB0-1	Tri-Bar Amber Clear Lens Black Body			25
S50-RCB0-1	Tri-Bar Red Clear Lens Black Body			25
S50-RRB0-1	Tri-Bar Red Red Lens Black Body			25

S51 – Heavy Duty Identification Bar



- Submersible over 80" ID bar
- New sleek design matches S18 side marker
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Available in colored or clear impact resistant lens
- IP68 rating while exceeding FMVSS 108 standards
- Reliable performance over 100,000 hours




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S51-AA00-1	Tri-Bar Amber LED, Amber Lens, Black Body, Pigtail	0.16A - 0.20A		25
S51-AC00-1	Tri-Bar Amber LED, Clear Lens, Black Body, Pigtail			25
S51-RC00-1	Tri-Bar Red LED, Clear Lens, Black Body, Pigtail			25
S51-RR00-1	Tri-Bar Red LED, Red Lens, Black Body, Pigtail			25

Stop/Tail/Turn/ID Bar

S52 – V-Shaped Identification Bar for Marine Trailers



- Submersible LED Identification bar
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Available in colored or clear impact resistant lens
- IP68 rating while exceeding FMVSS 108 standards
- Reliable performance over 100,000 hours



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S52-RC00-1	V-Shaped Over 80" Tri-Bar Red LED, Clear Lens, Pigtail	0.07A - 0.09A		25
S52-RC10-1	V-Shaped Over 80" Tri-Bar Red LED, Clear Lens, 58" Pigtail			25
S52-RR00-1	V-Shaped Over 80" Tri-Bar Red LED, Red Lens, Pigtail			25
S52-RR10-1	V-Shaped Over 80" Tri-Bar Red LED, Red Lens, 58" Pigtail			25

Stop/Tail/Turn/ID Bar

T10 – Stop Turn Tail




*Optional chrome bezel available



*T10-LC00-1 – Auxiliary Light Model

- Meets all FMVSS 108 standards for wide and narrow vehicles
- IP68 Rated - Dust and water proof with hermetic seal
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Durable impact resistant lens
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- Reliable performance over 100,000 hours
- Can be mounted horizontal, vertical, or at any angle



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T10-AA00-1	Amber Low Profile Turn Sidemarker Amber Lens	0.17A - 0.23A		100
T10-AC00-1	Amber Low Profile Turn Sidemarker Clear Lens			100
T10-LC00-1	Low Profile Auxiliary Light	0.31A - 0.38A		100
T10-RC00-1	Red Low Profile STT Clear Lens	0.11A - 0.23A		100
T10-RR00-1	Red Low Profile STT Red Lens	0.22A - 0.29A		100

T12 – Heavy Duty Identification Bar




* Optional chrome bezel available




*T12-RW00-1- Red ID Bar/Load Lamp

- FMVSS 108 – meets all standards for wide vehicles
- IP68 Rated - Dust and water proof with hermetic seal
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Durable impact resistant lens
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- Reliable performance over 100,000 hours




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T12-AA00-1	Amber Low Profile ID Bar Amber Lens	0.04A - 0.07A		100
T12-AC00-1	Amber Low Profile ID Bar Clear Lens			100
T12-RC00-1	Red Low Profile ID Bar Clear Lens			100
T12-RR00-1	Red Low Profile ID Bar Red Lens			100
T12-RW00-1	Red ID Bar/Load Lamp Clear Lens	0.07A / 0.4A (white)		100

T14 – Over 80” ID Bar/Load Lamp



- High output load light – 500 Lumens
- Over 80” ID bar combined with high output load light
- FMVSS 108 – meets all standards for wide vehicles (Red LEDs for Rear Clearance Marker)
- Is IP68 Rated – Dust & Water Proof with Hermetic Seal
- Guaranteed circuit board protection – Potted in TecSeal Urethane
- High Impact Polycarbonate Lens – Has excellent UV Resistance
- 100,000 hour service life
- Surface mount installation



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T14-RW00-1	Low Profile ID Bar/ Load Lamp Combination	0.07A / 0.3A (white)		100

Stop/Tail/Turn/ID Bar

T15 – Stop/Tail/Turn/Reverse


NEW PRODUCT



* Optional chrome bezel available



- Our new combination Stop/Tail/Turn and Reverse Light - all your needs in one light
- IP68 Rated - Dust and water proof with hermetic seal
- Can be mounted horizontal, vertical, or at any angle
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- FMVSS 108 – meets all standards for wide and narrow vehicles
- Durable impact resistant lens
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate




Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
T15-RCW0-1	Low profile Red LED Clear Lens with Reverse	0.15A / 0.3A (white)		100

T16 – 20” Stop/Tail/Turn/Reverse

**NEW PRODUCT
COMING END Q1**



- Save time and money with our new combination Stop/Tail/Turn and Reverse Light
- FMVSS 108 – meets all standards for wide and narrow vehicles
- IP68 Rated - Dust and water proof with hermetic seal
- Sleek, slender design allows for larger door openings
- Can be mounted horizontal, vertical, or at any angle
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- UV and impact resistant automotive grade polycarbonate lens



Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
T16-RCW0-1	20 inch Stop Turn Tail Reverse w Clear Lens	0.074A - 0.100 (stt)		100
T16-RR00-1	20 inch Stop Turn Tail w Red Lens	0.17A - 0.23A (white)		100

Stop/Tail/Turn/ID Bar



The TecNiq T12 pictured here on an enclosed trailer.





T40 – 4” Round Stop/Tail/Turn



- Industry standard 4” round Stop/Tail/Turn light
- Grommet or flange mount
- Available in hardwired pigtail, standard connectors, or custom connectors for easy installation
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof with hermetic seal
- Durable impact resistant lens
- Meets all FMVSS 108 standards for wide and narrow vehicles
- Reliable performance over 100,000 hours



* Flange mount with SS trim






Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T40-0G00-1	4" Round Grommet			100
T40-AA0P-1	4" Round Amber Turn Lamp Amber Lens Grommet Mount w/Pig Tail	0.17A - 0.23A		100
T40-AAFP-1	4" Round Amber Turn Lamp Amber Lens Flange Mount w/Pig Tail			100
T40-AC0P-1	4" Round Amber Turn Lamp Clear Lens Grommet Mount w/Pig Tail	0.26A - 0.34A		100
T40-ACFP-1	4" Round Amber Turn Lamp Clear Lens Flange Mount w/Pig Tail			100
T40-RC0P-1	4" Round STT Lamp Clear Lens Grommet Mount w/Pig Tail	0.10A - 0.14A		100
T40-RCFP-1	4" Round STT Clear Lens Flange Mount w/Pig Tail			100
T40-RR0P-1	4" Round STT Lamp Red Lens Grommet Mount w/Pig Tail	0.17A - 0.23A		100
T40-RRFP-1	4" Round STT Red Lens Flange Mount w/Pig Tail			100

T45 – 4” Round High Visibility STTR



- Save time and money with our new, smooth surface combination Stop/Tail/Turn and Reverse Light
- Available in hardwired pigtail, standard connectors, or custom connectors for easy installation
- Fits all standard 4” round applications
- Grommet or flange mount
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Hi-Visibility gives increased brightness off angle for greater safety







Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T45-RC0P-1	4" Round STTR Clear Lens Grommet Mount Pig-Tail			100
T45-RCFP-1	4" Round STTR Clear Lens Flange Mount Pig-Tail	0.11A - 0.15A		100
T45-RW0P-1	4" Round STTR Red Lens Grommet Mount Pig-Tail	+0.3A (reverse)		100
T45-RWFP-1	4" Round STTR Red Lens Flange Mount Pig-Tail			100

Stop/Tail/Turn/ID Bar

T46 – 4” Round High Visibility Stop/Turn/Tail



- Durable impact resistant lens
- Fits all industry standard 4” round applications
- Grommet or flange mount
- Available in hardwired pigtail, standard connectors, or custom connectors for easy installation
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof with hermetic seal
- Hi-Visibility gives increased brightness off angle for greater safety







Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T46-AAOT-1	Hi Visibility 4" Round Amber Turn Amber Lens Tri Pole Connector	0.14A - 0.18A		100
T46-ACOT-1	Hi Visibility 4" Round Amber Turn Clear Lens Tri Pole Connector			100
T46-RCOT-1	Hi Visibility 4" Round STT Clear Lens Grommet Mount Tri-Pole	0.11A - 0.15A		100
T46-RCFT-1	Hi Visibility 4" Round STT Clear Lens Flange Mount Tri-Pole			100
T46-RROT-1	Hi Visibility 4" Round STT Red Lens Grommet Mount Tri-Pole			100
T46-RRFT-1	Hi Visibility 4" Round STT Red Lens Flange Mount Tri-Pole			100
T46-WCFP-1	Hi Visibility 4" Round Reverse Clear Lens Flange Mount Pig Tail	0.25A - 0.35A		100

T60 – 6” Oval Stop/Tail/Turn Grommet Mount



- 6” oval - fits all industry standard applications
- Can be purchased for horizontal or vertical position mounting (separate part numbers)
- Available in hardwired pigtail, standard connectors, or custom connectors for easy installation
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof with hermetic seal




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T60-AAVP-1	6" Oval Amber Turn Vertical Grommet Mnt Amber Lens Pig Tail	0.17A - 0.23A		140
T60-ACVP-1	6" Oval Amber Turn Vertical Grommet Mnt Clear Lens Pig Tail	0.28A - 0.36A		140
T60-RCVP-1	6" Oval Red STT Vertical Grommet Mount Clear Lens Pig Tail	0.10A - 0.14A		140
T60-RRVP-1	6" Oval Red STT Vertical Grommet Mount Red Lens Pig Tail	0.17A - 0.23A		140
T60-WCHP-1	6" Oval White Light Horiz Grommet Mount Clear Lens Pig Tail	0.21A - 0.27A		140

T61 – 6” Oval Stop/Tail/Turn Surface Mount



- 6” oval - fits all industry standard applications
- Can be purchased for horizontal or vertical position mounting (separate part numbers)
- Available in hardwired pigtail, standard connectors, or custom for easy installation
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof with hermetic seal
- Reliable performance over 100,000 hours




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T61-AAVP-1	6" Oval Amber Turn Vertical Surface Mount Amber Lens Pig Tail	0.17A - 0.23A		140
T61-ACVP-1	6" Oval Amber Turn Vertical Surface Mnt Clear Lens Pig Tail	0.28A - 0.36A		140
T61-RCVP-1	6" Oval Red STT Vertical Surface Mount Clear Lens Pig Tail	0.10A - 0.14A		140
T61-RRVP-1	6" Oval Red STT Vertical Surface Mount Red Lens Pig Tail	0.17A - 0.23A		140
T61-WCHP-1	6" Oval Horizontal White Light Surface Mount Pig Tails	0.21A - 0.27A		140

Stop/Tail/Turn/ID Bar

T62 – 6” Oval Stop/Tail/Turn Flange Mount



- 6” oval - fits all industry standard applications
- Can be purchased for horizontal or vertical position mounting (separate part numbers)
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof with hermetic seal



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T62-RCVA-1	Red Flange Mount Vertical Oval Tail Clear Lens Amp Connector	0.10A - 0.14A		120
T62-RRVA-1	Red Flange Mount Vertical Oval Tail Red Lens Amp Connector	0.17A - 0.23A		120



T66 – 6” Oval Stop/Tail/Turn



- Smooth surface, great looking Stop/Tail/Turn Light
- Durable impact resistant lens
- Fits all industry standard 6” oval applications
- Available in hardwired pigtail, standard connectors, or custom connectors for easy installation
- Grommet or surface mount
- Can be mounted horizontal, vertical, or at any angle



* Can be mounted at any angle






Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T66-AAOP-1	6" Oval 6 LED Turn Dual Intensity Grommet Mount Amber Lens Pigtail	0.17A - 0.28A		140
T66-AASP-1	6" Oval 6 LED Turn Dual Intensity Surface Mount Amber Lens Pigtail			140
T66-ACOP-1	6" Oval 6 LED Turn Dual Intensity Grommet Mount Clear Lens Pigtail	0.12A - 0.16A		140
T66-RCOP-1	6" Oval 6 LED STT Grommet Mount Clear Lens Pigtail	0.12A - 0.16A		140
T66-RCSP-1	6" Oval 6 LED STT Surface Mount Clear Lens Pigtail			140
T66-RR0P-1	6" Oval 6 LED STT Grommet Mount Red Lens Pigtail	0.17A - 0.28A		140
T66-RRSP-1	6" Oval 6 LED STT Surface Mount Red Lens Pig Tail			140

Stop/Tail/Turn/ID Bar

T68 – 6” Oval LED High Visibility STT



- Fits all industry standard 6” oval applications
- Grommet, flange, and surface
- Available in hardwired pigtail, standard connectors, or custom connectors for easy installation
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- Hi-Visibility gives increased brightness off angle for greater safety





* Can be mounted at any angle

Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T68-RRF0P-1	6" Oval High Visibility STT Flange Mount Pigtail			140
T68-RRG0P-1	6" Oval High Visibility STT Grommet Mount Pigtail	0.223A - 0.277A		140
T68-RRS0P-1	6" Oval High Visibility STT Surface Mount Pig Tail			140


T70 – 6” Oval LED High Visibility STTR



- All in one solution stop, tail, turn with reverse fits all standard 6” oval applications
- Can be mounted horizontal, vertical, or at any angle
- Grommet, surface, or flange mount
- Available in hardwired pigtail, standard connectors, or custom connectors for easy installation
- Brake function only draws ~0.14A at 12VDC
- Hi-Visibility gives increased brightness off angle for greater safety



* Can be mounted at any angle





Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T70-RC0P-1	6" Oval Stop Tail Turn Reverse Grommet Clear Lens Pigtail Connectors	0.41A - 0.50A +0.3A (reverse)		120
T70-RCFP-1	6" Oval Stop Tail Turn Reverse Flange Clear Lens Pigtail Connectors			140
T70-RCSP-1	6" Oval Stop Tail Turn Reverse Surface Clear Lens Pigtail Connectors			140
T70-RW0P-1	6" Oval Stop Tail Turn Reverse Grommet Red Lens Pigtail Connectors			120
T70-RWFP-1	6" Oval Stop Tail Turn Reverse Flange Red Lens Pigtail Connectors			140
T70-RWSP-1	6" Oval Stop Tail Turn Reverse Surface Red Lens Pigtail Connectors			140


T71 – 4” Rectangular LED High Visibility STT



- Smooth surface, great looking Stop/Tail/Turn Light
- Durable impact resistant lens
- Available in hardwired pigtail, standard connectors, or custom connectors for easy installation
- Can be mounted horizontal, vertical, or at any angle
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Hi-Visibility gives increased brightness off angle for greater safety



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T71-AA0P-1	Rectangular 8 LED Turn Dual Intensity Grommet Mount Amber Lens Pigtail	0.13A - 0.18A		24
T71-AC0P-1	Rectangular 8 LED Turn Dual Intensity Grommet Mount Clear Lens Pigtail			24
T71-RC0P-1	Rectangular 8 LED STT Grommet Mount Clear Lens Pigtail	0.11A - 0.15A		24
T71-RR0P-1	Rectangular 8 LED STT Grommet Mount Red Lens Pigtail			24




Stop/Tail/Turn/ID Bar

T80 – 8” Eight Function Box Tail Light



- Multi-Function 8” box tail light - Available in hardwired pigtail, standard, or custom connectors
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof with hermetic seal
- Meets all FMVSS 108 standards for wide and narrow vehicles
- Fits standard mounting as a direct replacement
- **Functions include:** Stop • Turn • Tail • Clearance • Side Marker Side Reflector • Rear Reflector • License Plate Light (Left)




Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
T80-RRLP-1	8 Function 8" Box Tail Light Left Side Pig Tail	0.14A - 0.20A		32
T80-RRRP-1	7 Function 8" Box Tail Light Right Side Pig Tail	0.06A - 0.09A		32

T85 – 4” Eight Function Box Tail Light




- Multi-Function 4” box tail light - Available in hardwired pigtail, standard, or custom connectors
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof with hermetic seal
- Meets all FMVSS 108 standards for wide and narrow vehicles
- Fits standard mounting as a direct replacement
- **Functions include:** Stop • Turn • Tail • Clearance • Side Marker Side Reflector • Rear Reflector • License Plate Light (Left)




Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
T85-RRLP-1	8 Function 4" Box Tail Light Left Side Pig Tail	0.15A - 0.19A		32
T85-RRRP-1	7 Function 4" Box Tail Light Right Side Pig Tail	0.05A - 0.09A		32

T86 – 6” Eight Function Box Tail Light



- Multi-Function 6” box tail light - Available in hardwired pigtail, standard, or custom connector
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof with hermetic seal
- Meets all FMVSS 108 standards for wide and narrow vehicles
- Fits standard mounting as a direct replacement
- **Functions include :** Stop • Turn • Tail • Clearance • Side Marker Side Reflector • Rear Reflector • License Plate Light (Left)





Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
T86-RR2LP-1	8 Function 6" Box Light Slim Line Left Side Pig Tail	0.14A - 0.17A		32
T86-RR2RP-1	8 Function 6" Box Light Slim Line Right Side Pig Tail	0.06A - 0.08A		32

Stop/Tail/Turn/ID Bar

T41 – High Brightness Reverse Lamp



- Bright and durable reverse light
- Fits all industry standard 4" applications
- Lamp is certified for both, one or two backup lamp systems
- Available in hardwired pigtail, standard connectors, or custom connectors for easy installation
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof with hermetic seal
- Reliable performance over 50,000 hours
- Mounts with standard grommets or our anti-theft stainless steel trim ring




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T40-0G00-1	4" Round Grommet			100
T40-0S00-1	4" Round Trim Ring SS			100
T41-WC0P-1	4" Round 2x Reverse Lamp Grommet w/Pig Tail	0.26A - 0.34A		100
T41-WCFP-1	4" Round 2X Reverse Lamp Clear Lens Flange Mount Pigtail			100

T61/T62 – High Brightness Reverse Lamp



- Flange mounted 6" oval reverse light - fits all industry standard applications
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof with hermetic seal
- Durable impact resistant lens
- Meets all FMVSS 108 standards for wide and narrow vehicles
- Reliable performance over 100,000 hours









Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T61-WCVP-1	6" Oval Vertical White Light Surface Mount Pig Tails	0.31A - 0.39A		140
T62-W0VA-1	Oval Tail Reverse Lamp Flange Vertical Mount Amp Connector			120

T66 – High Brightness Reverse Lamp



- Smooth surface, great looking reverse light
- Fits all industry standard 6" oval applications
- Available in hardwired pigtail, standard connectors, or custom connectors for easy installation
- Grommet or surface mount
- Can be mounted horizontal, vertical, or at any angle
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof with hermetic seal
- Meets all FMVSS 108 standards for wide and narrow vehicles









Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T66-WCRP-1	6" Oval Reverse 6 LED White Grommet Mount Clear Lens Pigtail	0.21A - 0.27A	<input type="checkbox"/> <input type="checkbox"/>	140
T66-WCSP-1	6" Oval Reverse 6 LED White Surface Mount Clear Lens Pigtail		<input type="checkbox"/> <input type="checkbox"/>	140

T68 – Hi-Visibility Reverse Lamp



- TecNiq's new 6" oval high visibility reverse light
- Grommet and flange mount - with pigtail, standard, or custom connectors
- Extremely bright and durable
- Fits all industry standard 6" oval applications
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof with hermetic seal
- Reliable performance over 50,000 hours



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T68-WCF0P-1	6" Oval High Vis Reverse Clear Lens Flange Mount Pigtail Connector	0.25A - 0.35A	<input type="checkbox"/> <input type="checkbox"/>	140
T68-WCG0P-1	6" Oval High Vis Reverse Clear Lens Grommet Mount Pigtail Connector		<input type="checkbox"/> <input type="checkbox"/>	140

Reverse/License Plate


L10 – DOT rated LED License Lamp



- SAE DOT rated
- IP68 Rated - Dust and water proof
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Durable impact resistant lens
- Life performance over 50,000 hours
- Easily mounts using just two screws
- Available in our black or chrome finish



* Also available in black



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack	
L10-WB00-1	Black Base License Lamp Vertical Plane Mount	0.06A - 0.11A	<input type="checkbox"/>	<input type="checkbox"/>	10
L10-WC00-1	Chrome Base License Lamp Vertical Plane Mount		<input type="checkbox"/>	<input type="checkbox"/>	10


L11 – DOT rated LED License Lamp



- SAE DOT rated
- IP68 Rated - Dust and water proof
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Durable impact resistant lens
- Life performance over 50,000 hours
- Easily mounts using just two screws
- Available in our black or chrome finish



* Also available in black



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack	
L11-WB00-1	Black Base License Lamp Vertical Plane Mount	0.06A - 0.11A	<input type="checkbox"/>	<input type="checkbox"/>	10
L11-WC00-1	Chrome Base License Lamp Vertical Plane Mount		<input type="checkbox"/>	<input type="checkbox"/>	10


L12 – DOT rated LED License Lamp



- SAE DOT rated
- IP68 Rated - Dust and water proof
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Durable impact resistant lens
- Life performance over 50,000 hours
- Easily mounts using just two screws
- Available in our black or chrome finish



* Also available in black



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack	
L12-WB00-1	Black Base License Lamp Horizontal Plane Mount	0.06A - 0.11A	<input type="checkbox"/>	<input type="checkbox"/>	10
L12-WC00-1	Chrome Base License Lamp Horizontal Plane Mount		<input type="checkbox"/>	<input type="checkbox"/>	10

Reverse/License Plate




L34 – DOT rated LED License Lamp



- SAE DOT Rated
- IP68 Rated - Dust and water proof
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Durable impact resistant lens
- Easily mounts into standard 3/4" hole also available with large grommet or bracket style (1.125")
- Life performance over 50,000 hours



* Plastic Mounting Bracket



Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
L34-0G00-1	L34 Grommet			10
L34-WB9B-1	3/4" Bullet Style License Lamp W/.180 Bullets & Black Bracket		<input type="checkbox"/> <input type="checkbox"/>	10
L34-WC9B-1	3/4" Bullet Style License Lamp, Large Grommet w/ .180 bullets	0.07A - 0.09A	<input type="checkbox"/> <input type="checkbox"/>	10
L34-WG9B-1	3/4" Bullet Style License Lamp, Standard Grommet w/ .180 bullets		<input type="checkbox"/> <input type="checkbox"/>	10

Reverse/License Plate



Work Trucks throughout the country rely on TecNiq for their lighting solutions.



CUSTOM SOLUTION:

Wells Cargo, part of the American Cargo Group, came to TecNiq requesting help with a custom solution for their Stop/Tail/Turn lights. They were looking to reduce costs, inventory, and overall manufacturing time. By creating a new Stop/Tail/Turn solution, TecNiq was able to help them reduce their inventory needs, as well as help to reduce the manufacturing time.

Looking for a unique - custom designed light?

TecNiq can engineer custom light solutions for your business. Contact us today for more information.

www.TecNiqinc.com



SIDE MARKERS


Sidemarkers are an important aspect of today's driving experience. **BE SEEN, BE SAFE** resonates through every design TecNiq produces. Our sidemarkers remain **the most efficient in the world**, due to our leading optic technologies. TecNiq lights also exceed all **FMVSS 108** standards, come with a durable impact resistant lens, are **IP68 rated** for dust and water proof, and provide optimal light output for safer driving conditions.



S12 – 2.5” Low-Profile Side Marker w/reflector



- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof with hermetic seal
- Durable impact resistant lens
- Exceeds FMVSS 108 standards
- Reliable performance over 100,000 hours
- Standard non-polarized connector
- Energy efficient: Draws only 0.06A at 12VDC





Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S10-0G00-1	2.5" Round Sidemarker Grommet			150
S12-AA00-1	2.5" Round Amber P2 rated Grommet Mount Sidemarker w/ Reflectivity	0.05A - 0.07A		150
S12-AA40-1	2.5" Round Amber P2 rated 4 LED Grommet Mount Sidemarker w/ Reflectivity			150
S12-RR00-1	2.5" Round Red P2 rated Grommet Mount Sidemarker w/ Reflectivity			150
S12-RR40-1	2.5" Round Red P2 rated 4 LED Grommet Mount Sidemarker w/ Reflectivity			150

Sidemarkers

S14 – PC/P2 Rated Marker Light



- Brilliant illumination in a compact size
- IP68 Rated - Dust and water proof
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Stud-mounted, no visible fasteners
- Exceeds FMVSS 108 standards
- Reliable performance over 100,000 hours
- Vertical mount position meets P2 specifications, while horizontal mount meets PC specifications



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S14-AAS0-1	S14 Amber PCP2 Stud Mount Marker Light Amber Lens 6" Pigtail	0.04A - 0.07A		100
S14-ACS0-1	S14 Amber PCP2 Stud Mount Marker Light Clear Lens Pigtail			100
S14-RCS0-1	S14 Red PCP2 Stud Mount Marker Light Clear Lens Pigtail			100
S14-RRS0-1	S14 Red PCP2 Stud Mount Marker Light Red Lens 6" Pigtail			100


S15 – PC Clearance Side Marker Lighting



* Mounting bases available in chrome or black

* Mounting grommet also available

- Grommet mount or surface mount with durable mounting base
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof
- Durable impact resistant lens
- Exceeds FMVSS 108 standards
- Reliable performance over 100,000 hours
- Standard non-polarized connector



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S15-0B00-1	Model S150 Base Black			100
S15-0G00-1	Model S150 Grommet			100
S15-0S00-1	Model S150 Base Chrome			100
S15-AA00-1	Model S150 Amber PC Sidemarker Amber Lens	0.04A - 0.07A		120
S15-AC00-1	Model S150 Amber PC Sidemarker Clear Lens			120
S15-RC00-1	Model S150 Red PC Sidemarker Clear Lens			120
S15-RR00-1	Model S150 Red PC Sidemarker Red Lens			120



Sidemarkers

S17 – PC/P2 Rated Marker Light



* Chrome bezel optional

- Surface mounted PC/P2 rated marker light
- Optional chrome bezel, offers premium appearance
- Custom fit TPE gaskets also available
- Automotive exterior lighting grade polycarbonate
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof
- Exceeds FMVSS 108 standards
- Reliable performance over 100,000 hours




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S17-0GB0-1	Model S170 Black Base & Gasket Large			100
S17-0GC0-1	Model S170 Chrome Base & Gasket - Large			100
S17-AA0P-1	Model S170 Amber P2/PC Sidemarker Amber Lens 6" Pigtail	0.07A - 0.09A		100
S17-AC0P-1	Model S170 Amber P2/PC Sidemarker Clear Lens 6" Pigtail	0.04A - 0.07A		100
S17-RC0P-1	Model S170 Red P2/PC Sidemarker Clear Lens 6" Pigtail			100
S17-RR0P-1	Model S170 Red P2/PC Sidemarker Red Lens 6" Pigtail	0.07A - 0.09A		100

S18 – PC/P2 Rated Marker Light



- Great combination of sleek and smooth design that is extremely tough
- Vertical mount position meets P2 specifications, while horizontal mount meets PC specifications
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof
- Available in hardwired pigtail or self-grounding
- Exceeds FMVSS 108 standards
- Reliable performance over 100,000 hours



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S18-AA00-1	3.5" x 0.75" Surface mount P2/PC rated Amber sidemarker Hardwired	0.06A - 0.08A		100
S18-AC00-1	3.5" x 0.75" Surface mount P2/PC rated Amber/Clr sidemarker Hardwired	0.05A - 0.07A		100
S18-RC00-1	3.5" x 0.75" Surface mount P2/PC rated Red/Clear sidemarker Hardwired	0.05A - 0.07A		100
S18-RR00-1	3.5" x 0.75" Surface mount P2/PC rated Red sidemarker Hardwired	0.06A - 0.08A		100
S18-WC00-1	3.5" x 0.75" Surface mount Area Light hardwired	0.10A - 0.15A		100


Sidemarkers

S19 – PC Rated 1" x 4" Side Marker



- Easily installed surface mounted with selfgrounding base
- Standard non-polarized male connector
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof
- Durable impact resistant lens
- Exceeds FMVSS 108 standards
- Reliable life performance over 100,000 hours

* Mounting bases available in chrome or black



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S19-0B00-1	Black 1" x 4" Self Grounding Base			120
S19-0C00-1	Chrome 1" x 4" Self Grounding Base			120
S19-AA00-1	1" x 4" Amber PC Sidemarker Amber Lens			120
S19-AC00-1	1" x 4" Amber PC Sidemarker Clear Lens	0.04A - 0.07A		120
S19-RC00-1	1" x 4" Red PC Sidemarker Clear Lens			120
S19-RR00-1	1" x 4" Red PC Sidemarker Red Lens			120


S21 – Heavy Duty Oval Marker Lamp



- Another great combination of appealing appearance and extreme durability
- Optional 316 stainless steel cover, hides the fasteners
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof
- Exceeds FMVSS 108 standards
- Reliable performance over 100,000 hours



*Optional stainless steel trim ring




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S21-OS00-1	2" Oval Sidemarker SS Trim Ring			100
S21-AA00-1	2" Oval Amber Sidemarker Amber Lens Pigtail Connection			100
S21-AC00-1	2" Oval Amber Sidemarker Clear Lens Pigtail Connection	0.04A - 0.07A		100
S21-RC00-1	2" Oval Red Sidemarker Clear Lens Pigtail Connection			100
S21-RR00-1	2" Oval Red Sidemarker Red Lens Pigtail Connection			100

Sidemarkers

S22 – PC Rated Side Marker



- Integrated retro-reflector, eliminating the need for additional reflectors
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- Uses S99 two pole spade connector
- IP68 Rated - Dust and water proof
- Durable impact resistant lens
- Exceeds FMVSS 108 standards
- Reliable performance over 100,000 hours




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S22-AA00-1	Amber 2" x 6" PC Sidemarker with reflector			100
S22-AADT-1	Amber 2" x 6" Dual Intensity PC Sidemarker with reflector	0.04A - 0.07A		100
S22-RR00-1	Red 2" x 6" PC Sidemarker with reflector			100

S24 – 2.5” PC Side Marker w/reflector



- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof with hermetic seal
- Durable impact resistant lens
- Exceeds FMVSS 108 standards
- Reliable performance over 100,000 hours
- Standard non-polarized connector
- Grommet mount




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S10-0G00-1	2.5" Round Sidemarker Grommet			
S24-AA00-1	2.5" Round Amber PC Sidemarker w/Reflector	0.07A - 0.09A		125
S24-RR00-1	2.5" Round Red PC Sidemarker w/Reflector			125

S30 – 2” Round, Low-Profile Side Marker



- Grommet mounted industry standard size
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof with hermetic seal
- Durable impact resistant lens
- Exceeds FMVSS 108 standards
- Standard non-polarized connector
- Reliable performance over 100,000 hours



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S30-0G00-1	2" Round Sidemarker Grommet			
S30-AA00-1	2" Round Amber Sidemarker Amber Lens	0.06A - 0.08A		125
S30-AC00-1	2" Round Amber Sidemarker Clear Lens			125
S30-RC00-1	2" Round Red Sidemarker Clear Lens	0.04A - 0.07A		125
S30-RR00-1	2" Round Red Sidemarker Red Lens			125


Sidemarkers

S33 – P2 Rated Miniature Side Marker



- Easily mounts into standard 3/4" hole, no alignment required
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof
- Light output exceeds FMVSS 108 specifications
- Reliable performance over 100,000 hours

* 316 stainless steel trim ring available



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S33-0S00-1	Stainless Steel Trim Ring for S33 and S34			100
S33-AA09-1	3/4" Mini P2 Amber Sidemarker Amber Lens, white ground wire			100
S33-AC09-1	3/4" Mini P2 Amber Sidemarker Clear Lens, white ground wire	0.05A - 0.07A		100
S33-RC09-1	3/4" Mini P2 Red Sidemarker Clear Lens white ground wire			100
S33-RR09-1	3/4" Mini P2 Red Sidemarker Red Lens white ground wire			100

S34 – PC/P2 Rated Miniature Side Marker




- Easily mounts into standard 3/4" hole, no alignment required
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof
- Durable impact resistant lens
- PC/P2 output exceeds FMVSS 108 specifications
- Reliable performance over 100,000 hours

* 316 stainless steel trim ring available



* Three light model for ID bar





Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S33-0S00-1	Stainless Steel Trim Ring for S33 and S34			100
S34-AA09-1	Amber Mini PC Sidemarker Amber Lens white ground wire	0.07A - 0.09A		100
S34-AC09-1	Amber Mini PC Sidemarker Clear Lens white ground wire	0.03A - 0.06A		100
S34-RC09-1	Red Mini PC Sidemarker Clear Lens white ground wire	0.06A - 0.08A		100
S34-RR09-1	Red Mini PC Sidemarker Red Lens white ground wire	0.07A - 0.09A		100
S34-RR30-1	Red Mini 3 Light PC Over 80 ID assembly 12" Lead			100
S34-RR31-1	Red Mini 3 Light PC Over 80 ID assembly 48" Lead	0.20A - 0.28A		100

S36 – P2/PC Rated Side Markers



- Easy installation surface mounted horizontal design
- P2/PC Rated side marker
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Uses S99 two pole spade connector
- IP68 Rated - Dust and water proof
- Durable impact resistant lens
- Exceeds FMVSS 108 standards
- Reliable performance over 100,000 hours



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S36-AA20-1	S36 Amber PC Sidemarker Amber Lens	0.05A - 0.07A		100
S36-AC20-1	S36 Amber PC Sidemarker Clear Lens			100
S36-RC20-1	S36 Red PC Sidemarker Clear Lens			100
S36-RR20-1	S36 Red PC Sidemarker Red Lens			100



Sidemarkers

S37 – PC/P2 Rated Miniature Side Marker



- New mini 3/4" grommet mount clearance markers, half the depth allowing for installation in very tight spaces
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof
- PC/P2 output exceeds FMVSS 108 specifications
- Reliable performance over 100,000 hours

* 316 stainless steel trim ring available




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S37-AA09-1	Amber Mini Grommet Mount PC Sidemarker Amber Lens	0.07A - 0.09A		100
S37-AC09-1	Amber Mini Grommet Mount PC Sidemarker Clear Lens	0.03A - 0.06A		100
S37-RC09-1	Red Mini Grommet Mount PC Sidemarker Clear Lens	0.06A - 0.08A		100
S37-RR09-1	Red Mini Grommet Mount PC Sidemarker Red Lens	0.07A - 0.09A		100

S38 – Surface Mounted PC Rated Side Marker



- New surface mounted mini clearance markers, offer a great appearance, easy installation, and can be purchased with available gasket
- Easily mounts with two screws
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof
- PC/P2 output exceeds FMVSS 108 specifications
- Reliable performance over 100,000 hours




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S38-AA09-1	Amber Mini Surface Mount PC Sidemarker Amber Lens	0.07A - 0.09A		100
S38-AC09-1	Amber Mini Surface Mount PC Sidemarker Clear Lens	0.03A - 0.06A		100
S38-RC09-1	Red Mini Surface Mount PC Sidemarker Clear Lens	0.06A - 0.08A		100
S38-RR09-1	Red Mini Surface Mount PC Sidemarker Red Lens	0.07A - 0.09A		100

S39 – Adhesive Mounted PC Rated Side Marker

NEW PRODUCT




- IP68 Rated - Dust and water proof with hermetic seal
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Impact resistant lens
- UV Resistant automotive grade polycarbonate lens
- Rated LED Life - 50,000 hrs



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S39-AA00-1	S39 Amber 1.5" x 0.75" SM PC Sidemarker	0.10A - 0.14A		100
S39-RR00-1	S39 Red 1.5" x 0.75" SM PC Sidemarker			100

S90 – Heavy Duty Miniature Bi-Color Fender Light




- Submersible bi-color red/amber LED fender light
- Low profile design with (1) part number used for either side of trailer
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- IP68 Rated - Dust and water proof
- Durable impact resistant lens
- Reliable performance over 100,000 hours



* Optional stainless steel trim cap




* Optional black or chrome wire hides available




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S90-0000-1	Fender Sidemarker Light	0.04A - 0.07A		150
S90-0BS0-1	Fender Sidemarker Light Wire Guide 4 Hole Black			150
S90-0CS0-1	Fender Sidemarker Light Wire Guide 4 Hole Chrome			150
S90-0SS0-1	Fender Sidemarker Light SS Stamping			150

S91 – Heavy Duty Miniature Bi-Color Fender Light



*Wire hide coming in 2020

- New fender light with excellent durability
- Submersible bi-color red/amber LED fender light
- Part of the S180 side marker family
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof
- Reliable performance over 100,000 hours
- Low amp draw
- Easily mounts with just two screws




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S91-AR00-1	Fender Sidemarker Light, Red/Amber Lens Pigtail	0.06A - 0.07A		100
S91-ARC0-1	Fender Sidemarker Light, Clear Lens, Red/Amber LED Pigtail			100

Sidemarkers

T90 – High Efficiency California Mid-Turn

**NEW PRODUCT
COMING Q2!**



- Brand new for TecNiq, the California Mid-Turn
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof
- Reliable performance over 100,000 hours
- A breakaway from traditional designs

Keep watching for ordering information on our **website** and **newsletter** by Q2.

STROBES FLASHERS & SCENE LIGHTING

Today's **Emergency vehicles, Work Trucks & Fleets** rely on lighting as an integral part of their safety. Strobe lights & flashers have become crucial pieces of equipment that help our loved ones stay safe, and return home. Lights such as TecNiq's **scene lighting** and directional spotlights, light up areas creating safer walking and working environments. TecNiq strobes, flashers and scene lights are reliable and guaranteed to perform at the highest level.



K10 – Flashing Beacon


NEW PRODUCT



* Optional steel brush guard



- TecNiq's new AutoSync flashing beacon (12V or 24V)
- Both models are Class 1 & Class 2 certified
- Available in single flash pattern, or TecNiq's exclusive AutoSync
- Designed to mount on a flat surface or attach to pole mount
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof with hermetic seal






Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
K10-0CB0-1	Beacon Light Brush Guard			1
K10-AA0P-1	K10 Amber Beacon Light Amber Lens Single Flash Pattern W/Pigtail	High - $\approx 1.7A$ (0.7A avg)		1
K10-AADP-1	K10 Amber Beacon Light Amber Lens Autosync Multi-Flash Pattern W/Pigtail	Low - $\approx 0.3A$ (0.17 avg)		1

T46 – 4" LED Strobe/Flasher



- TecNiq's new 4" round strobe light
- Class 1 & Class 2 certified
- Fits all industry standard 4" round applications
- Grommet or flange mount - and available in pigtail, standard or custom connectors
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof with hermetic seal



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T46-AAZ0P-1	Hi Vis 4" Round Strobe Amber Amber Lens Grommet Pigtail	0.125A - 0.155A		100
T46-AAZFP-1	Hi Vis 4" Round Strobe Amber Amber Lens Flange Pigtail			100
T46-ACZ0P-1	Hi Vis 4" Round Strobe Amber Clear Lens Grommet Pigtail			100
T46-ACZFP-1	Hi Vis 4" Round Strobe Amber Clear Lens Flange Pigtail			100




T68 – 6” Oval LED High Visibility Strobe



- TecNiq’s new 6” oval strobe light
- Class 1 & Class 2 certified
- Fits all industry standard 6” oval applications
- Grommet mount - with pigtail, standard, or custom connectors
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof with hermetic seal



* Can be mounted at any angle




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T68-AAZ0A-1	6" Oval High Visibility Strobe Grommet Mount Amp			120
T68-AAZ0P-1	6" Oval High Visibility Strobe Grommet Mount Pigtail	0.125A - 0.155A		140
T68-AAZ0T-1	6" Oval High Visibility Strobe Grommet Mount Tri Pole			120

T71 – 4” Rectangular LED High Visibility Strobe/Flasher



- TecNiq’s new 4” Rectangular Strobe
- Class 1 & Class 2 certified Grommet
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated - Dust and water proof with hermetic seal
- Available with pigtail, standard or custom connector
- Can be mounted horizontally, vertically, or any angle




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T71-AAZA-1	Rectangular 8 LED Amber Strobe Grommet Mt Amber Lens Amp Connector			24
T71-AAZP-1	Rectangular 8 LED Amber Strobe Grommet Mnt Amber Lens Pig Tail	0.25A - 0.34A		24
T71-AAZT-1	Rectangular 8 LED Amber Strobe Grommet Mnt Amber Lens 3 Pole			24

K40 – 5”x 3.3” LED Emergency Flasher



- Powerful 5”x 3.3” warning lamp fits standard mounting holes
- Patent-pending AutoSync technology means all TecNiq flashers are synchronized without requiring a separate control box
- AutoSync or steady burn models available
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Durable impact resistant lens
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated for long-term dust and water-intrusion proof
- Meets all NFPA 1901 and Triple K specifications, including upcoming regulations




* Chrome or black bezel and gasket kit sold separately

Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
K40-AA00-1	K40 AutoSync Amber Flasher Lamp Amber Lens	≈2.20A (1.10A avg)		1
K40-BB00-1	K40 AutoSync Blue Flasher Lamp Blue Lens			1
K40-GG00-1	K40 AutoSync Green Flasher Lamp Green Lens			1
K40-RR00-1	K40 AutoSync Red Flasher Lamp Red Lens			1
K40-WC00-1	K40 AutoSync White Flasher Lamp Clear Lens			1
K40-AR00-1	K40 AutoSync Amber Red Combo Flasher Lamp Clear Lens	≈1.10A alternating between colors		1
K40-BR00-1	K40 AutoSync Blue Red Combo Flasher Lamp Clear Lens			1
K40-WA00-1	K40 AutoSync White Amber Combo Flasher Lamp Clear Lens			1
K40-WB00-1	K40 AutoSync White Blue Combo Flasher Lamp Clear Lens			1
K40-WR00-1	K40 AutoSync White Red Combo Flasher Lamp Clear Lens			1

K50 – 5”x 2” LED Emergency Flasher



- Powerful 5”x 2” warning lamp fits standard mounting holes
- Patent-pending AutoSync technology means all TecNiq flashers are synchronized without requiring a separate control box
- AutoSync or steady burn models available
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Durable impact resistant lens
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated for long-term dust and water-intrusion proof
- Meets all NFPA 1901 and Triple K specifications, including upcoming regulations



* Chrome or black bezel and gasket kit sold separately


Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
K50-AA00-1	K50 AutoSync Amber Flasher Lamp Amber Lens	≈1.80A (0.90A avg)		1
K50-BB00-1	K50 AutoSync Blue Flasher Lamp Blue Lens			1
K50-GG00-1	K50 AutoSync Green Flasher Lamp Green Lens			1
K50-RR00-1	K50 AutoSync Red Flasher Lamp Red Lens			1
K50-WC00-1	K50 AutoSync White Flasher Lamp Clear Lens			1
K50-AR00-1	K50 AutoSync Amber Red Combo Flasher Lamp Clear Lens	≈0.90A alternating between colors		1
K50-BR00-1	K50 AutoSync Blue Red Combo Flasher Lamp Clear Lens			1
K50-WB00-1	K50 AutoSync White Blue Combo Flasher Lamp Clear Lens			1
K50-WR00-1	K50 AutoSync White Red Combo Flasher Lamp Clear Lens			1

Strobe/Flashers

K60 – 6”x 4” LED Emergency Flasher



- Powerful 6”x 4” warning lamp fits standard mounting holes
- Patent-pending AutoSync technology means all TecNiq flashers are synchronized without requiring a separate control box
- AutoSync or steady burn models available
- Sequential arrow pattern available
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Durable impact resistant lens
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated for long-term dust and water-intrusion proof
- Meets all NFPA 1901 and Triple K specifications, including upcoming regulations
- DOT stop/tail/turn reverse lamp compliance model available



* Chrome or black bezel and gasket kit sold separately


Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
K60-0C40-1	K60 Chrome Quad Bezel w/ Gasket & Grommets			1
K60-AA00-1	K60 AutoSync Amber Flasher Lamp Amber Lens	≈2.50A (1.25A avg)		1
K60-BB00-1	K60 AutoSync Blue Flasher Lamp Blue Lens			1
K60-GG00-1	K60-AutoSync Green Flasher Lamp Green Lens			1
K60-RR00-1	K60 AutoSync Red Flasher Lamp Red Lens			1
K60-WC00-1	K60 AutoSync White Flasher Lamp			1
K60-AAA0-1	K60 AutoSync Amber Flasher Lamp Amber Lens Arrow Mask	≈0.33A		1
K60-A3S0-1	K60 Steady Burn Amber LEDs, Amber turn, Arrow Mask			1
K60-AAT0-1	K60 Steady Amber Turn Amber Lens			1
K60-WBU0-1	K60 White Backup Lamp	≈0.27A		1

Strobe/Falshers

K60 – 6”x 4” LED Scene Light



- Light beam from horizontal to the base of the vehicle ensures continual ground coverage
- 5000K LEDs provide natural color balance
- IP68 Rated for long-term dust and water-intrusion proof
- Meets all NFPA 1901 and Triple K specifications, including upcoming regulations
- Powerful TecNiq scene lighting fits standard mounting holes for easy upgrade
- Extremely bright - produces 2500 lumens




* Chrome or black bezel and gasket kit sold separately

Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
K60-SW00-1	K60 High Output Scene Light	1.10A - 1.30A		1

K70 – 7”x 3” LED Emergency Flasher



- Powerful 7”x 3” warning lamp fits standard mounting holes
- Patent-pending AutoSync technology means all TecNiq flashers are synchronized without requiring a separate control box
- AutoSync or steady burn models available
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Durable impact resistant lens
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated for long-term dust and water-intrusion proof
- Meets all NFPA 1901 and Triple K specifications, including upcoming regulations
- DOT stop/tail/turn/reverse lamp compliance mode available




* Chrome or black bezel and gasket kit sold separately

Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
K70-AA00-1	K70 AutoSync Amber Flasher Lamp Amber Lens	≈2.50A (1.25A avg)		1
K70-BB00-1	K70 AutoSync Blue Flasher Lamp Blue Lens			1
K70-GG00-1	K70 AutoSync Green Flasher Green Lens			1
K70-RR00-1	K70 AutoSync Red Flasher Lamp Red Lens			1
K70-WC00-1	K70 AutoSync White Flasher Lamp			1
K70-STRO-1	K70 Steady Red STT Red Lens	≈0.23A		1
K70-AAT0-1	K70 Steady Amber Turn Amber Lens	≈0.22A		1
K70-WBU0-1	K70 White Backup Lamp	≈0.14A		1

K70 – 7”x 3” LED Scene Light



- Light beam from horizontal to the base of the vehicle ensures continual ground coverage
- 5000K LEDs provide natural color balance
- IP68 Rated for long-term dust and water-intrusion proof
- Meets all NFPA 1901 and Triple K specifications, including upcoming regulations
- Powerful TecNiq scene lighting fits standard mounting holes for easy upgrade
- Extremely bright - produces 2500 lumens




* Chrome or black bezel and gasket kit sold separately

Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
K70-SW00-1	K70 High Output Scene Light	1.40A - 1.80A		1

K90 – 9”x 7” LED Emergency Flasher



- Powerful 9”x 7” warning lamp fits standard mounting holes
- K90 can be purchased as Flasher/Scene Light combination
- Patent-pending AutoSync technology means all TecNiq flashers are synchronized without requiring a separate control box
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Durable impact resistant lens
- Excellent UV Resistance - Automotive exterior lighting grade polycarbonate
- IP68 Rated for long-term dust and water-intrusion proof
- Meets all NFPA 1901 and Triple K specifications, including upcoming regulations
- DOT stop/tail/turn/reverse lamp compliance mode
- AutoSync or steady burn models available



* Chrome or black bezel and gasket kit sold separately

Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
K90-AA00-1	K90 AutoSync Amber Flasher Lamp Amber Lens	≈5.00A (2.50A avg)		1
K90-BB00-1	K90 AutoSync Blue Flasher Lamp Blue Lens			1
K90-GG00-1	K90 AutoSync Green Flasher Lamp Green Lens			1
K90-RR00-1	K90 AutoSync Red Flasher Lamp Red Lens			1
K90-WC00-1	K90 AutoSync White Flasher Lamp Clear Lens			1
K90-RA00-1	K90 AutoSync Red Amber Flasher Lamp Clear Lens	≈2.50A (each side)		1
K90-RB00-1	K90 AutoSync Red Blue Flasher Lamp Clear Lens			1
K90-RW00-1	K90 AutoSync Red White Flasher Lamp Clear Lens			1
K90-WB00-1	K90 AutoSync White Blue Flasher Lamp Clear Lens			1
K90-AAT0-1	K90 Steady Amber Turn Amber Lens	≈0.44A		1
K90-STR0-1	K90 Steady Red STT Lamp Red Lens	≈0.46A		1
K90-WBU0-1	K90 White Backup Lamp	≈0.28A		1

Strobe/Falshers

K90 – 9”x 7” LED Scene Light




- Light beam from horizontal to the base of the vehicle ensures continual ground coverage
- 5000K LEDs provide natural color balance
- K90 can be purchased as Flasher/Scene Light combination
- IP68 Rated for long-term dust and water-intrusion proof
- Meets all NFPA 1901 and Triple K specifications, including upcoming regulations
- Powerful TecNiq scene lighting fits standard mounting holes for easy upgrade
- Extremely bright - produces 5000 lumens






* Chrome or black bezel and gasket kit sold separately

Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
K90-RS00-1	K90 AutoSync Red Flasher White Scene Clear Lens	≈1.6A / 1.3A (red)		1
K90-STS0-1	K90 Steady Red STT Bottom Scene Clear Lens	≈1.6A / 0.23A (red)		1
K90-SW00-1	K90 High Output Scene Light	2.90A - 3.50A		1



E10 – Ground/Pump Panel Light



- Extra wide area of illumination (120° x 50°) covers many applications: task lighting, load lamp, ground lighting, panel lighting, and more
- TecSeal Urethane Potting - Guaranteed Circuit Board Protection
- Water proof light that is immune to vibration
- Reliable performance over 50,000 hours
- Powerful multi-chip LEDs create 675 lumens
- Durable construction that can withstand the harshest conditions
- Available with or without the stainless steel mounting bracket



*With Stainless Steel Mounting Bracket



Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
E10-W000-1	EV Ground/Pump Panel Light	0.36A - 0.44A	<input type="checkbox"/> <input type="checkbox"/>	10
E10-WS00-1	EV Ground/Pump Panel Light with SS Bracket		<input type="checkbox"/> <input type="checkbox"/>	10

First Responders choose TecNiq for their Flashers & Scene Lighting.



ACCENT LIGHTING

Accent lighting gives style and colors to see, and be seen. TecNiq's accent lights provide stylish lighting options with a multitude of options. Whether you are looking for a standard white light, stainless steel cases, specific colors, or even RGB color changing lights – we have something for every need and every budget.




D02/D05 – Aerial Lighting Solutions



- Provides an impressive 50 lumens per pod (white)
- Sealed light is vibration and water proof
- Up to 100 lamps per string, spaced 14 inches
- Easily installed with **3M** adhesive tape back of lamp
- Life performance: 50,000 hours

*D05 dimensions are slightly larger










Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
D02-A001-1	Ladder Light Amber 1 Section - 14" Section Length	0.06A - 0.08A		-
D02-B001-1	Ladder Light Blue 1 Sections - 14" Section Length	0.03A - 0.04A		-
D02-G001-1	Ladder Light Green 1 Section - 14" Section Length			-
D02-R001-1	Ladder Light Red 1 Section - 14" Section Length	0.06A - 0.08A		-
D02-W001-1	Ladder Light White 1 Section - 14" Section Length	0.07A - 0.09A		-
D05-3001-1	Ladder Light RGB 1 Section - 14" Section Length	Varies		-

D03 – Linear Area/Accent Lights



- Available with three different mounting covers – Horizontal, Vertical, and 45° with form fitting molded gaskets (sold separately)
- High clarity lens design emits a light projection range of 180° wide
- Perfect for accent or step lighting
- IP68 rated – Water and dust proof
- Corrosion resistant 316 cases available in Black, White, or Stainless Steel
- Surface mount installation with two fasteners
- White LED model provides 120 lumens




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
D03-0S45-1	Mini Light Stainless 45 Degree Case			50
D03-0SH0-1	Mini Light Stainless Horizontal Case			50
D03-0SV0-1	Mini Light Stainless Vertical Case			50
D03-3000-1	Mini Light RGB Body	Varies		50
D03-A000-1	Mini Light Amber Lamp Linear Body	0.07A - 0.09A		50
D03-B000-1	Mini Light Blue Lamp Body			50
D03-G000-1	Mini Light Green Lamp Body			50
D03-R000-1	Mini Light Red Lamp Body			50
D03-W000-1	Mini Light White Lamp Body			50

Area/Accent

D04 – Linear Dragon Lights



- Completely sealed IP68 rated design
- Easy installation – two #4 screws
- 316 stainless steel cover
- Cover also available in black or white powder coat (sold separately)
- Output of 53 Lumens
- Life performance: 50,000 hours




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
D04-OSH0-1	Dragon Light Linear Horizontal Case - SS			50
D04-OSV0-1	Dragon Light Linear Vertical Case - SS			50
D04-A000-1	Dragon Light Linear Body Amber - 9" Wire	0.08A - 0.12A		50
D04-B000-1	Dragon Light Linear Body Blue - 9" Wire	0.04A - 0.07A		50
D04-D000-1	Dragon Light Linear Body Deep Red - 9" Wire	0.08A - 0.12A		50
D04-G000-1	Dragon Light Linear Body Green - 9" Wire	0.04A - 0.07A		50
D04-R000-1	Dragon Light Linear Body Red - 9" Wire	0.08A - 0.12A		50
D04-W000-1	Dragon Light Linear Body White - 9" Wire	0.08A - 0.12A		50

D06 – 45° Accent/Step Light

NEW PRODUCT



- Perfect for accent, steps, walkways
- IP68 rated – Water and dust proof
- UV Resistant, automotive exterior lighting grade polycarbonate
- Durable impact resistant lens
- Exceeds FMVSS 108 standards
- Surface mount installation with two fasteners
- Life performance: 100,000 hours
- 115 Lumens of output





Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
D06-0G00-1	Step Light 45 Deg. Gasket			100
D06-WC00-1	Step Light White 45 Deg. W/Chrome Case	0.11A - 0.14A		100

Area/Accent

D07 – Linear Area/Accent Lights



- Available with three different mounting covers – Horizontal, Vertical, and 45° with form fitting molded gaskets (sold separately)
- High clarity lens design emits a light projection range of 180° wide
- Perfect for accent, steps, walkways, or underwater lighting
- IP68 rated – Water and dust proof
- Corrosion resistant 316 cases available in Black, White, or Stainless Steel
- Surface mount installation with two fasteners
- White LED model provides 240 lumens




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
D07-0S45-1	Accent Light Stainless 45 Degree Case			50
D07-0SH0-1	Accent Light Stainless Horizontal Case			50
D07-0SV0-1	Accent Light Stainless Vertical Case			50
D07-3000-1	Accent Light RGB Body	Varies		50
D07-A000-1	Accent Light Amber Lamp Body	0.12A - 0.14A		50
D07-B000-1	Accent Light Blue Lamp Body			50
D07-G000-1	Accent Light Green Lamp Body			50
D07-R000-1	Accent Light Red Lamp Body			50
D07-W000-1	Accent Light White Lamp Body			50

D14 – Oval Dragon Lights



- Completely sealed IP68 rated design
- Easy installation – two #4 screws
- 316 stainless steel cover
- Can be mounted with or without stainless steel cover
- Cover also available in black and white powder coat
- Life performance: 50,000 hours
- Output of 21 Lumens




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
D14-0S00-1	Dragon Light Oval Case - SS			50
D14-A000-1	Dragon Light Oval Body Amber - 9" Wire	0.04A - 0.07A		50
D14-B000-1	Dragon Light Oval Body Blue - 9" Wire			50
D14-G000-1	Dragon Light Oval Body Green - 9" Wire			50
D14-R000-1	Dragon Light Oval Body Red - 9" Wire			50
D14-W000-1	Dragon Light Oval Body White - 9" Wire			50

Area/Accent

D21 – Link-Light




- Innovative Link feature – allowing lights to be easily connected and installed together
- Five bright colors – Amber, Blue, Green, Red, and White
- Guaranteed to be water & shock proof
- Perfect for rub rails, accent lighting, area or deck lighting, high moisture exposure locations
- Can be installed with adhesive tape or mechanical fastener
- Output of 80 Lumens




Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
D21-AC00-1	Emergency Accessory Light, Amber LED	0.155A - 0.215A		50
D21-BC00-1	Emergency Accessory Light, Blue LED	0.145A - 0.205A		50
D21-GC00-1	Emergency Accessory Light, Green LED			50
D21-RC00-1	Emergency Accessory Light, Red LED	0.155A - 0.215A		50
D21-WC00-1	Emergency Accessory Light, White LED	0.145A - 0.205A		50

D30 – Load Ramp Light



- Extremely durable surface mounted load light
- Aluminum heat sink housing, finished in black or white powder coat, keeps this light looking great for years of use
- Includes a form fitting TPE gasket, which has excellent chemical and UV resistance
- 2000 lumens of bright white light
- IP68 Rated – Water & dust proof
- Surface mount installation



Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
D30-WB00-1	High Output Ramp Light Pigtail Wire	1.3A - 1.9A		10
D30-WB0B-1	High Output Ramp Light 0.180 Bullet			10

Area/Accent

D16 – High Output Race Light

NEW PRODUCT COMING Q1!




Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
D16-WB00-1	High Output Race Light Black Housing	2.55A - 3.45A		1

E02 – Miniature Accent Light



- Built to last – Very tough design, providing a lifetime of area or walkway lighting
- Reliable 100,000 hour lifetime performance
- Requires 5/8" hole and two #8 screws for installation
- Uses our TecSeal potting – Guaranteed water proof
- IP68 Rated
- Has excellent UV and impact resistance – Very tough polycarbonate
- 90 degree light projection - available with or without black cover
- Comes in white, blue, red, and green LED colors



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E02-B000-1	Miniature Accent Light, Blue, Clear Lens	0.02A - 0.03A		100
E02-BB00-1	Miniature Accent Light, Blue, Clear Lens, Black Cover			100
E02-G000-1	Miniature Accent Light, Green, Clear Lens			100
E02-GB00-1	Miniature Accent Light, Green, Clear Lens, Black Cover			100
E02-R000-1	Miniature Accent Light, Red, Clear Lens	0.05A - 0.07A		100
E02-RB00-1	Miniature Accent Light, Red, Clear Lens, Black Cover			100
E02-W000-1	Miniature Accent Light, White, Clear Lens,	0.06A - 0.08A		100
E02-WB00-1	Miniature Accent Light, White, Clear Lens, Black Cover			100

E03 – Linear Eon Lights





- Completely sealed IP68 rated design
- Easy installation – two #6 screws
- 316 stainless steel cover – horizontal and vertical orientation
- Covers required to install as surface mounted – available in black or white powder~ coat
- Life performance: 50,000 hours
- Produces 150 lumens (white)



*Vertical Mount



*Horizontal Mount



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E03-OSH0-1	Eon Light Linear Horizontal Case - SS			50
E03-OSV0-1	Eon Light Linear Vertical Case - SS			50
E03-A001-1	Eon Light Linear Body Amber - 36" Wire	0.11A - 0.15A		50
E03-B001-1	Eon Light Linear Body Blue - 36" Wire	0.09A - 0.13A		50
E03-D001-1	Eon Light Linear Body Deep Red - 36" Wire	0.08A - 0.12A		50
E03-G001-1	Eon Light Linear Body Green - 36" Wire	0.09A - 0.13A		50
E03-J001-1	Eon Light Linear Body Jade - 36" Wire	0.11A - 0.15A		50
E03-L000-1	Eon Light Linear Body Neutral White - 9" Wire			50
E03-M000-1	Eon Light Linear Body Warm White - 9" Wire	0.08A - 0.12A		50
E03-N001-1	Eon Light Linear Body Orange - 36" Wire			50
E03-W000-1	Eon Light Linear Body Cool White - 9" Wire			50

Area/Accent

E05 – Surface Mount Area Light




* Fasteners are hidden



* 1" Round Bar Adapter

- Integrated push button On/Off switch
- Available with 316 stainless steel or high-impact molded in color covers
- Sealed light that is vibration and water proof, with a great appearance
- Provides 220 lumens of brightness
- Can be mounted on flat or 1" round bar surfaces (w/ available adapter)




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E05-0B00-1	Interior Area Light - 1" Round Bar Mt. Adapter			10
E05-WBS0-1	Interior Area Light, Surface Mt.,White LED, Black Cover			10
E05-WSS0-1	Interior Area Light, Surface Mt.,White LED, SS Cover	0.13A - 0.18A		10
E05-WWS0-1	Interior Area Light, Surface Mt.,White LED, White Cover			10

E06 – Silho-X Area Light - 4"




- Shock proof, moisture-resistant design
- Reliable performance over 50,000 hours
- Extremely bright: produces 380 lumens
- Quickly mounts using two #6 screws under lens
- High-polished stainless steel trim with other finishes available
- Also available in Red/White combination



* Combination White/Red Option




* Black & White Trim Models





Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E06-3S00-1	Silho-X 4" Round RGB Light SS Trim Ring	Varies		10
E06-LS00-1	Silho-X 4" Round Neutral White Light SS Trim Ring			10
E06-MS00-1	Silho-X 4" Round Warm White Light SS Trim Ring	0.22A - 0.26A		10
E06-WS00-1	Silho-X 4" Round Cool White Light SS Trim Ring			10

Area/Accent

E07 – 8” Recessed Medical Vehicle Interior Light



- Excellent interior illumination
- Vibration proof, moisture resistant design
- Exceeds Triple K requirements
- Reliable performance over 50,000 hours
- Produces 840 lumens
- High quality LEDs that won't change color over time




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E07-WC00-1	8" EV Recessed Cool White LED w/ Chrome Trim Ring	1.00A - 1.35A		10
E07-WW00-1	8" EV Recessed Cool White LED w/ White Powder Coat Trim Ring			10

E08 – 8” Recessed Medical Vehicle Interior Light



- Excellent interior illumination
- Vibration proof, moisture resistant design
- NFPA and Triple K compliant
- Reliable performance over 50,000 hours
- Powerful output of 1000 (18 LED) or 1500 (31 LED) lumens illuminates a wide area
- 12VDC and 24VDC
- AccuColor LEDs provide superior color rendering for more natural skin tones to facilitate a more accurate diagnosis in medical lighting situations
- Smooth lens is easy to wipe clean



* Combination White/Red Option



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E08-LC00-1	8" EV Neutral White Interior Light Chrome Trim - 31 LEDs	1.12A - 1.52A		10
E08-LCR0-1	8" EV Neutral White/Red Interior Light Chrome Trim - 18/12 LED	1.52A / 0.4A(red)		10
E08-WC00-1	8" EV Cool White Interior Light Chrome Trim - 31 LEDs	1.12A - 1.52A		10
E08-WCR0-1	8" EV Cool White/Red Interior Light Chrome Trim - 18/12 LED	1.52A / 0.4A(red)		10

Area/Accent

E11 – Silho-X Area Light - 1.5”



- Shock proof, moisture-resistant design
- Reliable performance over 50,000 hours
- Quickly mounts using two #4 screws under lens
- High-polished stainless steel trim with other finishes available
- Output of 40 Lumens





Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E11-LS00-1	Silho-X 1.5" Round Neutral White light - SS Trim Ring	0.07A - 0.09A		10
E11-MS00-1	Silho-X 1.5" Round Warm White Light - SS Trim Ring			10
E11-WS00-1	Silho-X 1.5" Round Cool White Light - SS Trim Ring			10

E13 – Silho-X Area/Accent Light - 2.75”



- Shock proof, moisture-resistant design
- Reliable performance over 50,000 hours
- Quickly mounts using two #4 screws under lens
- High-polished stainless steel trim with other finishes available



* Colored Accent Models



* Combination White/Red Option

Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E13-3S00-1	Silho-X 2.75" Round RGB Light - SS Trim Ring	Varies		20
E13-AB10-1	Silho-X 2.75" Round LP Amber Light - Black Trim Ring	0.03A - 0.05A		20
E13-BB10-1	Silho-X 2.75" Round LP Blue Light - Black Trim Ring	0.02A - 0.03A		20
E13-GB10-1	Silho-X 2.75" Round LP Green Light - Black Trim Ring			20
E13-LS00-1	Silho-X 2.75" Round Neutral White Light - SS Trim Ring	0.08A - 0.11A		20
E13-MS00-1	Silho-X 2.75" Round Warm White Light - SS Trim Ring			20
E13-RB10-1	Silho-X 2.75" Round LP Red Light - Black Trim Ring	0.03A - 0.05A		20
E13-WB10-1	Silho-X 2.75" Round Cool White Light - Black Trim Ring	0.03A - 0.06A		20
E13-WS00-1	Silho-X 2.75" Round Cool White Light - SS Trim Ring	0.08A - 0.11A		20

Area/Accent






*TecNiq E13
Accent Lights Work to
illuminate under cabinets.*

E16 – High Output Dome Light



- Lamp features six high efficiency LEDs, providing over 300 lumens
- Sleek and stylish surface mounted design
- Available with or without integrated on/off switch
- Installs with just 4 screws hidden behind lens
- White or black base available





* Also available in black

Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E16-LW00-1	E16 Interior SM Neutral White Oval Light White Base	0.18A - 0.23A		20
E16-LWS0-1	E16 Interior SM Neutral White Oval Light White Base w/Switch			20
E16-MW00-1	E16 Interior SM Warm White Oval Light White Base			20
E16-MWS0-1	E16 Interior SM Warm White Oval Light White Base w/Switch			20
E16-WW00-1	E16 Interior SM Cool White Oval Light White Base			20
E16-WWS0-1	E16 Interior SM Cool White Oval Light White Base w/Switch			20

E18 – High Output Utility Light



- Surface mounted for ease of installation – requires one 3/8" wire hole
- Vibration proof, moisture-resistant design
- Reliable performance over 50,000 hours
- Available with or without integrated on/off switch
- Lamp output of 800 lumens
- Made with high grade polycarbonate for excellent optic quality and impact resistance



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E18-LC00-1	Surface mount 4.5" x 2.5" Neutral White 12 LED Dome light	0.54A - 0.66A		10
E18-LCS0-1	Surface mount 4.5" x 2.5" Neutral White 12 LED Dome light w/ Switch			10
E18-WC00-1	Surface mount 4.5" x 2.5" Cool White 12 LED Dome light			10
E18-WCS0-1	Surface mount 4.5" x 2.5" Cool White 12 LED Dome light w/ Switch			10

Area/Accent



E20 – Orion Surface Mount Dome Light - 6"



- Ultra thin surface mount light
- Easy installation with two screws hidden under lens
- Moisture resistant
- Available in bright or satin finished light body
- Night Vision – red/white LED combination also available



* Combination White/Red Option






Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E20-LA00-1	6" Interior Light Neutral White - Satin Trim Ring	0.50A - 0.70A		5
E20-LC00-1	6" Interior Light Neutral White - Chrome Trim Ring			5
E20-MA00-1	6" Interior Light Warm White - Satin Trim Ring			5
E20-MC00-1	6" Interior Light Warm White - Chrome Trim Ring			5
E20-WC00-1	6" Interior Light Cool White - Chrome Trim Ring			5

T44 – 4" Round High Output Dome Light



- High output dome light - 480 lumens
- Low amp draw - 0.25A at 12VDC
- Guaranteed water proof, sealed body that is immune to shock and vibration
- Reliable performance over 50,000 hours
- Grommet or flange mount






Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T44-WD0B-1	4" Round 8 LED Grommet Mount Dome Light w/ .180 Bullets	0.35A - 0.48A		100
T44-WDFB-1	4" Round 8 LED Flange Mount Dome Light w/ .180 Bullets			100

E25 – Spring Mount Dome Light - 3”



- Moisture resistant and vibration proof
- Bright: 150 Lumens
- Features diffused lens, clean low profile appearance
- Available with or without ON/OFF push button switch
- Reliable performance over 50,000 hours
- Spring clips provide easy installation






Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E25-L000-1	3" Spring Mounted Dome Light, Neutral White	0.13A - 0.15A		10
E25-L0S0-1	3" Spring Mounted Dome Light, Neutral White, w/Switch			10
E25-M000-1	3" Spring Mounted Dome Light, Warm White			10
E25-M0S0-1	3" Spring Mounted Dome Light, Warm White, w/Switch			10
E25-W000-1	3" Spring Mounted Dome Light, Cool White			10
E25-W0S0-1	3" Spring Mounted Dome Light, Cool White, w/Switch			10

E26 – Spring Mount Dome Light - 4.5”



- Moisture resistant and vibration proof
- Bright: 300 Lumens (4.5" model)
460 Lumens (4.5" premium model)
- Features diffused lens, clean low profile appearance
- Available with or without ON/OFF push button switch
- Reliable performance over 50,000 hours
- Spring clips provide easy installation





Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E26-L000-1	4.5" Spring Mounted Dome Light, Neutral White	0.25A - 0.31A		10
E26-M000-1	4.5" Spring Mounted Dome Light, Warm White			10
E26-W000-1	4.5" Spring Mounted Dome Light, Cool White			10
E26-W0S0-1	4.5" Spring Mounted Dome Light, Cool White, w/Switch			10
E26-LP00-1	4.5" Spring Mounted Premium Dome Light, Neutral White	0.38A - 0.46A		10
E26-MP00-1	4.5" Spring Mounted Premium Dome Light, Warm White			10
E26-WP00-1	4.5" Spring Mounted Premium Dome Light, Cool White			10
E26-WPS0-1	4.5" Spring Mounted Premium Dome Light, Cool White, w/Switch			10

E27 – Surface Mount Dome Light - 3”



- Surface mounted for easy installation – requires 3/8” wire hole
- 4.5” Premium model available
- Bright: 175 Lumens
- Three mounting screws concealed by trim ring
- Reliable performance over 50,000 hours





Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E27-L000-1	3" Surface Mounted Dome Light, Neutral White	0.13A - 0.15A	<input type="checkbox"/> <input type="radio"/>	10
E27-M000-1	3" Surface Mounted Dome Light, Warm White		<input type="checkbox"/> <input type="radio"/>	10
E27-W000-1	3" Surface Mounted Dome Light, Cool White		<input type="checkbox"/> <input type="radio"/>	10

E28 – Surface Mount Dome Light - 4.5”



- Surface mounted for easy installation – requires 3/8” wire hole
- 4.5” Premium model available
- Bright: 350 Lumens (4.5” model)
525 Lumens (4.5” premium model)
- Three mounting screws concealed by trim ring
- Available with or without ON/OFF push button switch
- Reliable performance over 50,000 hours




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E28-L000-1	4.5" Surface Mounted Dome Light, Neutral White	0.25A - 0.31A	<input type="checkbox"/> <input type="radio"/>	10
E28-M000-1	4.5" Surface Mounted Dome Light, Warm White		<input type="checkbox"/> <input type="radio"/>	10
E28-W000-1	4.5" Surface Mounted Dome Light, Cool White		<input type="checkbox"/> <input type="radio"/>	10
E28-W0S0-1	4.5" Surface Mounted Dome Light, Cool White, w/Switch		<input type="checkbox"/> <input type="radio"/>	10
E28-LP00-1	4.5" Surface Mounted Premium Dome Light, Neutral White	0.38A - 0.46A	<input type="checkbox"/> <input type="radio"/>	10
E28-MP00-1	4.5" Surface Mounted Premium Dome Light, Warm White		<input type="checkbox"/> <input type="radio"/>	10
E28-WP00-1	4.5" Surface Mounted Premium Dome Light, Cool White		<input type="checkbox"/> <input type="radio"/>	10
E28-WPS0-1	4.5" Surface Mounted Premium Dome Light, Cool White, w/Switch		<input type="checkbox"/> <input type="radio"/>	10


E30 – High Performance Ceiling Light



- Powerful output: 1050 lumen - 21 LED model
2100 lumen - 42 LED model
- Available with 21 or 42 LEDs that minimize bright spots and reduce shadows
- Excellent replacement for fluorescent light fixtures
- Red/white combination lamps are available for night vision applications
- Moisture-resistant, vibration proof light design
- NFPA and Triple K compliant
- White powder coated finish
- Hi/Low illumination output (optional)



* Red/White Combo Model




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E30-L000-1	Recessed 4K White 42 LED Light 6" x 17.5"	1.30A - 1.90A	<input type="checkbox"/> <input type="checkbox"/>	12
E30-L0S0-1	Recessed 4K White 42 LED Light 6" x 17.5" Switched		<input type="checkbox"/> <input type="checkbox"/>	12
E30-L00R-1	Recessed 4K White/Red 42/16 LED Light 6" x 17.5"	1.90A / 0.8A (red)	<input checked="" type="checkbox"/> <input type="checkbox"/>	12
E30-L0SR-1	Recessed 4K White/Red 42/16 LED Light 6" x 17.5" Switched		<input checked="" type="checkbox"/> <input type="checkbox"/>	12

E31 – High Performance Ceiling Light




- New easy installation design
- Available in two models – Standard and Motion Detector Model for Auto ON/OFF function
- Moisture resistant, vibration proof design
- NFPA and Triple K compliant
- Powerful 2100 lumen output
- Excellent replacement for fluorescent light fixtures
- White powder coated finish
- Hi/Low illumination output




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E31-L00B-1	Recessed 4K White 32 LED Light 6" x 17.5" .180 Bullet Connectors	1.49A - 1.82A	<input type="checkbox"/> <input type="checkbox"/>	12
E31-L0MB-1	Recessed 4K White 32 LED Light 6" x 17.5" w/Motion Detection .180 Bullet		<input type="checkbox"/> <input type="checkbox"/>	12

Area/Accent

E32 – Surface Mounted Interior Light



- Easy to install – Just need a ¼” hole for the wire feed and four screws
- Lens/Cover snaps on securely – giving a great looking light, no visible fasteners
- Available in three models – Standard, ON/OFF Button, and Motion Detector Model for Auto ON/OFF function
- Light base is powder coated white for excellent corrosion resistance
- Massive amount of lumens for a 14” light – 2200 lumens - brighter than similar lights currently on the market




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E32-L000-1	Surface Mount 4K White 42 LED Interior Light			10
E32-L00M-1	Surface Mount 4K White 42 LED Interior Light, w/ Motion Detector Switch	1.36A - 1.84A		10
E32-L00S-1	Surface Mount 4K White 42 LED Interior Light, w/ On-Off Switch			10


E34 – Grommet Mount Step Accent Light



- Light provides downward accent light
- Perfect for steps or walkways
- Water proof
- Easily mounts into a 3/4” hole
- Completely sealed IP68 rated design
- Include chemical resistant TPE grommet
- Available with chrome or black cover




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E34-BB00-1	E34 Step Light Grommet Mounted Blue W/ Black Cover	0.02A - 0.04A		100
E34-BC00-1	E34 Step Light Grommet Mounted Blue W/ Chrome Cover			100
E34-RB00-1	E34 Step Light Grommet Mounted Red W/ Black Cover	0.06A - 0.08A		100
E34-RC00-1	E34 Step Light Grommet Mounted Red W/ Chrome Cover			100
E34-WB00-1	E34 Step Light Grommet Mounted White W/ Black Cover	0.07A - 0.09A		100
E34-WC00-1	E34 Step Light Grommet Mounted White W/ Chrome Cover			100



TecNiq E32 Surface Mounted Dome Lights are a great interior lighting choice for Trailers, Work Trucks, Delivery Vans, and more.

Area/Accent

E35/E36/E38 – High Output Linear LED Area Light




- Slim light design, perfect for under counter applications
- Reliable performance over 50,000 hours
- At 12V produces: E35 - 750 lumens (13")
E36 - 1500 lumens (20")
E38 - 3000 lumens (35")
- Shock proof and moisture resistant construction
- Easy replacement for fluorescent light fixtures
- 180° wide light-beam illuminates large area
- Quick and easy mounting with two screws

* Available with optional push button On/Off switch

Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E35-LB00-1	Linear LED SM Light Neutral White Black Body 9W	0.51A - 0.62A	<input type="checkbox"/> <input type="checkbox"/>	20
E35-MB00-1	Linear LED SM Light Warm White Black Body 9W		<input type="checkbox"/> <input type="checkbox"/>	20
E35-WB00-1	Linear LED SM Light Cool White Black Body 9W		<input type="checkbox"/> <input type="checkbox"/>	20
E36-LB00-1	Linear LED SM Light Neutral White Black Body 18W	1.05A - 1.28A	<input type="checkbox"/> <input type="checkbox"/>	20
E36-MB00-1	Linear LED SM Light Warm White Black Body 18W		<input type="checkbox"/> <input type="checkbox"/>	20
E36-WB00-1	Linear LED SM Light Cool White Black Body 18W		<input type="checkbox"/> <input type="checkbox"/>	20
E38-LB00-1	Linear LED SM Light Neutral White Black Body 36W	1.88A - 2.29A	<input type="checkbox"/> <input type="checkbox"/>	10
E38-MB00-1	Linear LED SM Light Warm White Black Body 36W		<input type="checkbox"/> <input type="checkbox"/>	10
E38-WB00-1	Linear LED SM Light Cool White Black Body 36W		<input type="checkbox"/> <input type="checkbox"/>	10

E39 – Fluorescent Light LED Conversion Kit



- Winner of the 2015 EMS World Innovation Award
- LED replacement for fluorescent lighting fixture
- Long lasting: 50,000 hour service life
- Available in (2) sizes
- Extremely bright: produces 700 lumens (12")
1400 lumens (18")



* Easy-to-install adhesive backing



* White/red combination available


Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E39-L000-1	LED Neutral White Light Replacement Kit for P716 & P718	2.0A - 2.68A	<input type="checkbox"/> <input type="checkbox"/>	10
E39-L00R-1	LED Neutral White/Red Combo Light Repl Kit for P716 & P718	2.68A / 0.42A (red)	<input checked="" type="checkbox"/> <input type="checkbox"/>	10
E39-L010-1	LED Neutral White Light Replacement Kit for 712XL	1.37A - 1.86A	<input type="checkbox"/> <input type="checkbox"/>	10

E41 – Flexible Lighting Strips



* Interior and covered applications only

- Produces 150 lumens per 4.5" section (white)
- Available in 4.5" increments up to 16.5'
- Ultra thin 3/16" strips surface mounts easily in tight spaces
- High flexibility conforms to irregular surfaces
- Easily installed with **3M** adhesive tape back




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E41-304X-1	Flexible LED Light RGB 18" - Dual 4 -Wire Pigtail	Varies		-
E41-A010-1	Flexible LED Light Amber 4.5" - No Wire	0.58A - 0.70A / 6ft		-
E41-B010-1	Flexible LED Light Blue 4.5" - No Wire	0.41A - 0.50A / 6ft		-
E41-G010-1	Flexible LED Light Green 4.5" - No Wire			-
E41-R010-1	Flexible LED Light Red 4.5" - No Wire	0.58A - 0.70A / 6ft		-
E41-W010-1	Flexible LED Light White 4.5" - No Wire	0.75A - 0.91A / 6ft		-

E44 – Flexible Lighting Strips




* LED light strip encapsulated in a polymer extrusion with TecSeal

- Produces 150 lumens per 4.5" section (white)
- Available in 4.5" increments up to 16.5'
- Ultra thin 1/2" strips surface mount easily in tight spaces
- High flexibility conforms to irregular surfaces
- Easily installed with **3M** adhesive tape back



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E44-304X-1	Flexible LED Light RGB 18" - Dual 4 -Wire Pigtail	Varies		-
E44-A010-1	Flexible LED Light Amber 4.5" - No Wire	0.58A - 0.70A / 6ft		-
E44-B010-1	Flexible LED Light Blue 4.5" - No Wire	0.41A - 0.50A / 6ft		-
E44-G010-1	Flexible LED Light Green 4.5" - No Wire			-
E44-R010-1	Flexible LED Light Red 4.5" - No Wire	0.58A - 0.70A / 6ft		-
E44-W010-1	Flexible LED Light White 4.5" - No Wire	0.75A - 0.91A / 6ft		-


E45 – Slim Light



- Available brightness: 150 Lm/4.5" section
300 Lm/4.5" section (premium)
- Easy installation, snaps into place with flat, 45°, or 90° mounting clips
- Available in 7", 11.5", 25", 47.5" lengths
- Sealed with TPE end caps for superior protection



*Premium model with 6 LEDs/section




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E45-W010-1	3 LED 7" Aluminum Extrusion Lamp White Black Housing	0.07A - 0.09A		-
E45-W020-1	6 LED 11.5" Aluminum Extrusion Lamp White Black Housing	0.14A - 0.18A		-
E45-WBP05-1	30 LED Premium 25" Aluminum Extrusion Lamp White Black Housing	0.745A - 0.915A		-
E45-WBP10-1	60 LED Premium 47.5" Aluminum Extrusion Lamp White Black Housing	1.48A - 1.82A		-

Area/Accent

E50 – Round Surface Mount Dome Light



- Lamp features (12) high efficiency LEDs, providing 300 lumens
- Sleek and stylish surface mount design
- Available with or without integrated ON/OFF switch
- Two mounting hole patterns, hidden behind the lens
- Reliable performance over 50,000 hours




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E50-MC00-1	4.5" Round Interior Lamp 12 LED No Switch	0.32A - 0.44A		20
E50-MCS0-1	4.5" Round Interior Lamp 12 LED With Switch			20
E50-WC00-1	4.5" Round Interior Lamp 12 LED No Switch Cool LED			20
E50-WCS0-1	4.5" Round Interior Lamp 12 LED With Switch Cool LED			20

E51 – Oval Surface Mount Dome Light



- Lamp features (12) high efficiency LEDs, providing 300 lumens
- Sleek and stylish surface mount design
- Available with or without integrated ON/OFF switch
- Two mounting hole patterns, hidden behind the lens
- Reliable performance over 50,000 hours






Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E51-MC00-1	6" x 3.5" Oval Interior Lamp 12 LED No Switch	0.32A - 0.44A		20
E51-MCS0-1	6" x 3.5" Oval Interior Lamp 12 LED With Switch			20
E51-WC00-1	6" x 3.5" Oval Interior Lamp 12 LED No Switch Cool LED			20
E51-WCS0-1	6" x 3.5" Oval Interior Lamp 12 LED With Switch Cool LED			20

Area/Accent

E60 – Flush Mount Docking Light



- Combines great appearance with powerful performance of 2000 lumens
- Low intensity function produces 600 lumens
- Form fitting TPE gasket to protect the boat finish and seal from water intrusion
- Water proof design, made with our TecSeal Urethane potting
- Anodized cast aluminum heatsink
- 316 Stainless steel cover






Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E60-WS20-1	Recessed Mount LED Docking Light, Pair	1.25A - 1.75A	<input type="checkbox"/> <input type="radio"/>	6 Pairs

E61 – Surface Mount Docking Light



- Surface mount design is perfect for Aluminum and Fiberglass boats
- 1400 Lumen output per light
- Water proof design, made with our TecSeal Urethane potting
- Anodized cast aluminum heatsink
- 316 Stainless steel cover
- Form fitting TPE gasket to protect the boat finish and seal from water intrusion
- Excellent forward to side of boat illumination







Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E61-WS00-1	Surface Mount LED Docking Light, Pair	0.85A - 1.15A	<input type="checkbox"/> <input type="radio"/>	6 Pairs

E96 – Surface Mount Spotlight



- Surface mount design increases your mounting options and eliminates large oval holes in your hull
- Produces 900 lumens per light
- Form fitting neoprene gasket to protect the boat finish and seal from water intrusion 316 Stainless Steel Covers
- Anodized, die-cast, marine-grade, aluminum body
- Secondary rectangular flood output used for area illumination




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E96-WS00-1	Docking Light TecNiq, Pair	0.45A - 0.55A	<input type="checkbox"/> <input type="radio"/>	12

Area/Accent

M10 – All-Round Navigation Light



- Great looking light, designed to provide years of safe boating
- Twist-lock base provides easy installation and hidden fasteners
- TecSeal Urethan Potting - Guaranteed Circuit Board Protection
- Excellent UV Resistance
- Meets ABYC A-16 and USCG 2NM
- 360 degree visibility
- 100mA power draw
- Includes TPE mounting gasket




Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
M10-WB00-1	Waketower All-Round Navigation Light, White LED, 2NM	0.09A - 0.11A		12
M10-WB10-1	Waketower All-Round Navigation Light, White LED, 2NM, 16' Wire Lead			12

M20 – Navigation Light

NEW PRODUCT



- Reinforced, sleek design providing a lifetime of navigation lighting
- Hidden fasteners
- Includes chemical resistant TPE gaskets
- Meets USCG at 2NM
- Includes 316 polished stainless steel covers
- Low current draw, and operates at a safe temperature
- Reliable 100,000 hour life performance



*With Gasket and Cover

Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
M20-2S00-1	Bi color navigation light stainless cover	0.73A - 0.97A		100
M20-GS00-1	Starboard navigation light stainless cover	0.39A - 0.51A		100
M20-RS00-1	Port navigation light stainless cover			100
M20-G000-1	Green Starboard Light Engine	0.39A - 0.51A		100
M20-R000-1	Red Port Light Engine			100




Area/Accent

M50 – Water Dragon Underwater Lighting



- **Brightest surface mounted underwater lights available**
- Completely water proof light, perfect for any boat (with power)
- Surface mount designed for easy install - no large holes to seal
- Available in three vibrant colors, White, Blue, Green and RGB

3 LED Model - 375 lumens each (M51)
 3 LED Model - 1500 lumens each
 6 LED Model - 2700 lumens each
 12 Led Model - 5500 lumens each
 IP68 Rated – water & dust proof
 Thermal overheat protection
 Includes 316 polished stainless steel covers (M50)




Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
M50-3S03-1	Water Dragon Underwater Light + Driver, RGB 3 LED	Varies		10
M50-3S06-1	Water Dragon Underwater Light + Driver, RGB 6 LED			10
M50-3S12-1	Water Dragon Underwater Light + Driver, RGB 12 LED			10
M50-BS03-1	Water Dragon Underwater Light, Blue, 3 LED	0.6A - 0.73A		10
M50-BS06-1	Water Dragon Underwater Light, Blue, 6 LED	1.13A - 1.38A		10
M50-GS12-1	Water Dragon Underwater Light, Green, 12 LED	2.25A - 2.75A		10
M50-GS03-1	Water Dragon Underwater Light, Green, 3 LED	0.6A - 0.73A		10
M50-WS06-1	Water Dragon Underwater Light, White, 6 LED, 2700 Lumens	1.98A - 2.42A		10
M50-WS12-1	Water Dragon Underwater Light, White, 12 LED, 5500 Lumens	3.96A - 4.84A		10
M51-WB03-1	Water Dragon Standard Underwater Light, White, 3 LED, 375 lumens	0.27A - 0.33A		10

M90 – Accent Lights



- Completely water proof light, perfect for illuminating steps, walk ways, or livewells
- Easy installation with threaded nylon nut
- Includes two chemical resistant TPE gaskets
- Comes with or without our corrosion resistant 316 SS polished cover
- IP68 Rated – water & dust proof
- Life performance: 50,000 hours




Part No.	Part Description (continued on pg 63)	Amp Draw	Color	Pack
M90-BS00-1	Interior Accent Light, Blue LED, SS Cover	0.03A - 0.04A		50
M90-GS00-1	Interior Accent Light, Green LED, SS Cover			50
M90-RS00-1	Interior Accent Light, Red LED, SS Cover			50
M90-WS00-1	Interior Accent Light, White LED, SS Cover	0.07A - 0.09A		50

Area/Accent


P02/P04/P06 – SteelHead Heavy Duty Work Lighting



* P02 provides 750 Lumens
 * P04 provides 1100 Lumens
 * P06 provides 1900 Lumens



- Built to last a lifetime in the harshest environments
- Models include Flood or Spot light projection
- Available in Black or White Heavy Duty Powder Coating
- Proprietary thermal management provides powerful performance in a small package
- IP68 Rated – Guaranteed water proof
- Reliable performance over 50,000 hours
- Vibration resistant
- Operating voltage range of 10 – 30 VDC
- Stainless Steel mounting hardware included




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
P02-WBFP-1	SteelHead Flood Lamp 2 LED Black Finish Pigtail wires	0.39A - 0.47A	<input type="checkbox"/> <input type="checkbox"/>	4
P02-WBSP-1	SteelHead Spot Lamp 2 LED Black Finish Pigtail wires		<input type="checkbox"/> <input type="checkbox"/>	4
P04-WBFP-1	SteelHead Flood Lamp 4 LED Black Finish Pigtail wires	0.50A - 0.62A	<input type="checkbox"/> <input type="checkbox"/>	2
P04-WBSP-1	SteelHead Spot Lamp 4 LED Black Finish Pigtail wires		<input type="checkbox"/> <input type="checkbox"/>	2
P06-WBFP-1	SteelHead Flood Lamp 6 LED Black Finish Pigtail wires	1.15A - 1.41A	<input type="checkbox"/> <input type="checkbox"/>	2
P06-WBSP-1	SteelHead Spot Lamp 6 LED Black Finish Pigtail wires		<input type="checkbox"/> <input type="checkbox"/>	2

Area/Accent

P10 – Flush Mounted Spreader Lighting



- Available with four high-performance white LEDs or two white and two night-vision friendly red
- Proprietary thermal management provides powerful performance in a small package
- Built with anodized and white powder coated aluminum bodies with impact-resistant polycarbonate for exceptional durability
- Completely water proof and sealed to IP68 standards
- Designed for the most demanding task illumination
- Applications include extreme weather environments
- Operating voltage range of 9 – 30 VDC
- Provides 1300 Lumens (700 + 155 in red/white combo model)




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
P10-WRFP-1	Spreader Light, White & Red LED, Flush Mount, White Finish, Pigtail Wires	0.6A / 0.15A (red)		2
P10-WWFP-1	Spreader Light, White LED, Flush Mount, White Finish, Pigtail Wires	1.08A - 1.32A		2

P11 – Surface Mounted Spreader Lighting



- Available with four high-performance white LEDs outputting 1450 Lumens, or two white and two night-vision friendly red LEDs outputting 825 + 160 Lumens
- Proprietary thermal management provides powerful performance in a small package
- Built with white powder coated aluminum bodies with impact-resistant polycarbonate for exceptional durability
- Completely water proof and sealed to IP68 standards
- Designed for the most demanding task illumination
- Applications include extreme weather environments
- Stainless Steel mounting hardware included
- Operating voltage range of 9 – 30 VDC



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
P11-WRFP-1	Spreader Light, White & Red LED, Surface Mount, White Finish, Pigtail Wires	0.8A / 0.3A (red)		2
P11-WWFP-1	Spreader Light, White LED, Surface Mount, White Finish, Pigtail Wires	1.44A - 1.76A		2

Area/Accent



ACCESSORIES & REFERENCE


From dimmers to wiring, TecNiq can supply the accessories and ancillary products your business vehicles need. Looking for a custom length wiring harness? Contact one of our Business Development Representatives for a quote.



R03/R05/R10 – Reflexite® DOT Grade Conspicuity Tape



- Reflexite® Conspicuity Tape by is now available from TecNiq Inc
- V82 OEM Grade Microprismatic Conspicuity Tape in 11" Red/ 7" White – 2"x 150' Rolls
- Amber & Red 3" Round SAE/DOT Reflectors
- Amber & Red 2" x 3.5" Rectangle SAE/DOT Reflectors
- These products are well known for their high performance polyester film and weather resistance
- All exceed the FMVSS 108, DOT standards, and will maintain their performance after an impact




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
R03-0A00-1	Amber 3" Round SAE Reflector - Roll of 100			1
R03-0R00-1	Red 3" Round SAE Reflector - Roll of 100			1
R05-0A00-1	Amber 2" x 3.5" Rectangular SAE Reflector - Roll of 500			1
R05-0R00-1	Red 2" x 3.5" Rectangular SAE Reflector - Roll of 500			1
R10-0RW0-1	Red 11"x White 7" OEM Grade SAE DOT Stripe Reflector - 150' Roll			1

E99 – Dimmer Switch



- Available in Rotary or Slide dimmer
- Utilizes Pulse Width Modulation
- Rated up to 15 amps
- Attaches with hidden fasteners






Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
E99-D001-1	Dimmer Rotary			-
E99-D002-1	Dimmer Slide			-

J00 – Vent Covers



- A new design for light duty trailer side air vents
- Made of UV resistant Polypropylene
- Dual weep holes allow any water to drain and not get inside the trailer



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
J00-0B00-1	Exterior Vent Cover Black			1
J00-0B01-1	Interior Circular Vent Cover Black			1

Accessories

S99 – Side Marker/Clearance Light Connector



Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
S99-0010-1	6" 2-Pole .156" Bullet with #6 GND Lug			-
S99-0035-1	S35 2-Pole Sure-Seal w/.180" Bullet and #6 GND Lug 90 deg.			-
S99-0A35-1	S35 2-Pole Sure-Seal w/.180" Bullet and 1" #10 GND Lug			-
S99-1A35-1	S35 2-Pole Sure-Seal 8" Leads			-
S99-3600-1	2 Pole Connector W/Bullet Ends			-
S99-3610-1	2 Pole Connector W/Bullet Ends and Grommet			-

T99 – Tail Light Connector




Part No.	Part Description (continued on pg 67)	Amp Draw	Color	Pack
T99-0010-1	12" 3-Pole .156" Bullet w/#6 GND Lug - Straight			-
T99-0020-1	12" 3-Pole .156" Bullet w/#6 GND Lug - 90 degree			-
T99-0040-1	Amp - Pigtail Wire Adapter			-
T99-0050-1	Amp - Tri pole Adapter			-
T99-0060-1	3 Pole Style plug with 6" wires			-

K60-0C40-1 – Chrome Quad Bezel



- Quad Bezel provides a great looking cluster for DOT regulations on emergency vehicles
- Lower cost than competitors
- Lifetime warranty



Part No.	Part Description (continued on pg 67)	Pack
K60-0C40-1	K60 Chrome Quad Bezel w/ Gasket & Grommets	1

Basic Equipment Required on All Trucks, Buses, & MPVs

	DESCRIPTION				MANDATORY REQUIREMENTS		
	Equipment	(SAE Lens Coding)	Functional Purpose	QTY	Color	Location	Height (in) From Ground
1	Headlamps - Lower Beam <small>-US requires "DOT" lettering on lens -US & Canada require light source code on lens</small>	(H, HR)	Forward road illumination	Min 2	White	On front - symmetrical - as far apart as practicable <small>- 4 lamp system - outboard or above upper beams</small>	22"- 54"
	Headlamps - Upper Beam <small>-US requires "DOT" lettering on lens -US & Canada require light source code on lens</small>	(H, HR)	Forward road illumination	Min 2	White	On front - symmetrical <small>- 4 lamp system - inboard or below lower beams</small>	22"- 54"
	Parking Lamps <small>-Vehicles less than 80" wide</small>	(P)	Indicate parked vehicle	Min 2	White/Amber	On the front - symmetrical - as far apart as practicable	15"- 72"
	Daytime Running Lamps <small>-US - Optional - requires "DRL" lettering if not headlamp -Canada - Required</small>	(Y2)	Indicate in use vehicle	Min 2	White/Amber		15" minimum <small>*Max depends on type</small>
	Front Turn Signal/ Hazard Warning Lamps	(I)	Indicates direction of turn/ identify disabled vehicle	Min 2	Amber	On the front - symmetrical - as far apart as practicable	15"- 83"
2 Front Clearance Lamps <small>-Vehicles 80" wide or wider</small>	(P2, PC* or P3, PC2*)	Show vehicle's width	Min 2	Amber	At widest point - symmetrical - as far forward as practicable - facing forward	As high as practicable	
3 Front Identification Lamps (ID) <small>-Vehicles 80" wide or wider</small>	(P2 or P3)	Indicate presence of a wide vehicle	Exactly 3	Amber	On the front - center - horizontally spaced 6"- 12" apart	As high as practicable or on top of the cab	
4a	Front Side Marker Lamps	(P2, PC* or P3, PC2*)	Indicate vehicle presence & length	Min 2	Amber	Each side at front - as far forward as practicable	15" minimum
4b	Front Side Reflex Reflectors	(A)		Min 2	Amber	Each side at front - as far forward as practicable facing sideways	15"- 60"
5a	Rear Side Marker Lamps	(P2, PC* or P3, PC2*)	Indicate vehicle presence & length	Min 2	Red	Each side at rear - as far back as practicable	15" minimum
5b	Rear Side Reflex Reflectors	(A)		Min 2	Red	Each side at rear - as far back as practicable facing sideways	15"- 60"
6	Rear Clearance Lamps <small>-Vehicles 80" wide or wider -Not required on truck tractors</small>	(P2, PC* or P3, PC2*)	Shows veh. width- MAY NOT be combined with tail lamps	Min 2	Red	At widest point - symmetrical - on the rear or near the rear - facing Rearward	15" minimum
7	Rear Identification Lamps <small>-Vehicles 80" wide or wider -Not required on truck tractors</small>	(P2 or P3)	Indicate Presence of Long Vehicle	Exactly 3	Red	On the rear - center, facing rearward - horizontally spaced 6"- 12" apart	15"- 60"
8	Tail Lamps	(T)	Indicate vehicle's presence and width	Min 2	Red	On the rear - symmetrical as far apart as practicable	15"- 72"
	Stop Lamps	(S)	Indicate Braking	Min 2	Red		
	Rear Turn Signal/ Hazard Warning Lamps	(I)	Indicate direction of turn/ identify disabled vehicle	Min 2	Red/Amber		15"- 83"
	Rear Reflex Reflectors	(A)	Show vehicle's presence and width	Min 2	Red		15"- 60"
9	Backup Lamp	(R)	Illuminates ground behind the vehicle and alert road users	Min 1	White	Rear	No requirement
10	License Plate Lamp(s)	(L)	Illuminates license plate	Min 1	White	On the rear - above or at the sides of license plate	No requirement
11	Center High Mounted Stop Lamp	(U3)	Indicates Braking	Min 1	Red	On the rear - centerline of the vehicle	34" minimum

*Photometrically certified at installation angle


Length - 30' or longer

	DESCRIPTION				MANDATORY REQUIREMENTS		
	Equipment	(SAE Lens Coding)	Functional Purpose	QTY	Color	Location	Height (in) From Ground
12a	Intermediate Side Marker Lamps	(P2 or P3)	Indicate presence of long vehicle	Min 2	Amber	Each side near center	15" minimum
12b	Intermediate Side Reflex Reflectors	(A)	Indicate presence of long vehicle	Min 2	Amber	Each side near center - Facing Sideways	15"- 60"

Truck Tractors

	DESCRIPTION			MANDATORY REQUIREMENTS			
	Conspicuity Treatment	DOT Coding	QTY	Color	Location	Height (in) From Ground	Options
9	Rear Upper Body Marking	DOT-C, DOT-C2, DOT-C3, DOT-C4	Exactly 2 pairs of 300mm (11.8") long strips	White	On the rear upper corners of cab - facing rearward	At the top	Rear lower body and side conspicuity treatment may also be solid white, solid amber, or white and amber
11	Rear Marking		Exactly 2 sections of min 600mm (24") long strips	Red/White	Rear - facing rearward - on fenders, on mud flap brackets, or within 300mm below top of mudflaps	As horizontal and as close to the range of 15"- 60" from ground as practicable	

Truck, Bus, & MPV Requirements



Basic Equipment Required on All Trailers

	DESCRIPTION				MANDATORY REQUIREMENTS		
	Equipment	(SAE Lens Coding)	Functional Purpose	QTY	Color	Location	Height (in) From Ground
1	Tail Lamps	(T)	Indicate vehicle presence & width	Min 2	Red	On the rear - symmetrical - as far apart as practicable	15"- 72"
	Stop Lamps	(S)	Indicate braking	Min 2	Red		15"- 72"
	Rear Turn Signal Lamps	(I)	Indicate direction of turn	Min 2	Red/ Amber		15"- 83"
	Rear Reflex Reflectors	(A)	Indicate vehicle presence & width	Min 2	Red		15"- 60"
2	License Plate Lamps	(L)	Illuminate license plate	Min 1	White	On the rear - above or at the sides of license plate	No requirement
3	Rear Side Marker Lamps	(P2, PC* or P3, PC2*)	Indicate vehicle presence & length	Min 2	Red	Each side at rear - as far back as practicable	15"- 60" (no max for vehicles under 80" wide)
	Rear Side Reflex Reflectors	(A)		Min 2	Red	Each side at rear - as far back as practicable facing sideways	15"- 60"
4a	Front Side Marker Lamps	(P2, PC* or P3, PC2*)	Indicate vehicle presence & length	Min 2	Amber	Each side at front - as far forward as practicable	15" minimum
4b	Front Side Reflex Reflectors	(A)		Min 2	Amber	Each side at front - as far forward as practicable facing sideways	15"- 60"

*Photometrically certified at installation angle

Length - 30' or longer

	DESCRIPTION				MANDATORY REQUIREMENTS		
	Equipment	(SAE Lens Coding)	Functional Purpose	QTY	Color	Location	Height (in) From Ground
5a	Intermediate Side Marker Lamps	(P2 or P3)	Indicate presence of long vehicle	Min 2	Amber	Each side near center - Facing Sideways	15" minimum
5b	Intermediate Side Reflex Reflectors	(A)	Indicate presence of long vehicle	Min 2	Amber		15"- 60"

Width - 80" or wider

	DESCRIPTION				MANDATORY REQUIREMENTS		
	Equipment	(SAE Lens Coding)	Functional Purpose	QTY	Color	Location	Height (in) From Ground
6	Rear Clearance Lamps	(P2, PC* or P3, PC2*)	Shows veh. width- MAY NOT be combined with tail lamps	Min 2	Red	At widest point - symmetrical - on or near the rear - facing Rearward	15" minimum
7	Rear Identification Lamps	(P2 or P3)	Indicate Presence of Long Vehicle	Exactly 3	Red	On the rear - center, facing rearward - horizontally spaced 6"- 12" apart	15"- 60"
8	Front Clearance Lamps	(P2, PC* or P3, PC2*)	Show Vehicle's Width	Min 2	Amber	At widest point - symmetrical - as far forward as practicable - facing forward	As high as practicable


*Photometrically certified at installation angle

Width - 80" or wider AND GVWR of 10,000 lbs or MORE

	DESCRIPTION			MANDATORY REQUIREMENTS			
	Conspicuity Treatment	DOT Coding	QTY	Color	Location	Height (in) From Ground	Options
9	Rear Upper Body Marking	DOT-C, DOT-C2, DOT-C3, DOT-C4	Exactly 2 pairs of 300mm (11.8") long strips	White	On the rear upper corners - facing rearward	At the top	Rear lower body and side conspicuity treatment may also be solid white, solid amber, or white and amber
10	Bumper Bar Marking		Continuous	Red/White	On the rear bumper bar's horizontal element - full width - facing rearward	No requirement	
11	Rear Lower Body Marking		Continuous	Red/White (see options)	On the rear - full width of the vehicle - facing rearward	As horizontal and as close to the range of 15"- 60" from ground as practicable	
12	Side Marking		See location	Red/White (see options)	Each side - facing sideways - continuous, or evenly spaced over minimum of 50% of length, starts and ends as close to the front and rear of vehicle as practicable		

- Reflex reflectors may not be required if they are replaced, in their required location, with conspicuity treatment
(Optional in Canada)

Trailer Requirements




NFPA 1901 Exterior Warning Lighting Minimum Requirements

The warning lights have two separate operating modes with two corresponding specifications.

1. Calling for the right of way (Responding)
2. Blocking the right of way (At the Scene)
3. Flasher Color Specifications

Function	Red	Blue	Amber	White
RESPONDING	Any Zone		Any Zone except A	Any Zone except C
AT THE SCENE	Any Zone			Not Permitted



Small Apparatus - Less than 25'

Responding	Zone A	Zone B	Zone C	Zone D
	Upper & Lower Combined			
H	1,000,000	200,000	400,000	200,000
ANY H POINT	10,000	8,000	10,000	8,000
+/- 5° ANY H	3,500	3,500	3,500	3,500

At The Scene	Zone A	Zone B	Zone C	Zone D
	Upper & Lower Combined			
H	1,000,000	200,000	400,000	200,000
ANY H POINT	10,000	8,000	10,000	8,000
+/- 5° ANY H	3,500	3,500	3,500	3,500

A small apparatus is categorized as a vehicle with a bumper to bumper length of less than twenty-five (25) feet. They have four (4) separate zones. The specifications for each zone include both upper and lower lights. Refer to the NFPA 1901 Standard for Automotive Fire Apparatus, Chapter 13 Low Voltage Electrical Systems and Warning Devices.

NOTE: All values are in candela-seconds/minute.
H = Horizontal plane passing through the optical center

Large Apparatus - Greater than 25'

Responding	Zone A		Zone B		Zone C		Zone D	
	Upper	Lower	Upper	Lower	Upper	Lower	Upper	Lower
H	1,000,000	150,000	400,000	150,000	400,000	150,000	400,000	150,000
ANY H POINT	10,000	3,750	10,000	3,750	10,000	3,750	10,000	3,750
+/- 5° ANY H	3,500	1,300	3,500	1,300	3,500	1,300	3,500	1,300

At The Scene	Zone A		Zone B		Zone C		Zone D	
	Upper	Lower	Upper	Lower	Upper	Lower	Upper	Lower
H	400,000	150,000	400,000	150,000	800,000	150,000	400,000	150,000
ANY H POINT	10,000	3,750	10,000	3,750	10,000	3,750	10,000	3,750
+/- 5° ANY H	3,500	1,300	3,500	1,300	3,500	1,300	3,500	1,300

A large apparatus is categorized as a vehicle with a length of greater than twenty-five (25) feet. They are divided into four (4) separate zones, each divided into upper and lower.

For lower levels of Zones B & D, distances between optical warning devices may not exceed twenty five (25) feet. Additional mid-ship devices are required.

NOTE: All values are in candela-seconds/minute. H= Horizontal plane passing through the optical center

Part No.	Part Description	Color	STD Pack	Connector
D02 - Ladder Lights				Pg 36
D05-3001-1	Ladder Light RGB 1 Section - 14" Section Length	 	-	Pigtail
D02-A001-1	Ladder Light Amber 1 Section - 14" Section Length	 	-	Pigtail
D02-B001-1	Ladder Light Blue 1 Sections - 14" Section Length	 	-	Pigtail
D02-G001-1	Ladder Light Green 1 Section - 14" Section Length	 	-	Pigtail
D02-R001-1	Ladder Light Red 1 Section - 14" Section Length	 	-	Pigtail
D02-W001-1	Ladder Light White 1 Section - 14" Section Length	 	-	Pigtail
D03 - Mini Light				Pg 36
D03-3000-1	Mini Light RGB Body	 	50	Pigtail (9")
D03-0B45-1	Mini Light Black 45 Degree Case		50	-
D03-0BH0-1	Mini Light Black Horizontal Case		50	-
D03-0BV0-1	Mini Light Black Vertical Case		50	-
D03-0G00-1	Mini Light 45 Degree Case Gasket		50	-
D03-0S45-1	Mini Light Stainless 45 Degree Case		50	-
D03-0SH0-1	Mini Light Stainless Horizontal Case		50	-
D03-0SV0-1	Mini Light Stainless Vertical Case		50	-
D03-0W45-1	Mini Light White 45 Degree Case		50	-
D03-0WH0-1	Mini Light White Horizontal Case		50	-
D03-0WV0-1	Mini Light White Vertical Case		50	-
D03-A000-1	Mini Light Amber Lamp Linear Body	 	50	Pigtail (9")
D03-A450-1	Mini Light Amber Lamp 45 Degree Body	 	50	Pigtail (9")
D03-B000-1	Mini Light Blue Lamp Body	 	50	Pigtail (9")
D03-B450-1	Mini Light Blue Lamp 45 Degree Body	 	50	Pigtail (9")
D03-G000-1	Mini Light Green Lamp Body	 	50	Pigtail (9")
D03-G450-1	Mini Light Green Lamp 45 Degree Body	 	50	Pigtail (9")
D03-R000-1	Mini Light Red Lamp Body	 	50	Pigtail (9")
D03-R450-1	Mini Light Red Lamp 45 Degree Body	 	50	Pigtail (9")
D03-W000-1	Mini Light White Lamp Body	 	50	Pigtail (9")
D03-W450-1	Mini Light White Lamp 45 Degree Body	 	50	Pigtail (9")
D04 - Dragon Light - Linear Series				Pg 37
D04-0BH0-1	Dragon Light Linear Horizontal Case - Black		50	-
D04-0BV0-1	Dragon Light Linear Vertical Case - Black		50	-
D04-0SH0-1	Dragon Light Linear Horizontal Case - SS		50	-
D04-0SV0-1	Dragon Light Linear Vertical Case - SS		50	-
D04-0WH0-1	Dragon Light Linear Horizontal Case - White		50	-
D04-0WV0-1	Dragon Light Linear Vertical Case - White		50	-
D04-A000-1	Dragon Light Linear Body Amber - 9" Wire	 	50	Pigtail (9")
D04-A001-1	Dragon Light Linear Body Amber - 36" Wire	 	50	Pigtail (36")
D04-B000-1	Dragon Light Linear Body Blue - 9" Wire	 	50	Pigtail (9")
D04-B001-1	Dragon Light Linear Body Blue - 36" Wire	 	50	Pigtail (36")
D04-D000-1	Dragon Light Linear Body Deep Red - 9" Wire	 	50	Pigtail (9")

Part No.	Part Description	Color	STD Pack	Connector
D04-D001-1	Dragon Light Linear Body Deep Red - 36" Wire	 	50	Pigtail (36")
D04-G000-1	Dragon Light Linear Body Green - 9" Wire	 	50	Pigtail (9")
D04-G001-1	Dragon Light Linear Body Green - 36" Wire	 	50	Pigtail (36")
D04-J001-1	Dragon Light Linear Body Jade - 36" Wire	 	50	Pigtail (9")
D04-N001-1	Dragon Light Linear Body Orange - 36" Wire	 	50	Pigtail (36")
D04-R000-1	Dragon Light Linear Body Red - 9" Wire	 	50	Pigtail (9")
D04-R001-1	Dragon Light Linear Body Red - 36" Wire	 	50	Pigtail (36")
D04-U001-1	Dragon Light Linear Body Ultraviolet - 36" Wire	 	50	Pigtail (36")
D04-W000-1	Dragon Light Linear Body White - 9" Wire	 	50	Pigtail (9")
D04-W001-1	Dragon Light Linear Body White - 36" Wire	 	50	Pigtail (36")
D04-W00F-1	Dragon Light Linear Body White Flood - 9" Wire	 	50	Pigtail (9")
D06 - 45° Accent/Step Light				Pg 37
D06-0G00-1	Step Light 45 Deg. Gasket		100	-
D06-WC00-1	Step Light White 45 Deg. W/Chrome Case	 	100	Sheathed Pigtail (9")
D07 - Accent Light				Pg 38
D07-3000-1	Accent Light RGB Body	 	50	
D07-0B45-1	Accent Light Black 45 Degree Case		50	-
D07-0BH0-1	Accent Light Black Horizontal Case		50	-
D07-0BV0-1	Accent Light Black Vertical Case		50	-
D07-0G00-1	Accent Light 45 Degree Case Gasket		50	-
D07-0S45-1	Accent Light Stainless 45 Degree Case		50	-
D07-0SH0-1	Accent Light Stainless Horizontal Case		50	-
D07-0SV0-1	Accent Light Stainless Vertical Case		50	-
D07-0W45-1	Accent Light White 45 Degree Case		50	-
D07-0WH0-1	Accent Light White Horizontal Case		50	-
D07-0WV0-1	Accent Light White Vertical Case		50	-
D07-A000-1	Accent Light Amber Lamp Body	 	50	Pigtail (9")
D07-A450-1	Accent Light Amber Lamp 45 Degree Body	 	50	Pigtail (9")
D07-B000-1	Accent Light Blue Lamp Body	 	50	Pigtail (9")
D07-B450-1	Accent Light Blue Lamp 45 Degree Body	 	50	Pigtail (9")
D07-G000-1	Accent Light Green Lamp Body	 	50	Pigtail (9")
D07-G450-1	Accent Light Green Lamp 45 Degree Body	 	50	Pigtail (9")
D07-R000-1	Accent Light Red Lamp Body	 	50	Pigtail (9")
D07-R450-1	Accent Light Red Lamp 45 Degree Body	 	50	Pigtail (9")
D07-W000-1	Accent Light White Lamp Body	 	50	Pigtail (9")
D07-W450-1	Accent Light White Lamp 45 Degree Body	 	50	Pigtail (9")
D14 - Dragon Light - Oval Series				Pg 38
D14-0B00-1	Dragon Light Oval Case - Black		50	-
D14-0S00-1	Dragon Light Oval Case - SS		50	-
D14-0W00-1	Dragon Light Oval Case - White		50	-
D14-A000-1	Dragon Light Oval Body Amber - 9" Wire	 	50	Pigtail (9")

Part No.	Part Description	Color	STD Pack	Connector
D14-A001-1	Dragon Light Oval Body Amber - 36" Wire	 	50	Pigtail (36")
D14-B000-1	Dragon Light Oval Body Blue - 9" Wire	 	50	Pigtail (9")
D14-B001-1	Dragon Light Oval Body Blue - 36" Wire	 	50	Pigtail (36")
D14-D000-1	Dragon Light Oval Body Deep Red - 9" Wire	 	50	Pigtail (9")
D14-D001-1	Dragon Light Oval Body Deep Red - 36" Wire	 	50	Pigtail (36")
D14-G000-1	Dragon Light Oval Body Green - 9" Wire	 	50	Pigtail (9")
D14-G001-1	Dragon Light Oval Body Green - 36" Wire	 	50	Pigtail (36")
D14-N001-1	Dragon Light Oval Body Orange - 36" Wire	 	50	Pigtail (36")
D14-R000-1	Dragon Light Oval Body Red - 9" Wire	 	50	Pigtail (9")
D14-R001-1	Dragon Light Oval Body Red - 36" Wire	 	50	Pigtail (36")
D14-U000-1	Dragon Light Oval Body Ultraviolet - 9" Wire	 	50	Pigtail (9")
D14-U001-1	Dragon Light Oval Body Ultraviolet - 36" Wire	 	50	Pigtail (36")
D14-W000-1	Dragon Light Oval Body White - 9" Wire	 	50	Pigtail (9")
D14-W001-1	Dragon Light Oval Body White - 36" Wire	 	50	Pigtail (36")
D14-W00F-1	Dragon Light Oval Body White Flood - 9" Wire	 	50	Pigtail (9")
D16 - Link Lights				Pg 39
D16-WB00-1	High Output Race Light Black Housing	 	1	Pigtail (9")
D21 - Link Lights				Pg 39
D21-AC00-1	Emergency Accessory Light, Amber LED	 	50	Pigtail (4.5")
D21-BC00-1	Emergency Accessory Light, Blue LED	 	50	Pigtail (4.5")
D21-GC00-1	Emergency Accessory Light, Green LED	 	50	Pigtail (4.5")
D21-RC00-1	Emergency Accessory Light, Red LED	 	50	Pigtail (4.5")
D21-WC00-1	Emergency Accessory Light, White LED	 	50	Pigtail (4.5")
D30 - Load Ramp Light				Pg 39
D30-WB00-1	High Output Ramp Light Pigtail Wire	 	10	Pigtail (9")
D30-WB0B-1	High Output Ramp Light 0.180 Bullet	 	10	0.180" Bullets
D30-WW0B-1	High Output Surface Mount Load Light White Housing W/180 Bullets	 	10	0.180" Bullets
E02 - Miniature Accent Light				Pg 40
E02-B000-1	Miniature Accent Light, Blue, Clear Lens	 	100	Pigtail (7")
E02-BB00-1	Miniature Accent Light, Blue, Clear Lens, Black Cover	 	100	Pigtail (7")
E02-G000-1	Miniature Accent Light, Green, Clear Lens	 	100	Pigtail (7")
E02-GB00-1	Miniature Accent Light, Green, Clear Lens, Black Cover	 	100	Pigtail (7")
E02-R000-1	Miniature Accent Light, Red, Clear Lens	 	100	Pigtail (7")
E02-RB00-1	Miniature Accent Light, Red, Clear Lens, Black Cover	 	100	Pigtail (7")
E02-W000-1	Miniature Accent Light, White, Clear Lens,	 	100	Pigtail (7")
E02-WB00-1	Miniature Accent Light, White, Clear Lens, Black Cover	 	100	Pigtail (7")
E03 - Eon Series Light				Pg 40
E03-000G-1	Eon Light Linear Vertical Case Gasket		50	-
E03-00HG-1	Eon Light Linear Horizontal Case Gasket		50	-
E03-0BHO-1	Eon Light Linear Horizontal Case - Black		50	-
E03-0BV0-1	Eon Light Linear Vertical Case - Black		50	-

Part No.	Part Description	Color	STD Pack	Connector
E03-0SH0-1	Eon Light Linear Horizontal Case - SS		50	-
E03-0SV0-1	Eon Light Linear Vertical Case - SS		50	-
E03-A001-1	Eon Light Linear Body Amber - 36" Wire	 	50	Pigtail (36")
E03-A003-1	Eon Light Linear Body Amber Dual Intensity - 9" Wire	 	50	Pigtail (9")
E03-B001-1	Eon Light Linear Body Blue - 36" Wire	 	50	Pigtail (36")
E03-D001-1	Eon Light Linear Body Deep Red - 36" Wire	 	50	Pigtail (36")
E03-D003-1	Eon Light Linear Body Deep Red Dual Intensity - 9" Wire	 	50	Pigtail (9")
E03-G001-1	Eon Light Linear Body Green - 36" Wire	 	50	Pigtail (36")
E03-J001-1	Eon Light Linear Body Jade - 36" Wire	 	50	Pigtail (36")
E03-L000-1	Eon Light Linear Body Neutral White - 9" Wire	 	50	Pigtail (9")
E03-M000-1	Eon Light Linear Body Warm White - 9" Wire	 	50	Pigtail (9")
E03-N001-1	Eon Light Linear Body Orange - 36" Wire	 	50	Pigtail (36")
E03-RGB1-1	Eon Light Linear Body RGB - 82" Wire	 	50	Sheathed Pigtail (82")
E03-W000-1	Eon Light Linear Body Cool White - 9" Wire	 	50	Pigtail (9")
E03-W001-1	Eon Light Linear Body Cool White - 36" Wire	 	50	Pigtail (36")
E03-W00F-1	Eon Light Linear Body Cool White - Flood Lens - 9" Wire	 	50	Pigtail (9")
E05 - Interior Area Light				Pg 41
E05-WBS0-1	Interior Area Light, Surface Mt.,White LED, Black Cover	 	10	Sheathed Pigtail (6")
E05-WSS0-1	Interior Area Light, Surface Mt.,White LED, SS Cover	 	10	Sheathed Pigtail (6")
E05-WWS0-1	Interior Area Light, Surface Mt.,White LED, White Cover	 	10	Sheathed Pigtail (6")
E05-0B00-1	Interior Area Light - 1" Round Bar Mt. Adapter		10	Sheathed Pigtail (6")
E06 - Silho-X 4" Series				Pg 41
E06-3S00-1	Silho-X 4" Round RGB Light SS Trim Ring	 	10	Pigtail (9")
E06-LS00-1	Silho-X 4" Round Neutral White Light SS Trim Ring	 	10	Pigtail (9")
E06-LS0R-1	Silho-X 4" Round Neutral White/Red Light SS Trim Ring	 	10	Pigtail (9")
E06-LSB0-1	Silho-X 4" Round Neutral White/Blue Combo Light SS Trim Ring	 	10	Pigtail (9")
E06-MS00-1	Silho-X 4" Round Warm White Light SS Trim Ring	 	10	Pigtail (9")
E06-MS0F-1	Silho-X 4" Round Warm White Light Diffuse Lens SS Trim Ring	 	10	Pigtail (9")
E06-MS0R-1	Silho-X 4" Round Warm White/Red Combo Lt SS Trim Ring	 	10	Pigtail (9")
E06-RS00-1	Silho-X 4" Round Red Light SS Trim Ring	 	10	Pigtail (9")
E06-WB00-1	Silho-X 4" Round Cool White Light Black Powder Coat Trim Ring	 	10	Pigtail (9")
E06-WS00-1	Silho-X 4" Round Cool White Light SS Trim Ring	 	10	Pigtail (9")
E06-WS0B-1	Silho-X 4" Round Cool White/Blue Combo Light SS Trim Ring	 	10	Pigtail (9")
E06-WS0F-1	Silho-X 4" Round Cool White Light Diffuse Lens SS Trim Ring	 	10	Pigtail (9")
E06-WS0R-1	Silho-X 4" Round Cool White/Red Combo Light SS Trim Ring	 	10	Pigtail (9")
E06-WSRF-1	Silho-X 4" Round Cool White/Red Combo Lt Diffuse Lens SS Trim Ring	 	10	Pigtail (9")
E07 - Emergency Vehicle Interior Light				Pg 42
E07-WC00-1	8" EV Recessed Cool White LED w/ Chrome Trim Ring	 	10	Pigtail (9")
E07-WW00-1	8" EV Recessed Cool White LED w/ White Powder Coat Trim Ring	 	10	Pigtail (9")
E08 - Emergency Vehicle Interior Light				Pg 42
E08-LC00-1	8" EV Neutral White Interior Light Chrome Trim - 31 LEDs	 	10	Pigtail (9")

Part No.	Part Description	Color	STD Pack	Connector
E08-LC10-1	8" EV Neutral White Interior Light Chrome Trim - 18 LEDs	 	10	Pigtail (9")
E08-LC20-1	8" EV Neutral White Interior Light Chrome Trim - 18 LEDs MRI	 	10	Pigtail (9")
E08-LCR0-1	8" EV Neutral White/Red Interior Light Chrome Trim - 18/12 LED	 	10	Pigtail (9")
E08-LW00-1	8" EV Neutral White Interior Light White Trim - 31 LEDs	 	10	Pigtail (9")
E08-LW10-1	8" EV Neutral White Interior Light White Trim - 18 LEDs	 	10	Pigtail (9")
E08-LW20-1	8" EV Neutral White Interior Light White Trim - 18 LEDs - MRI	 	10	Pigtail (9")
E08-LWR0-1	8" EV Neutral White/Red Interior Light White Trim - 18/12 LED	 	10	Pigtail (9")
E08-WC00-1	8" EV Cool White Interior Light Chrome Trim - 31 LEDs	 	10	Pigtail (9")
E08-WC10-1	8" EV Cool White Interior Light Chrome Trim - 18 LEDs	 	10	Pigtail (9")
E08-WCR0-1	8" EV Cool White/Red Interior Light Chrome Trim - 18/12 LED	 	10	Pigtail (9")
E08-WW00-1	8" EV Cool White Interior Light White Trim - 31 LEDs	 	10	Pigtail (9")
E08-WW10-1	8" EV Cool White Interior Light White Trim - 18 LEDs	 	10	Pigtail (9")
E08-WW20-1	8" EV Cool White Interior Light White Trim - 18 LED's MRI	 	10	Pigtail (9")
E08-WWR0-1	8" EV Cool White/Red Interior Light White Trim - 18/12 LED	 	10	Pigtail (9")
E10 - Ground/Pump Panel Light				Pg 34
E10-W000-1	EV Ground/Pump Panel Light	 	10	Sheathed Pigtail
E10-WS00-1	EV Ground/Pump Panel Light with SS Bracket	 	10	Sheathed Pigtail
E11 - Silho-X 1.5" Series				Pg 43
E11-AS01-1	Silho-X 1.5" Round Amber Light - SS Trim Ring - 36" Wire	 	10	Pigtail (36")
E11-BS01-1	Silho-X 1.5" Round Blue Light - SS Trim Ring - 36" Wire	 	10	Pigtail (36")
E11-DS01-1	Silho-X 1.5" Round Deep Red Light - SS Trim Ring - 36" Wire	 	10	Pigtail (36")
E11-GS01-1	Silho-X 1.5" Round Green Light - SS Trim Ring - 36" Wire	 	10	Pigtail (36")
E11-JS01-1	Silho-X 1.5" Round Jade Light - SS Trim Ring - 36" Wire	 	10	Pigtail (36")
E11-LS00-1	Silho-X 1.5" Round Neutral White light - SS Trim Ring	 	10	Pigtail (9")
E11-MS00-1	Silho-X 1.5" Round Warm White Light - SS Trim Ring	 	10	Pigtail (9")
E11-MS0F-1	Silho-X 1.5" Round Warm White Light Diffuse Lens - SS Trim Ring	 	10	Pigtail (9")
E11-NS01-1	Silho-X 1.5" Round Orange Light - SS Trim Ring - 36" Wire	 	10	Pigtail (36")
E11-RS00-1	Silho-X 1.5" Round Red Light - SS Trim Ring	 	10	Pigtail (9")
E11-WS00-1	Silho-X 1.5" Round Cool White Light - SS Trim Ring	 	10	Pigtail (9")
E11-WS01-1	Silho-X 1.5" Round Cool White Light - SS Trim Ring - 36" Wire	 	10	Pigtail (36")
E11-WS0F-1	Silho-X 1.5" Round Cool White Light Diffuse Lens - SS Trim Ring	 	10	Pigtail (9")
E13 - Silho-X 2.75" Series				Pg 43
E13-3S00-1	Silho-X 2.75" Round RGB Light - SS Trim Ring	 	20	Pigtail (9")
E13-AB10-1	Silho-X 2.75" Round LP Amber Light - Black Trim Ring	 	20	Pigtail (9")
E13-AW10-1	Silho-X 2.75" Round LP Amber Light - White Trim Ring	 	20	Pigtail (9")
E13-BB10-1	Silho-X 2.75" Round LP Blue Light - Black Trim Ring	 	20	Pigtail (9")
E13-BW10-1	Silho-X 2.75" Round LP Blue Light - White Trim Ring	 	20	Pigtail (9")
E13-GB10-1	Silho-X 2.75" Round LP Green Light - Black Trim Ring	 	20	Pigtail (9")
E13-GW10-1	Silho-X 2.75" Round LP Green Light - White Trim Ring	 	20	Pigtail (9")
E13-LS00-1	Silho-X 2.75" Round Neutral White Light - SS Trim Ring	 	20	Pigtail (9")
E13-LS0R-1	Silho-X 2.75" Round Neutral White/Red Light - SS Trim Ring	 	20	Pigtail (9")

Part No.	Part Description	Color	STD Pack	Connector
E13-MS00-1	Silho-X 2.75" Round Warm White Light - SS Trim Ring	 	20	Pigtail (9")
E13-MS0F-1	Silho-X 2.75" Round Warm White Light Diffuse Ln - SS Trim Ring	 	20	Pigtail (9")
E13-MS0R-1	Silho-X 2.75" Round Warm White/Red Combo Light - SS Trim Ring	 	20	Pigtail (9")
E13-RB10-1	Silho-X 2.75" Round LP Red Light - Black Trim Ring	 	20	Pigtail (9")
E13-RW10-1	Silho-X 2.75" Round LP Red Light - White Trim Ring	 	20	Pigtail (9")
E13-WB10-1	Silho-X 2.75" Round Cool White Light - Black Trim Ring	 	20	Pigtail (9")
E13-WS00-1	Silho-X 2.75" Round Cool White Light - SS Trim Ring	 	20	Pigtail (9")
E13-WS0F-1	Silho-X 2.75" Round Cool White Light Diffuse Lens - SS Trim Ring	 	20	Pigtail (9")
E13-WS0R-1	Silho-X 2.75" Round Cool White/Red Combo Light - SS Trim Ring	 	20	Pigtail (9")
E13-WW10-1	Silho-X 2.75" Round LP Cool White Light - White Trim Ring	 	20	Pigtail (9")









E16 - High Output Dome Light

Pg 44

E16-LW00-1	E16 Interior SM Neutral White Oval Light White Base	 	20	Sheathed Pigtail
E16-LWS0-1	E16 Interior SM Neutral White Oval Light White Base w/Switch	 	20	Sheathed Pigtail
E16-LB00-1	E16 Interior SM Neutral White Oval Light Black Base	 	20	Sheathed Pigtail
E16-LBS0-1	E16 Interior SM Neutral White Oval Light Black Base w/Switch	 	20	Sheathed Pigtail
E16-MW00-1	E16 Interior SM Warm White Oval Light White Base	 	20	Sheathed Pigtail
E16-MWS0-1	E16 Interior SM Warm White Oval Light White Base w/Switch	 	20	Sheathed Pigtail
E16-MB00-1	E16 Interior SM Warm White Oval Light Black Base	 	20	Sheathed Pigtail
E16-MBS0-1	E16 Interior SM Warm White Oval Light Black Base w/Switch	 	20	Sheathed Pigtail
E16-WW00-1	E16 Interior SM Cool White Oval Light White Base	 	20	Sheathed Pigtail
E16-WWS0-1	E16 Interior SM Cool White Oval Light White Base w/Switch	 	20	Sheathed Pigtail
E16-WB00-1	E16 Interior SM Cool White Oval Light Black Base	 	20	Sheathed Pigtail
E16-WBS0-1	E16 Interior SM Cool White Oval Light Black Base w/Switch	 	20	Sheathed Pigtail

























E18 - 4.5" Utility Light

Pg 44











































































E18-LC00-1	Surface mount 4.5"x2.5" Neutral White 12 LED Dome light	 	10	Sheathed Pigtail
E18-LCS0-1	Surface mount 4.5"x2.5" Neutral White 12 LED Dome light w/ Switch	 	10	Sheathed Pigtail
E18-WC00-1	Surface mount 4.5"x2.5" Cool White 12 LED Dome light	 	10	Sheathed Pigtail
E18-WCS0-1	Surface mount 4.5"x2.5" Cool White 12 LED Dome light w/ Switch	 	10	Sheathed Pigtail





























































E20 - Orion Series Surface Mount Dome Light



































Pg 45

E20-LA03-1	6" Interior Light Neutral White Tri-Level Intensity - Satin Trim Ring	 	5	Pigtail (15")
E20-LA00-1	6" Interior Light Neutral White - Satin Trim Ring	 	5	Pigtail (15")
E20-LA0R-1	6" Interior Light Neutral White/Red - Satin Trim Ring	 	5	Pigtail (15")
E20-LC00-1	6" Interior Light Neutral White - Chrome Trim Ring	 	5	Pigtail (15")
E20-LC0R-1	6" Interior Light Neutral White/Red - Chrome Trim Ring	 	5	Pigtail (15")
E20-MA00-1	6" Interior Light Warm White - Satin Trim Ring	 	5	Pigtail (15")
E20-MA03-1	6" Interior Light Warm White Tri-Level Intensity - Satin Trim Ring	 	5	Pigtail (15")
E20-MA0R-1	6" Interior Light Warm White/Red Combo - Satin Trim Ring	 	5	Pigtail (15")
E20-MC00-1	6" Interior Light Warm White - Chrome Trim Ring	 	5	Pigtail (15")
E20-WC00-1	6" Interior Light Cool White - Chrome Trim Ring	 	5	Pigtail (15")
E20-WC0R-1	6" Interior Light Cool White/Red Combo - Chrome Trim Ring	 	5	Pigtail (15")
E20-WCB0-1	6" Interior Light Cool White/Blue Combo - Chrome Trim Ring	 	5	Pigtail (15")

Part No.	Part Description	Color	STD Pack	Connector
E25 - 3" Spring Mounted Dome Light				Pg 46
E25-L000-1	3" Spring Mounted Dome Light, Neutral White		10	Sheathed Pigtail
E25-LOS0-1	3" Spring Mounted Dome Light, Neutral White, w/Switch		10	Sheathed Pigtail
E25-M000-1	3" Spring Mounted Dome Light, Warm White		10	Sheathed Pigtail
E25-M0S0-1	3" Spring Mounted Dome Light, Warm White, w/Switch		10	Sheathed Pigtail
E25-W000-1	3" Spring Mounted Dome Light, Cool White		10	Sheathed Pigtail
E25-W0S0-1	3" Spring Mounted Dome Light, Cool White, w/Switch		10	Sheathed Pigtail
E26 - 4.5" Spring Mounted Dome Light				Pg 46
E26-L000-1	4.5" Spring Mounted Dome Light, Neutral White		10	Sheathed Pigtail
E26-LOS0-1	4.5" Spring Mounted Dome Light, Neutral White, w/Switch		10	Sheathed Pigtail
E26-LP00-1	4.5" Spring Mounted Premium Dome Light, Neutral White		10	Sheathed Pigtail
E26-LPS0-1	4.5" Spring Mounted Premium Dome Light, Neutral White, w/Switch		10	Sheathed Pigtail
E26-M000-1	4.5" Spring Mounted Dome Light, Warm White		10	Sheathed Pigtail
E26-M0S0-1	4.5" Spring Mounted Dome Light, Warm White, w/Switch		10	Sheathed Pigtail
E26-MP00-1	4.5" Spring Mounted Premium Dome Light, Warm White		10	Sheathed Pigtail
E26-MPS0-1	4.5" Spring Mounted Premium Dome Light, Warm White, w/Switch		10	Sheathed Pigtail
E26-W000-1	4.5" Spring Mounted Dome Light, Cool White		10	Sheathed Pigtail
E26-W0S0-1	4.5" Spring Mounted Dome Light, Cool White, w/Switch		10	Sheathed Pigtail
E26-WP00-1	4.5" Spring Mounted Premium Dome Light, Cool White		10	Sheathed Pigtail
E26-WPS0-1	4.5" Spring Mounted Premium Dome Light, Cool White, w/Switch		10	Sheathed Pigtail
E27 - 3" Surface Mounted Dome Light				Pg 47
E27-L000-1	3" Surface Mounted Dome Light, Neutral White		10	Sheathed Pigtail
E27-M000-1	3" Surface Mounted Dome Light, Warm White		10	Sheathed Pigtail
E27-W000-1	3" Surface Mounted Dome Light, Cool White		10	Sheathed Pigtail
E28 - 4.5" Surface Mounted Dome Light				Pg 47
E28-L000-1	4.5" Surface Mounted Dome Light, Neutral White		10	Sheathed Pigtail
E28-LOS0-1	4.5" Surface Mounted Dome Light, Neutral White, w/Switch		10	Sheathed Pigtail
E28-LP00-1	4.5" Surface Mounted Premium Dome Light, Neutral White		10	Sheathed Pigtail
E28-LPOB-1	4.5" Surface Mounted Premium Dome Light Neutral White w 180 Bullets		10	Sheathed Pigtail / 0.180" Bul
E28-LPS0-1	4.5" Surface Mounted Premium Dome Light, Neutral White, w/Switch		10	Sheathed Pigtail
E28-LPW00-1	4.5" Surface Mounted Premium Dome Light, Neutral White White Trim		10	Sheathed Pigtail
E28-M000-1	4.5" Surface Mounted Dome Light, Warm White		10	Sheathed Pigtail
E28-M0S0-1	4.5" Surface Mounted Dome Light, Warm White, w/Switch		10	Sheathed Pigtail
E28-MP00-1	4.5" Surface Mounted Premium Dome Light, Warm White		10	Sheathed Pigtail
E28-MPS0-1	4.5" Surface Mounted Premium Dome Light, Warm White, w/Switch		10	Sheathed Pigtail
E28-W000-1	4.5" Surface Mounted Dome Light, Cool White		10	Sheathed Pigtail
E28-W0S0-1	4.5" Surface Mounted Dome Light, Cool White, w/Switch		10	Sheathed Pigtail
E28-WP00-1	4.5" Surface Mounted Premium Dome Light, Cool White		10	Sheathed Pigtail
E28-WPS0-1	4.5" Surface Mounted Premium Dome Light, Cool White, w/Switch		10	Sheathed Pigtail
E30 - High Performance Recessed Ceiling Light				Pg 48
E30-L000-1	Recessed 4K White 42 LED Light 6"x17.5"		12	Pigtail (12")








Part No.	Part Description	Color	STD Pack	Connector
E30-L00M-1	Recessed 4K White 42 LED Light 6"x17.5" w/Motion Detection	 	12	Pigtail (12")
E30-L00R-1	Recessed 4K White/Red 42/16 LED Light 6"x17.5"	 	12	Pigtail (12")
E30-L010-1	Recessed 4K White 21 LED Light 6"x17.5"	 	12	Pigtail (12")
E30-L01R-1	Recessed 4K White/Red 21/16 LED Light 6"x17.5"	 	12	Pigtail (12")
E30-L0S0-1	Recessed 4K White 42 LED Light 6"x17.5" Switched	 	12	Pigtail (12")
E30-L0SR-1	Recessed 4K White/Red 42/16 LED Light 6"x17.5" Switched	 	12	Pigtail (12")
E30-L1S0-1	Recessed 4K White 21 LED Light 6"x17.5" Switched	 	12	Pigtail (12")
E30-L1SR-1	Recessed 4K White/Red 21/16 LED Light 6"x17.5" Switched	 	12	Pigtail (12")
E31 - High Performance Recessed Ceiling Light				Pg 48
E31-L0MB-1	Recessed 4K White 32 LED Light 6"x17.5" w/Motion Detection .180 Bullet	 	12	Pigtail (6")
E31-L00B-1	Recessed 4K White 32 LED Light 6"x17.5" .180 Bullet Connectors	 	12	Pigtail (6")
E32 - Surface Mounted Ceiling Light				Pg 49
E32-L000-1	Surface Mount 4K White 42 LED Interior Light	 	10	Pigtail (12")
E32-L00M-1	Surface Mount 4K White 42 LED Interior Light, w/ Motion Detector Switch	 	10	Pigtail (12")
E32-L00S-1	Surface Mount 4K White 42 LED Interior Light, w/ On-Off Switch	 	10	Pigtail (12")
E34 - 3/4" Grommet Mount Step Accent Lights				Pg 49
E34-BB00-1	E34 Step Light Grommet Mounted Blue W/ Black Cover	 	100	Sheathed Pigtail
E34-BC00-1	E34 Step Light Grommet Mounted Blue W/ Chrome Cover	 	100	Sheathed Pigtail
E34-RB00-1	E34 Step Light Grommet Mounted Red W/ Black Cover	 	100	Sheathed Pigtail
E34-RC00-1	E34 Step Light Grommet Mounted Red W/ Chrome Cover	 	100	Sheathed Pigtail
E34-WB00-1	E34 Step Light Grommet Mounted White W/ Black Cover	 	100	Sheathed Pigtail
E34-WC00-1	E34 Step Light Grommet Mounted White W/ Chrome Cover	 	100	Sheathed Pigtail
E35/E36/E38 - Linear Area Light				Pg 50
E35-LB00-1	Linear LED SM Light Neutral White Black Body 9W	 	20	Sheathed Pigtail
E35-LB0S-1	Linear LED SM Light Neutral White Black Body w/ Switch	 	20	Sheathed Pigtail
E35-MB00-1	Linear LED SM Light Warm White Black Body 9W	 	20	Sheathed Pigtail
E35-WB00-1	Linear LED SM Light Cool White Black Body 9W	 	20	Sheathed Pigtail
E35-WB0S-1	Linear LED SM Light Cool White Black Body 9W w/Switch	 	20	Sheathed Pigtail
E35-WB24-1	Linear LED SM Light Cool White Black Body 9W 24V	 	20	Sheathed Pigtail
E36-LB00-1	Linear LED SM Light Neutral White Black Body 18W	 	20	Sheathed Pigtail
E36-LB0S-1	Linear LED SM Light Neutral White Black Body 18W w/ Switch	 	20	Sheathed Pigtail
E36-LB24-1	Linear LED SM Light Neutral White Black Body 18W 24V	 	20	Sheathed Pigtail
E36-MB00-1	Linear LED SM Light Warm White Black Body 18W	 	20	Sheathed Pigtail
E36-WB00-1	Linear LED SM Light Cool White Black Body 18W	 	20	Sheathed Pigtail
E36-WB0S-1	Linear LED SM Light Cool White Black Body 18W w/Switch	 	20	Sheathed Pigtail
E36-WB24-1	Linear LED SM Cool Light White Black Body 18W 24V	 	20	Sheathed Pigtail
E38-LB00-1	Linear LED SM Light Neutral White Black Body 36W	 	10	Sheathed Pigtail
E38-LB0S-1	Linear LED SM Light Neutral White Black Body 36W w/ Switch	 	10	Sheathed Pigtail
E38-LB24-1	Linear LED SM Light Neutral White Black Body 36W 24V	 	10	Sheathed Pigtail
E38-MB00-1	Linear LED SM Light Warm White Black Body 36W	 	10	Sheathed Pigtail
E38-WB00-1	Linear LED SM Light Cool White Black Body 36W	 	10	Sheathed Pigtail

Part No.	Part Description	Color	STD Pack	Connector
E38-WB0S-1	Linear LED SM Light Cool White Black Body 36W w/Switch	 	10	Sheathed Pigtail
E38-WB24-1	Linear LED SM Light Cool White Black Body 36W 24V	 	10	Sheathed Pigtail
E39 - Fluorescent Replacement Kit				Pg 50
E39-L000-1	LED Neutral White Light Replacement Kit for P716 & P718	 	10	Pigtail
E39-L00R-1	LED Neutral White/Red Combo Light Repl Kit for P716 & P718	 	10	Pigtail
E39-L010-1	LED Neutral White Light Replacement Kit for 712XL	 	10	Pigtail
E41 - Flexible Weather Resistant Lighting Strips				Pg 51
E41-000V-1	2 wire termination			
E41-304X-1	Flexible LED Light RGB 18" - Dual 4 -Wire Pigtail	 	-	Sheathed Pigtail (18") 2-sided
E41-A010-1	Flexible LED Light Amber 4.5" - No Wire	 		Made to Order
E41-B010-1	Flexible LED Light Blue 4.5" - No Wire	 		Made to Order
E41-G010-1	Flexible LED Light Green 4.5" - No Wire	 		Made to Order
E41-R010-1	Flexible LED Light Red 4.5" - No Wire	 		Made to Order
E41-W010-1	Flexible LED Light White 4.5" - No Wire	 		Made to Order
Available in custom length sections from 4.5" - 16.5' *4.5" Increments only				
E44 - Flexible Weather Resistant Lighting Strips				Pg 51
E44-000V-1	2 wire termination			
E44-304X-1	Flexible LED Light RGB 18" - Dual 4 -Wire Pigtail	 	-	Sheathed Pigtail (18") 2-sided
E44-3010-1	Flexible LED Light RGB 4.5" - No Wire	 		Made to Order
E44-A010-1	Flexible LED Light Amber 4.5" - No Wire	 		Made to Order
E44-B010-1	Flexible LED Light Blue 4.5" - No Wire	 		Made to Order
E44-G010-1	Flexible LED Light Green 4.5" - No Wire	 		Made to Order
E44-R010-1	Flexible LED Light Red 4.5" - No Wire	 		Made to Order
E44-W010-1	Flexible LED Light White 4.5" - No Wire	 		Made to Order
Available in custom length sections from 4.5" - 16.5' *4.5" Increments only				
E45 - Slim Light				Pg 51
E45-0B03-1	Black Parallel Mount Screw Clip Qty 2		-	
E45-0B04-1	Black Perpendicular Mount Screw Clip Qty 2		-	
E45-0B05-1	Black 45 Degree Mount Screw Clip Qty 2		-	
E45-W010-1	3 LED 7" Aluminum Extrusion Lamp White Black Housing	 	-	-
E45-W010W-1	3 LED 7" Aluminum Extrusion Lamp White Black Housing M/F-Conn.	 	-	-
E45-W010X-1	3 LED 7" Aluminum Extrusion Lamp White Black Housing Dual Wire	 	-	-
E45-W010Y-1	3 LED 7" Aluminum Extrusion Lamp White Black Housing F-Conn.	 	-	-
E45-W010Z-1	3 LED 7" Aluminum Extrusion Lamp White Black Housing Pig-Tail and M-Conn.	 	-	-
E45-W020-1	6 LED 11.5" Aluminum Extrusion Lamp White Black Housing	 	-	-
E45-W020W-1	6 LED 7" Aluminum Extrusion Lamp White Black Housing M/F-Conn.	 	-	-
E45-W020X-1	6 LED 11.5" Aluminum Extrusion Lamp White Black Housing Dual Wire	 	-	-
E45-W020Y-1	6 LED 7" Aluminum Extrusion Lamp White Black Housing F-Conn.	 	-	-
E45-W020Z-1	6 LED 11.5" Aluminum Extrusion Lamp White Black Housing Pig-Tail and M-Conn.	 	-	-
E45-W050-1	15 LED 25" Aluminum Extrusion Lamp White Black Housing	 	-	-
E45-W050W-1	15 LED 25" Aluminum Extrusion Lamp White Black Housing M/F-Conn.	 	-	-

Part No.	Part Description	Color	STD Pack	Connector
E45-W050X-1	15 LED 25" Aluminum Extrusion Lamp White Black Housing Dual Wire	 	-	-
E45-W050Y-1	15 LED 25" Aluminum Extrusion Lamp White Black Housing F-Conn.	 	-	-
E45-W050Z-1	15 LED 25" Aluminum Extrusion Lamp White Black Housing Pig-Tail and M-Conn.	 	-	-
E45-W080-1	24 LED 36" Aluminum Extrusion Lamp White Black Housing	 	-	-
E45-W100-1	30 LED 47.5" Aluminum Extrusion Lamp White Black Housing	 	-	-
E45-W100W-1	30 LED 47.5" Aluminum Extrusion Lamp White Black Housing M/F-Conn.	 	-	-
E45-W100X-1	30 LED 47.5" Aluminum Extrusion Lamp White Black Housing Dual Wire	 	-	-
E45-W120X-1	36 LED 60" Aluminum Extrusion Lamp White Black Housing Dual Wire	 	-	-
E45-W100Y-1	30 LED 7" Aluminum Extrusion Lamp White Black Housing F-Conn.	 	-	-
E45-W100Z-1	30 LED 47.5" Aluminum Extrusion Lamp White Black Housing Pig-Tail and M-Conn.	 	-	-
E45-WBP01-1	6 LED Premium 7" Aluminum Extrusion Lamp White Black Housing	 	-	-
E45-WBP01W-1	6 LED Premium 7" Aluminum Extrusion Lamp White Black Housing M/F-Conn.	 	-	-
E45-WBP01X-1	6 LED Premium 7" Aluminum Extrusion Lamp White Black Housing Dual Wire	 	-	-
E45-WBP01Y-1	6 LED Premium 7" Aluminum Extrusion Lamp White Black Housing F-Conn.	 	-	-
E45-WBP01Z-1	6 LED Premium 7" Aluminum Extrusion Lamp White Black Housing Pig-Tail and M-Conn.	 	-	-
E45-WBP02-1	12 LED Premium 11.5" Aluminum Extrusion Lamp White Black Housing	 	-	-
E45-WBP02W-1	12 LED Premium 11.5" Aluminum Extrusion Lamp White Black Housing M/F-Conn.	 	-	-
E45-WBP02X-1	12 LED Premium 11.5" Aluminum Extrusion Lamp White Black Housing Dual Wire	 	-	-
E45-WBP02Y-1	12 LED Premium 11.5" Aluminum Extrusion Lamp White Black Housing F-Conn.	 	-	-
E45-WBP02Z-1	12 LED Premium 11.5" Aluminum Extrusion Lamp White Black Housing Pig-Tail and M-Conn.	 	-	-
E45-WBP05-1	30 LED Premium 25" Aluminum Extrusion Lamp White Black Housing	 	-	-
E45-WBP05W-1	30 LED Premium 25" Aluminum Extrusion Lamp White Black Housing M/F-Conn.	 	-	-
E45-WBP05X-1	30 LED Premium 25" Aluminum Extrusion Lamp White Black Housing Dual Wire	 	-	-
E45-WBP05Y-1	30 LED Premium 25" Aluminum Extrusion Lamp White Black Housing F-Conn.	 	-	-
E45-WBP05Z-1	30 LED Premium 25" Aluminum Extrusion Lamp White Black Housing Pig-Tail and M-Conn.	 	-	-
E45-WBP08-1	45 LED Premium 36" Aluminum Extrusion Lamp White Black Housing	 	-	-
E45-WBP10-1	60 LED Premium 47.5" Aluminum Extrusion Lamp White Black Housing	 	-	-
E45-WBP10W-1	60 LED Premium 47.5" Aluminum Extrusion Lamp White Black Housing M/F-Conn.	 	-	-
E45-WBP10X-1	60 LED Premium 47.5" Aluminum Extrusion Lamp White Black Housing Dual Wire	 	-	-
E45-WBP12X-1	72 LED Premium 60" Aluminum Extrusion Lamp White Black Housing Dual Wire	 	-	-
E45-WBP10Y-1	60 LED Premium 47.5" Aluminum Extrusion Lamp White Black Housing F-Conn.	 	-	-
E45-WBP10Z-1	60 LED Premium 47.5" Aluminum Extrusion Lamp White Black Housing Pig-Tail and M-Conn.	 	-	-







E50 - Round Surface Mount Dome Light






























Pg 52
























E50-MC00-1	4.5" Round Interior Lamp 12 LED No Switch	 	20	Pigtail (8")
E50-MCS0-1	4.5" Round Interior Lamp 12 LED With Switch	 	20	Pigtail (8")
E50-WC00-1	4.5" Round Interior Lamp 12 LED No Switch Cool LED	 	20	Pigtail (8")
E50-WCS0-1	4.5" Round Interior Lamp 12 LED With Switch Cool LED	 	20	Pigtail (8")

















E51 - Oval Surface Mount Dome Light

Pg 52

E51-MC00-1	6" x 3.5" Oval Interior Lamp 12 LED No Switch	 	20	Pigtail (8")
E51-MCS0-1	6" x 3.5" Oval Interior Lamp 12 LED With Switch	 	20	Pigtail (8")
E51-WC00-1	6" x 3.5" Oval Interior Lamp 12 LED No Switch Cool LED	 	20	Pigtail (8")




















Part No.	Part Description	Color	STD Pack	Connector
E51-WCS0-1	6" x 3.5" Oval Interior Lamp 12 LED With Switch Cool LED		20	Pigtail (8")
E60 - Trailer/Marine LED Recessed Mount Spotlight - One Pair				Pg 53
E60-WS20-1	Recessed Mount LED Docking Light, Pair		6 Pairs	Sheathed Pigtail (12")
E61 - Trailer/Marine LED Surface Mount Spotlight - One Pair				Pg 53
E61-WS00-1	Surface Mount LED Docking Light, Pair		6 Pairs	Sheathed Pigtail (12")
E96 - Trailer/Marine LED Surface Mount Spotlight - One Pair				Pg 53
E96-WS00-1	Docking Light TecNiq, Pair		12	9" Pigtail
E99 - Dimmer Switches				Pg 60
E99-D001-1	Dimmer Rotary		-	-
E99-D002-1	Dimmer Slide		-	-
K10 - Flashing Beacon				Pg 28
K10-OCB0-1	Beacon Light Brush Guard		1	-
K10-AA0P-1	K10 Amber Beacon Light Amber Lens Single Flash Pattern W/Pigtail		1	8.5" Pigtail
K10-AADP-1	K10 Amber Beacon Light Amber Lens Autosync Multi-Flash Pattern W/Pigtail		1	8.5" Pigtail
K40 5"x 3.3" Emergency Flasher				Pg 30
K40-0100-1	K40/ K50 Anchor / Screw Kit		1	-
K40-1B00-1	K40 Black Trim Ring and Gasket		1	-
K40-1C00-1	K40 Chrome Trim Ring and Gasket		1	-
K40-AA00-1	K40 AutoSync Amber Flasher Lamp Amber Lens		1	Pigtail
K40-AAS0-1	K40 Steady Amber Flasher Lamp Amber Lens		1	Pigtail
K40-AC00-1	K40 AutoSync Amber Flasher Lamp Clear Lens		1	Pigtail
K40-ACS0-1	K40 Steady Amber Flasher Lamp Clear Lens		1	Pigtail
K40-AR00-1	K40 AutoSync Amber Red Combo Flasher Lamp Clear Lens		1	Pigtail
K40-BB00-1	K40 AutoSync Blue Flasher Lamp Blue Lens		1	Pigtail
K40-BBS0-1	K40 Steady Blue Flasher Lamp Blue Lens		1	Pigtail
K40-BC00-1	K40 AutoSync Blue Flasher Lamp Clear Lens		1	Pigtail
K40-BCS0-1	K40 Steady Blue Flasher Lamp Clear Lens		1	Pigtail
K40-BR00-1	K40 AutoSync Blue Red Combo Flasher Lamp Clear Lens		1	Pigtail
K40-GG00-1	K40 AutoSync Green Flasher Lamp Green Lens		1	Pigtail
K40-GGS0-1	K40 Steady Green Flasher Lamp Green Lens		1	Pigtail
K40-GC00-1	K40 AutoSync Green Flasher Lamp Clear Lens		1	Pigtail
K40-GCS0-1	K40 Steady Green Flasher Lamp Clear Lens		1	Pigtail
K40-RC00-1	K40 AutoSync Red Flasher Lamp Clear Lens		1	Pigtail
K40-RCS0-1	K40 Steady Red Flasher Lamp Clear Lens		1	Pigtail
K40-RR00-1	K40 AutoSync Red Flasher Lamp Red Lens		1	Pigtail
K40-RRS0-1	K40 Steady Red Flasher Lamp Red Lens		1	Pigtail
K40-WA00-1	K40 AutoSync White Amber Combo Flasher Lamp Clear Lens		1	Pigtail
K40-WB00-1	K40 AutoSync White Blue Combo Flasher Lamp Clear Lens		1	Pigtail
K40-WC00-1	K40 AutoSync White Flasher Lamp Clear Lens		1	Pigtail
K40-WCS0-1	K40 Steady White Flasher Lamp Clear Lens		1	Pigtail
K40-WR00-1	K40 AutoSync White Red Combo Flasher Lamp Clear Lens		1	Pigtail






Part No.	Part Description	Color	STD Pack	Connector
K50 5"x 2" Emergency Flasher				Pg 30
K50-1B00-1	K50 Black Trim and Gasket Kit		1	-
K50-1C00-1	K50 Chrome Trim and Gasket Kit		1	-
K50-AA00-1	K50 AutoSync Amber Flasher Lamp Amber Lens		1	Pigtail
K50-AAS0-1	K50 Steady Amber Flasher Lamp Amber Lens		1	Pigtail
K50-AC00-1	K50 AutoSync Amber Flasher Lamp Clear Lens		1	Pigtail
K50-ACS0-1	K50 Steady Amber Flasher Lamp Clear Lens		1	Pigtail
K50-AG00-1	K50 AutoSync Amber Green Combo Flasher Lamp Clear Lens		1	Pigtail
K50-AR00-1	K50 AutoSync Amber Red Combo Flasher Lamp Clear Lens		1	Pigtail
K50-BA00-1	K50 AutoSync Blue Amber Combo Flasher Lamp Clear Lens		1	Pigtail
K50-BB00-1	K50 AutoSync Blue Flasher Lamp Blue Lens		1	Pigtail
K50-BBS0-1	K50 Steady Blue Flasher Lamp Blue Lens		1	Pigtail
K50-BC00-1	K50 AutoSync Blue Flasher Lamp Clear Lens		1	Pigtail
K50-BCS0-1	K50 Steady Blue Flasher Lamp Clear Lens		1	Pigtail
K50-BR00-1	K50 AutoSync Blue Red Combo Flasher Lamp Clear Lens		1	Pigtail
K50-GG00-1	K50 AutoSync Green Flasher Lamp Green Lens		1	Pigtail
K50-GGS0-1	K50 Steady Green Flasher Lamp Green Lens		1	Pigtail
K50-GC00-1	K50 AutoSync Green Flasher Lamp Clear Lens		1	Pigtail
K50-GCS0-1	K50 Steady Green Flasher Lamp Clear Lens		1	Pigtail
K50-RC00-1	K50 AutoSync Red Flasher Lamp Clear Lens		1	Pigtail
K50-RCS0-1	K50 Steady Red Flasher Lamp Clear Lens		1	Pigtail
K50-RR00-1	K50 AutoSync Red Flasher Lamp Red Lens		1	Pigtail
K50-RRS0-1	K50 Steady Red Flasher Lamp Red Lens		1	Pigtail
K50-WA00-1	K50 AutoSync White & Amber Flasher Clear Lens		1	Pigtail
K50-WB00-1	K50 AutoSync White Blue Combo Flasher Lamp Clear Lens		1	Pigtail
K50-WC00-1	K50 AutoSync White Flasher Lamp Clear Lens		1	Pigtail
K50-WCS0-1	K50 Steady White Flasher Lamp Clear Lens		1	Pigtail
K50-WR00-1	K50 AutoSync White Red Combo Flasher Lamp Clear Lens		1	Pigtail
K60 6"x 4" Emergency Flasher				Pg 31
K60-1B00-1	K60 Black Trim and Gasket Kit		1	-
K60-1C00-1	K60 Chrome Trim and Gasket Kit		1	-
K60-0C40-1	K60 Chrome Quad Bezel w/ Gasket & Grommets		1	-
K60-A3S0-1	K60 Steady Burn Amber LEDs, Amber turn, Arrow Mask		1	Pigtail
K60-AA00-1	K60 AutoSync Amber Flasher Lamp Amber Lens		1	Pigtail
K60-AAA0-1	K60 AutoSync Amber Flasher Lamp Amber Lens Arrow Mask		1	Pigtail
K60-AAS0-1	K60 Steady Amber Flasher Amber Lens		1	Pigtail
K60-AAT0-1	K60 Steady Amber Turn Amber Lens		1	Pigtail
K60-AC00-1	K60 AutoSync Amber Flasher Lamp Clear Lens		1	Pigtail
K60-ACA0-1	K60 AutoSync Amber Flasher Lamp Clear Lens Arrow Mask		1	Pigtail
K60-ACS0-1	K60 Steady Amber Flasher Clear Lens		1	Pigtail
K60-ACT0-1	K60 Steady Amber Turn Clear Lens		1	Pigtail

Part No.	Part Description	Color	STD Pack	Connector
K60-BB00-1	K60 AutoSync Blue Flasher Lamp Blue Lens		1	Pigtail
K60-BBS0-1	K60 Steady Blue Flasher Blue Lens		1	Pigtail
K60-BC00-1	K60 AutoSync Blue Flasher Lamp Clear Lens		1	Pigtail
K60-BCS0-1	K60 Steady Blue Flasher Clear Lens		1	Pigtail
K60-GG00-1	K60-AutoSync Green Flasher Lamp Green Lens		1	Pigtail
K60-GGS0-1	K60-Steady Green Flasher Green Lens		1	Pigtail
K60-GC00-1	K60-AutoSync Green Flasher Lamp Clear Lens		1	Pigtail
K60-GCS0-1	K60-Steady Green Flasher Clear Lens		1	Pigtail
K60-RC00-1	K60 AutoSync Red Flasher Lamp Clear Lens		1	Pigtail
K60-RCS0-1	K60 Steady Red Flasher Clear Lens		1	Pigtail
K60-RR00-1	K60 AutoSync Red Flasher Lamp Red Lens		1	Pigtail
K60-RRS0-1	K60 Steady Red Flasher Red Lens		1	Pigtail
K60-STC0-1	K60 Steady Red STT Clear Lens		1	Pigtail
K60-STR0-1	K60 Steady Red STT Red Lens		1	Pigtail
K60-WBU0-1	K60 White Backup Lamp		1	Pigtail
K60-WC00-1	K60 AutoSync White Flasher Lamp		1	Pigtail
K60-WCS0-1	K60 Steady White Flasher Clear Lens		1	Pigtail
K60-SW00-1	K60 High Output Scene Light		1	Pigtail

K70 7"x 3" Emergency Flasher

































Pg 32

K70-0100-1	K60 K70 Anchor/Screw Kit		1	-
K70-1B00-1	K70 Black Trim and Gasket Kit		1	-
K70-1C00-1	K70 Chrome Trim and Gasket Kit		1	-
K70-AA00-1	K70 AutoSync Amber Flasher Lamp Amber Lens		1	Pigtail
K70-AAS0-1	K70 Steady Amber Flasher Amber Lens		1	Pigtail
K70-AAT0-1	K70 Steady Amber Turn Amber Lens		1	Pigtail
K70-AC00-1	K70 AutoSync Amber Flasher Lamp Clear Lens		1	Pigtail
K70-ACS0-1	K70 Steady Amber Flasher Clear Lens		1	Pigtail
K70-ACT0-1	K70 Steady Amber Turn Clear Lens		1	Pigtail
K70-BB00-1	K70 AutoSync Blue Flasher Lamp Blue Lens		1	Pigtail
K70-BBS0-1	K70 Steady Blue Flasher Lamp Blue Lens		1	Pigtail
K70-BC00-1	K70 AutoSync Blue Flasher Lamp Clear Lens		1	Pigtail
K70-BCS0-1	K70 Steady Blue Flasher Clear Lens		1	Pigtail
K70-GG00-1	K70 AutoSync Green Flasher Green Lens		1	Pigtail
K70-GGS0-1	K70 Steady Green Flasher Green Lens		1	Pigtail
K70-GC00-1	K70 AutoSync Green Flasher Clear Lens		1	Pigtail
K70-GCS0-1	K70 Steady Green Flasher Clear Lens		1	Pigtail
K70-RC00-1	K70 AutoSync Red Flasher Lamp Clear Lens		1	Pigtail
K70-RCS0-1	K70 Steady Red Flasher Clear Lens		1	Pigtail
K70-RR00-1	K70 AutoSync Red Flasher Lamp Red Lens		1	Pigtail
K70-RRS0-1	K70 Steady Red Flasher Red Lens		1	Pigtail
K70-STC0-1	K70 Steady Red STT Clear Lens		1	Pigtail

Part No.	Part Description	Color	STD Pack	Connector
K70-STRO-1	K70 Steady Red STT Red Lens		1	Pigtail
K70-SW00-1	K70 High Output Scene Light		1	Pigtail
K70-WBU0-1	K70 White Backup Lamp		1	Pigtail
K70-WC00-1	K70 AutoSync White Flasher Lamp		1	Pigtail
K70-WCS0-1	K70 Steady White Flasher Clear Lens		1	Pigtail

K90 9"x 7" Emergency Flasher

Pg 33









































K90-0100-1	K90 Anchor/Screw Kit		1	-
K90-1B00-1	K90 Black Trim and Gasket Kit		1	-
K90-1C00-1	K90 Chrome Trim and Gasket Kit		1	-
K90-AA00-1	K90 AutoSync Amber Flasher Lamp Amber Lens		1	Pigtail
K90-AAT0-1	K90 Steady Amber Turn Amber Lens		1	Pigtail
K90-AAS0-1	K90 Steady Amber Flasher Lamp Amber Lens		1	Pigtail
K90-AC00-1	K90 AutoSync Amber Flasher Lamp Clear Lens		1	Pigtail
K90-ACS0-1	K90 Steady Amber Flasher Lamp Clear Lens		1	Pigtail
K90-ACT0-1	K90 Steady Amber Amber Flasher Lamp Clear Lens		1	Pigtail
K90-AS00-1	K90 AutoSync Amber Flasher White Scene Clear Lens		1	Pigtail
K90-AW00-1	K90 AutoSync Amber White Flasher Lamp Clear Lens		1	Pigtail
K90-BB00-1	K90 AutoSync Blue Flasher Lamp Blue Lens		1	Pigtail
K90-BBS0-1	K90 Steady Blue Flasher Lamp Blue Lens		1	Pigtail
K90-BBU0-1	K90 Steady Blue Flasher Back Up Clear Lens		1	Pigtail
K90-BC00-1	K90 AutoSync Blue Flasher Lamp Clear Lens		1	Pigtail
K90-BCS0-1	K90 Steady Blue Flasher Lamp Clear Lens		1	Pigtail
K90-BS00-1	K90 AutoSync Blue Flasher White Scene Clear Lens		1	Pigtail
K90-GC00-1	K90 AutoSync Green Flasher Lamp Clear Lens		1	Pigtail
K90-GG00-1	K90 AutoSync Green Flasher Lamp Green Lens		1	Pigtail
K90-GCS0-1	K90 Steady Green Flasher Lamp Clear Lens		1	Pigtail
K90-GGS0-1	K90 Steady Green Flasher Lamp Green Lens		1	Pigtail
K90-RA00-1	K90 AutoSync Red Amber Flasher Lamp Clear Lens		1	Pigtail
K90-RAS0-1	K90 Steady Red Amber Flasher Lamp Clear Lens		1	Pigtail
K90-RB00-1	K90 AutoSync Red Blue Flasher Lamp Clear Lens		1	Pigtail
K90-RBS0-1	K90 Steady Red Blue Flasher Lamp Clear Lens		1	Pigtail
K90-RC00-1	K90 AutoSync Red Red Flasher Lamp Clear Lens		1	Pigtail
K90-RCS0-1	K90 Steady Red Flasher Lamp Clear Lens		1	Pigtail
K90-RR00-1	K90 AutoSync Red Flasher Lamp Red Lens		1	Pigtail
K90-RRS0-1	K90 Steady Red Flasher Lamp Red Lens		1	Pigtail
K90-RS00-1	K90 AutoSync Red Flasher White Scene Clear Lens		1	Pigtail
K90-RW00-1	K90 AutoSync Red White Flasher Lamp Clear Lens		1	Pigtail
K90-RWS0-1	K90 Steady Red White Flasher Lamp Clear Lens		1	Pigtail
K90-STAO-1	K90 Steady Red STT Top Amber Autosync Bottom Clear Lens		1	Pigtail
K90-STCO-1	K90 Steady Red STT Lamp Clear Lens		1	Pigtail
K90-STRO-1	K90 Steady Red STT Lamp Red Lens		1	Pigtail

Part No.	Part Description	Color	STD Pack	Connector
K90-STSO-1	K90 Steady Red STT Bottom Scene Clear Lens	 	1	Pigtail
K90-SW00-1	K90 High Output Scene Light	 	1	Pigtail
K90-SW00-K	K90 High Output Scene Light W/Chrome Trim Ring	 	1	Pigtail
K90-WA00-1	K90 AutoSync White Amber Flasher Lamp Clear Lens	 	1	Pigtail
K90-WB00-1	K90 AutoSync White Blue Flasher Lamp Clear Lens	 	1	Pigtail
K90-WBS0-1	K90 Steady White Blue Flasher Lamp Clear Lens	 	1	Pigtail
K90-WBU0-1	K90 White Backup Lamp	 	1	Pigtail
K90-WC00-1	K90 AutoSync White Flasher Lamp Clear Lens	 	1	Pigtail
K90-WCS0-1	K90 Steady White Flasher Lamp Clear Lens	 	1	Pigtail

Other Combinations Available. Call for Details





Lxx - License Plate Lamp

Pg 14

L10-0G00-1	License Lamp Gasket		10	
L10-WB00-1	Black Base License Lamp Vertical Plane Mount	 	10	Sheathed Pigtail
L10-WB0G-1	Black Base License Lamp Vertical Plane Mount w/ Ground Ring	 	10	Pigtail w/ Ground Ring
L10-WB9B-1	Black Base License Lamp Vertical Plane Mount w/.180 Bullet	 	10	0.180" Bullets
L10-WC00-1	Chrome Base License Lamp Vertical Plane Mount	 	10	Sheathed Pigtail
L11-WB00-1	Black Base License Lamp Vertical Plane Mount	 	10	Sheathed Pigtail
L11-WB9B-1	Black Base License Lamp Vertical Plane Mount w/.180" Bullets	 	10	0.180" Bullets
L11-WB9N-1	Black Base License Lamp Vertical Plane Mount w/.156" Barrels	 	10	0.156" Barrels
L11-WC00-1	Chrome Base License Lamp Vertical Plane Mount	 	10	Sheathed Pigtail
L11-WC9B-1	Chrome Base License Lamp Vertical Plane Mount w/.180" Bullets	 	10	0.180" Bullets
L11-WC9N-1	Chrome Base License Lamp Vertical Plane Mount / .156 Barrel	 	10	0.156" Barrels
L12-WB00-1	Black Base License Lamp Horizontal Plane Mount	 	10	Sheathed Pigtail
L12-WB5B-1	Black Base License Lamp Horizontal Plane Mount w/.180" Bullets	 	10	0.180" Bullets
L12-WC00-1	Chrome Base License Lamp Horizontal Plane Mount	 	10	Sheathed Pigtail
L14-WB00-1	Black Base License Lamp Vertical Plane Mount	 	10	Sheathed Pigtail
L14-WG00-1	Grey Base License Lamp Vertical Plane Mount	 	10	Sheathed Pigtail
L30-WB00-1	License Plate Bracket with License Plate Light	 	10	Sheathed Pigtail
L34-0G00-1	L34 Grommet	 	10	Sheathed Pigtail
L34-WB9B-1	3/4" Bullet Style License Lamp W/.180 Bullets & Black Bracket	 	10	Sheathed Pigtail
L34-WC9B-1	3/4" Bullet Style License Lamp, Large Grommet w/ .180 bullets	 	10	Pigtail
L34-WG9B-1	3/4" Bullet Style License Lamp, Standard Grommet w/ .180 bullets	 	10	0.180" Bullets
L95-0B00-1	License Plate Bracket, Black		10	-







M10 - Waketower All-Round Navigation Light





















Pg 54

























M10-WB00-1	Waketower All-Round Navigation Light, White LED, 2NM	 	12	Pigtail (16")
M10-WB10-1	Waketower All-Round Navigation Light, White LED, 2NM, 16' Wire Lead	 	12	Pigtail (16")































































M20 - Navigation Light

Pg 54









































M20-G000-1	Green Starboard Light Engine	 	100	Pigtail (6")
M20-R000-1	Red Port Light Engine	 	100	Pigtail (6")
M20-2S00-1	Bi color navigation light stainless cover	 	100	Pigtail (6")






































Part No.	Part Description	Color	STD Pack	Connector
M20-GS00-1	Starboard navigation light stainless cover	 	100	Pigtail (6")
M20-RS00-1	Port navigation light stainless cover	 	100	Pigtail (6")
M50 - Water Dragon Underwater Light				Pg 55
M50-3S03-1	Water Dragon Underwater Light + Driver, RGB 3 LED	 	10	Pigtail (12")
M50-3S06-1	Water Dragon Underwater Light + Driver, RGB 6 LED	 	10	Pigtail (12")
M50-3S12-1	Water Dragon Underwater Light + Driver, RGB 12 LED	 	10	Pigtail (12")
M50-BS03-1	Water Dragon Underwater Light, Blue, 3 LED	 	10	Pigtail (12")
M50-BS06-1	Water Dragon Underwater Light, Blue, 6 LED	 	10	Pigtail (12")
M50-BS12-1	Water Dragon Underwater Light, Blue, 12 LED	 	10	Pigtail (12")
M50-GS03-1	Water Dragon Underwater Light, Green, 3 LED	 	10	Pigtail (12")
M50-GS06-1	Water Dragon Underwater Light, Green, 6 LED	 	10	Pigtail (12")
M50-GS12-1	Water Dragon Underwater Light, Green, 12 LED	 	10	Pigtail (12")
M50-WS03-1	Water Dragon Underwater Light, White, 3 LED, 1500 Lumens	 	10	Pigtail (12")
M50-WS06-1	Water Dragon Underwater Light, White, 6 LED, 2700 Lumens	 	10	Pigtail (12")
M50-WS12-1	Water Dragon Underwater Light, White, 12 LED, 5500 Lumens	 	10	Pigtail (12")
M51-BB03-1	Water Dragon Standard Underwater Light, Blue, 3 LED	 	10	Pigtail (12")
M51-GB03-1	Water Dragon Standard Underwater Light, Green, 3 LED	 	10	Pigtail (12")
M51-WB03-1	Water Dragon Standard Underwater Light, White, 3 LED, 375 lumens	 	10	Pigtail (12")
M90 - Interior Accent Light				Pg 55
M90-BS00-1	Interior Accent Light, Blue LED, SS Cover	 	50	Sheathed Pigtail (9")
M90-GS00-1	Interior Accent Light, Green LED, SS Cover	 	50	Sheathed Pigtail (9")
M90-RS00-1	Interior Accent Light, Red LED, SS Cover	 	50	Sheathed Pigtail (9")
M90-WS00-1	Interior Accent Light, White LED, SS Cover	 	50	Sheathed Pigtail (9")
P0x - SteelHead Work Lights				Pg 56
P02-WBSP-1	SteelHead Spot Lamp 2 LED Black Finish Pigtail wires	 	4	Sheathed Pigtail
P02-WBFP-1	SteelHead Flood Lamp 2 LED Black Finish Pigtail wires	 	4	Sheathed Pigtail
P04-WBSP-1	SteelHead Spot Lamp 4 LED Black Finish Pigtail wires	 	2	Sheathed Pigtail
P04-WBFP-1	SteelHead Flood Lamp 4 LED Black Finish Pigtail wires	 	2	Sheathed Pigtail
P06-WBSP-1	SteelHead Spot Lamp 6 LED Black Finish Pigtail wires	 	2	Sheathed Pigtail
P06-WBFP-1	SteelHead Flood Lamp 6 LED Black Finish Pigtail wires	 	2	Sheathed Pigtail
P02-WWSP-1	SteelHead Spot Lamp 2 LED White Finish Pigtail wires	 	4	Sheathed Pigtail
P02-WWFP-1	SteelHead Flood Lamp 2 LED White Finish Pigtail wires	 	4	Sheathed Pigtail
P04-WWSP-1	SteelHead Spot Lamp 4 LED White Finish Pigtail wires	 	2	Sheathed Pigtail
P04-WWFP-1	SteelHead Flood Lamp 4 LED White Finish Pigtail wires	 	2	Sheathed Pigtail
P06-WWSP-1	SteelHead Spot Lamp 6 LED White Finish Pigtail wires	 	2	Sheathed Pigtail
P06-WWFP-1	SteelHead Flood Lamp 6 LED White Finish Pigtail wires	 	2	Sheathed Pigtail
P10 - Flush Mount Spreader Light				Pg 57
P10-WWFP-1	Spreader Light, White LED, Flush Mount, White Finish, Pigtail Wires	 	2	Sheathed Pigtail (9")
P10-WRFP-1	Spreader Light, White & Red LED, Flush Mount, White Finish, Pigtail Wires	 	2	Sheathed Pigtail (9")
P11 - Surface Mount Spreader Light				Pg 57































Part No.	Part Description	Color	STD Pack	Connector
P11-WWFP-1	Spreader Light, White LED, Surface Mount, White Finish, Pigtail Wires		2	Sheathed Pigtail (9")
P11-WRFP-1	Spreader Light, White & Red LED, Surface Mount, White Finish, Pigtail Wires		2	Sheathed Pigtail (9")
Rxx - Conspicuity Reflectors				Pg 60
R03-0A00-1	Amber 3" Round SAE Reflector - Roll of 100		1	
R03-0R00-1	Red 3" Round SAE Reflector - Roll of 100		1	
R05-0A00-1	Amber 2" x 3.5" Rectangular SAE Reflector - Roll of 500		1	
R05-0R00-1	Red 2" x 3.5" Rectangular SAE Reflector - Roll of 500		1	
R10-0RW0-1	Red 11"x White 7" OEM Grade SAE DOT Stripe Reflector - 150' Roll		1	
S12 - 2.5" Round P2 Rated Sidemarker				Pg 18
S10-0G00-1	2.5" Round Sidemarker Grommet		150	-
S12-AA00-1	2.5" Round Amber P2 rated Grommet Mount Sidemarker w/ Reflectivity		150	Fem 2 Pole (S99-0010-1)
S12-AA40-1	2.5" Round Amber P2 rated 4 LED Grommet Mount Sidemarker w/ Reflectivity		150	Fem 2 Pole (S99-0010-1)
S12-RR00-1	2.5" Round Red P2 rated Grommet Mount Sidemarker w/ Reflectivity		150	Fem 2 Pole (S99-0010-1)
S12-RR40-1	2.5" Round Red P2 rated 4 LED Grommet Mount Sidemarker w/ Reflectivity		150	Fem 2 Pole (S99-0010-1)
S14 - PC/P2 Rated Sidemarker				Pg 18
S14-AAS0-1	S14 Amber PCP2 Stud Mount Marker Light Amber Lens 6" Pigtail		100	Pigtail
S14-AAP0-1	S14 Amber PCP2 Stainless Steel Stud Mount Marker Light Amber Lens Pigtail		100	Pigtail
S14-AAP1-1	S14 Amber PCP2 Stainless Steel Stud Mount Marker Light Amber Lens 24" Pigtail		100	Pigtail
S14-AAS1-1	S14 Amber PCP2 Stud Mount Marker Light Amber Lens 24" Pigtail		100	Pigtail
S14-ACS0-1	S14 Amber PCP2 Stud Mount Marker Light Clear Lens Pigtail		100	Pigtail
S14-RCS0-1	S14 Red PCP2 Stud Mount Marker Light Clear Lens Pigtail		100	Pigtail
S14-RRP0-1	S14 Red PCP2 Stainless Steel Stud Mount Marker Light Red Lens Pigtail		100	Pigtail
S14-RRP1-1	S14 Red PCP2 Stainless Steel Stud Mount Marker Light Red Lens 24 "Pigtail		100	Pigtail
S14-RRS0-1	S14 Red PCP2 Stud Mount Marker Light Red Lens 6" Pigtail		100	Pigtail
S14-RRS1-1	S14 Red PCP2 Stud Mount Marker Light Red Lens 24" Pigtail		100	Pigtail
S15 - PC Rated Sidemarker				Pg 19
S15-0B00-1	Model S150 Base Black		100	-
S15-0S00-1	Model S150 Base Chrome		100	-
S15-0G00-1	Model S150 Grommet		100	-
S15-AA00-1	Model S150 Amber PC Sidemarker Amber Lens		120	Fem 2 Pole
S15-AA0P-1	Model S150 Amber PC Sidemarker Amber Lens 14" Pigtail		200	Pigtail
S15-AC00-1	Model S150 Amber PC Sidemarker Clear Lens		120	Fem 2 Pole
S15-AC0P-1	Model S150 Amber PC Sidemarker Clear Lens 6" Pigtail		200	Pigtail
S15-RC00-1	Model S150 Red PC Sidemarker Clear Lens		120	Fem 2 Pole
S15-RC0P-1	Model S150 Red PC Sidemarker Clear Lens 6' Pigtail		200	Pigtail
S15-RR00-1	Model S150 Red PC Sidemarker Red Lens		120	Fem 2 Pole
S15-RR0P-1	Model S150 Red PC Sidemarker Red Lens 14" Pigtail		200	Pigtail
S17 - PC/P2 Rated Sidemarker				Pg 19
S17-0B00-1	Model S170 Black Base		100	-
S17-0GB0-1	Model S170 Black Base & Gasket Large		100	-
S17-0G00-1	Model S170 Gasket - Small		100	-






























Part No.	Part Description	Color	STD Pack	Connector
S17-0C00-1	Model S170 Chrome Base		100	-
S17-0GC0-1	Model S170 Chrome Base & Gasket - Large		100	-
S17-AA0P-1	Model S170 Amber P2/PC Sidemarker Amber Lens 6" Pigtail	 	100	Pigtail
S17-AA20-1	Model S170 Amber PCP2 Marker Dual Intensity Light Amber Lens Pigtail	 	100	Pigtail
S17-AA2G0-1	Model S170 Amber PC/P2 Sidemarker Dual intensity with gasket 12" wire	 	100	Pigtail
S17-AAG0-1	Model S170 Amber P2/PC Sidemarker Amber Lens Self Ground	 	100	Pigtail / Self grounded
S17-AAGB-1	Model S170 Amber PCP2 Sidemarker Amber Lens .180 Bullet w/#10 GND Ring	 	100	0.180" Bul / GND Ring
S17-AC0P-1	Model S170 Amber P2/PC Sidemarker Clear Lens 6" Pigtail	 	100	Pigtail
S17-ACG0-1	Model S170 Amber P2/PC Sidemarker Clear Lens Self Ground	 	100	Pigtail / Self grounded
S17-AC0M-1	Model S170 Amber P2/PC Sidemarker Clear Lens .156 Bullet	 	100	Pigtail / 0.156" Bullet
S17-RR0P-1	Model S170 Red P2/PC Sidemarker Red Lens 6" Pigtail	 	100	0.156" Bullets
S17-RRG0-1	Model S170 Red P2/PC Sidemarker Red Lens Self Ground	 	100	Pigtail / Self grounded
S17-RRGB-1	Model S170 Red PCP2 Sidemarker Red Lens .180 Bullet w/#10 GND Ring	 	100	0.180" Bul / GND Ring
S17-RC0P-1	Model S170 Red P2/PC Sidemarker Clear Lens 6" Pigtail	 	100	0.156" Bullets
S17-RCG0-1	Model S170 Red P2/PC Sidemarker Clear Lens Self Ground	 	100	Pigtail / Self grounded
S17-RC0M-1	Model S170 Red P2/PC Sidemarker Clear Lens w/ .156 Bullets	 	100	0.156" Bullets
S18 - PC/P2 Rated Sidemarker				Pg 20
S18-AA00-1	3.5"x.75" Surface mount P2/PC rated Amber sidemarker Hardwired	 	100	Pigtail
S18-AAG0-1	3.5"x.75" Surface mount P2/PC rated Amber Sidemarker Self Ground	 	100	Pigtail / Self grounded
S18-AC00-1	3.5"x.75" Surface mount P2/ PC rated Amber/Clr sidemarker Hardwired	 	100	Pigtail
S18-ACG0-1	3.5"x.75" Surface mount P2/PC rated Amber/Clr sidemarker Self Ground	 	100	Pigtail / Self grounded
S18-RC00-1	3.5"x.75" Surface mount P2/PC rated Red/Clear sidemarker Hardwired	 	100	Pigtail
S18-RCG0-1	3.5"x.75" Surface mount P2/PC rated Red/Clear sidemarker Self Ground	 	100	Pigtail / Self grounded
S18-RR00-1	3.5"x.75" Surface mount P2/PC rated Red sidemarker Hardwired	 	100	Pigtail
S18-RRG0-1	3.5"x.75" Surface mount P2/PC rated Red sidemarker Self Ground	 	100	Pigtail / Self grounded
S18-WC00-1	3.5"x.75" Surface Mount Area Light hardwired	 	100	Pigtail
S19 - PC Rated Sidemarker				Pg 20
S19-0B00-1	Black 1" x4" Self Grounding Base		120	-
S19-0C00-1	Chrome 1" x4" Self Grounding Base		120	-
S19-AA00-1	1"x4" Amber PC Sidemarker Amber Lens	 	120	Self-grounding base
S19-AC00-1	1"x4" Amber PC Sidemarker Clear Lens	 	120	Self-grounding base
S19-RC00-1	1"x4" Red PC Sidemarker Clear Lens	 	120	Self-grounding base
S19-RR00-1	1"x4" Red PC Sidemarker Red Lens	 	120	Self-grounding base
S21 - P2 Rated Sidemarker				Pg 21
S21-0G00-1	Sidemarker Gasket		100	-
S21-0G20-1	Sidemarker Molded Rubber Gasket		100	-
S21-0S00-1	2" Oval Sidemarker SS Trim Ring		100	-
S21-AA00-1	2" Oval Amber Sidemarker Amber Lens Pigtail Connection	 	100	Sheathed Pigtail
S21-AAG0-1	2" Oval Amber Sidemarker Amber Lens Self Grounding	 	100	Pigtail / Self grounded
S21-AC00-1	2" Oval Amber Sidemarker Clear Lens Pigtail Connection	 	100	Sheathed Pigtail
S21-ACG0-1	2" Oval Amber Sidemarker Clear Lens Self Grounding	 	100	Pigtail / Self grounded











































Part No.	Part Description	Color	STD Pack	Connector
S21-RC00-1	2" Oval Red Sidemarker Clear Lens Pigtail Connection		100	Sheathed Pigtail
S21-RCG0-1	2" Oval Red Sidemarker Clear Lens Self Grounding		100	Pigtail / Self grounded
S21-RR00-1	2" Oval Red Sidemarker Red Lens Pigtail Connection		100	Sheathed Pigtail
S21-RRG0-1	2" Oval Red Sidemarker Red Lens Self Grounding		100	Pigtail / Self grounded
S22 - 2"x 6" PC Sidemarker				Pg 21
S22-AA00-1	Amber 2" x 6" PC Sidemarker with reflector		100	Two Pole (S99-3600-1)
S22-AADT-1	Amber 2" x 6" Dual Intensity PC Sidemarker with reflector		100	Pigtail
S22-RR00-1	Red 2" x 6" PC Sidemarker with reflector		100	Two Pole (S99-3600-1)
S24 - 2.5" PC sidemarker w/reflector				Pg 22
S24-AA00-1	2.5" Round Amber PC Sidemarker w/Reflector		125	Fem 2 Pole (S99-0010-1)
S24-RR00-1	2.5" Round Red PC Sidemarker w/Reflector		125	Fem 2 Pole (S99-0010-1)
S30 - 2" round P2 Rated Sidemarker				Pg 22
S30-0G00-1	2" Round Sidemarker Grommet		125	-
S30-AA00-1	2" Round Amber Sidemarker Amber Lens		125	Fem 2 Pole (S99-0010-1)
S30-AA0P-1	2" Round Amber Sidemarker Amber Lens w/ Pig Tail		125	Pigtail
S30-AC00-1	2" Round Amber Sidemarker Clear Lens		125	Fem 2 Pole (S99-0010-1)
S30-RC00-1	2" Round Red Sidemarker Clear Lens		125	Fem 2 Pole (S99-0010-1)
S30-RC0P-1	2" Round Red Sidemarker Clear Lens w/ Pig Tail		125	Pigtail
S30-RR00-1	2" Round Red Sidemarker Red Lens		125	Fem 2 Pole (S99-0010-1)
S30-RR0P-1	2" Round Red Sidemarker Red Lens w/ Pig Tail		125	Pigtail
S33 - P2 Rated Sidemarker				Pg 23
S33-0G00-1	S33 Grommet Black		100	-
S33-0S00-1	Stainless Steel Trim Ring for S33 and S34		100	-
S33-AA00-1	3/4" Mini P2 Amber Sidemarker Amber Lens		100	Sheathed Pigtail
S33-AA09-1	3/4" Mini P2 Amber Sidemarker Amber Lens, white ground wire		100	Sheathed Pigtail
S33-AA9B-1	3/4" Mini P2 Amber Sidemarker Amber Lens w/.180 Bullet		100	0.180" Bullets
S33-AA9H-1	Amber Mini P2 Sidemarker Amber Lens 18" Black Positive		100	Sheathed Pigtail (18")
S33-AAFB-1	3/4" Mini P2 Amber Sidemarker Amber Lens 18" wire w/.180 Bul		100	0.180" Bullets (18")
S33-AC00-1	3/4" Mini P2 Amber Sidemarker Clear Lens		100	Sheathed Pigtail
S33-AC09-1	3/4" Mini P2 Amber Sidemarker Clear Lens, white ground wire		100	Sheathed Pigtail
S33-AC9B-1	3/4" Mini P2 Amber Sidemarker Clear Lens w/.180 Bullet		100	0.180" Bullets
S33-AC9H-1	Amber Mini P2 Sidemarker Clear Lens 18" Black Positive		100	Sheathed Pigtail (18")
S33-ACFB-1	3/4" Mini P2 Amber Sidemarker Clear Lens 18" wire w/.180 Bul		100	0.180" Bullets (18")
S33-BC00-1	3/4" Round Low Profile Blue Indicator		100	Sheathed Pigtail
S33-GC00-1	3/4" Round Low Profile Green Indicator		100	Sheathed Pigtail
S33-RC00-1	3/4" Mini P2 Red Sidemarker Clear Lens		100	Sheathed Pigtail
S33-RC09-1	3/4" Mini P2 Red Sidemarker Clear Lens white ground wire		100	Sheathed Pigtail
S33-RC9B-1	3/4" Mini P2 Red Sidemarker Clear Lens w/.180 Bullet		100	0.180" Bullets
S33-RC9H-1	Red P2 Sidemarker Clear Lens 18" White Ground		100	Sheathed Pigtail (18")
S33-RCFB-1	3/4" Mini P2 Red Sidemarker Clear Lens 18" wire w/.180 Bulle		100	0.180" Bullets (18")
S33-RR00-1	3/4" Mini P2 Red Sidemarker Red Lens		100	Sheathed Pigtail

Part No.	Part Description	Color	STD Pack	Connector
S33-RR09-1	3/4" Mini P2 Red Sidemarker Red Lens white ground wire		100	Sheathed Pigtail
S33-RR9B-1	3/4" Mini P2 Red Sidemarker Red Lens w/.180 Bullet		100	0.180" Bullets
S33-RR9H-1	Red P2 Sidemarker Clear Lens 18" Black Positive		100	Sheathed Pigtail (18")
S33-RRFB-1	3/4" Mini P2 Red Sidemarker Red Lens 18" wire w/.180 Bullet		100	0.180" Bullets (18")
S33-WC00-1	3/4" Round Low Profile White Indicator		100	Sheathed Pigtail
S33-WC0B-1	3/4" Round Low Profile White Indicator w/ .180" Bullets		100	0.180" Bullets
S34 - PC Rated Sidemarker				Pg 23
S34-3C00-1	RGB Mini Clear Lens		100	Sheathed Pigtail
S34-AA00-1	Amber Mini PC Sidemarker Amber Lens		100	Sheathed Pigtail
S34-AA09-1	Amber Mini PC Sidemarker Amber Lens white ground wire		100	Sheathed Pigtail
S34-AA17B-1	Amber Mini PC Sidemarker Amber Lens with 11" Wire and Grommet and 0.180" Barrels		100	0.180" Barrels (11")
S34-AA20-1	Amber Mini PC Sidemarker Amber Lens Dual Intensity Pigtail		100	Sheathed Pigtail
S34-AA23-1	Amber Mini PC Sidemarker Amber Lens Dual intensity Pigtail 12" Wire		100	Sheathed Pigtail
S34-AA9B-1	Amber Mini PC Sidemarker Amber Lens w/.180 Bullet		100	0.180" Bullets
S34-AA9H-1	Amber Mini PC Sidemarker Amber Lens 18" Lead Black Positive		100	0.180" Bullets (18")
S34-AA9HM-1	Amber Mini PC Sidemarker Amber Lens White Ground 18" Wires w/.156 Bullet		100	0.156" Bullets (18")
S34-AA9M-1	Amber Mini PC Sidemarker Amber Lens White Ground wire w/.156 Bullet		100	0.156" Bullets
S34-AA9N-1	Amber Mini PC Sidemarker Amber Lens White Ground wire w/.156 Barrel		100	0.180" Bullets
S34-AAN9-1	Amber Mini PC Sidemarker Amber Lens w/out wire sheathing		100	Pigtail (9")
S34-AC00-1	Amber Mini PC Sidemarker Clear Lens		100	Sheathed Pigtail
S34-AC09-1	Amber Mini PC Sidemarker Clear Lens white ground wire		100	Sheathed Pigtail
S34-AC9B-1	Amber Mini PC Sidemarker Clear Lens w/.180 Bullet		100	0.180" Bullets
S34-AC9H-1	Amber Mini PC Sidemarker Clear Lens 18" Lead Black Positive		100	Sheathed Pigtail (18")
S34-BC00-1	Blue Mini PC Sidemarker Clear Lens		100	Sheathed Pigtail
S34-BC0M-1	Blue Mini PC Sidemarker Clear Lens w/ .156 Bullet		100	0.156" Bullets
S34-GC0M-1	Green Mini PC Sidemarker Clear Lens w/ .156 Bullet		100	0.156" Bullets
S34-RC00-1	Red Mini PC Sidemarker Clear Lens		100	Sheathed Pigtail
S34-RC09-1	Red Mini PC Sidemarker Clear Lens white ground wire		100	Sheathed Pigtail
S34-RC9B-1	Red Mini PC Sidemarker Clear Lens w/.180 Bullet		100	0.180" Bullets
S34-RC9H-1	Red Mini PC Sidemarker Clear Lens 18" Lead Black Positive		100	Sheathed Pigtail (18")
S34-RR00-1	Red Mini PC Sidemarker Red Lens		100	Sheathed Pigtail
S34-RR09-1	Red Mini PC Sidemarker Red Lens white ground wire		100	Sheathed Pigtail
S34-RR20-1	Red Mini PC Sidemarker Red Lens Dual Intensity Pigtail		100	Sheathed Pigtail
S34-RR30-1	Red Mini 3 Light PC Over 80 ID assembly 12" Lead		100	Sheathed Pigtail
S34-RR31-1	Red Mini 3 Light PC Over 80 ID assembly 48" Lead		100	Sheathed Pigtail
S34-RR9B-1	Red Mini PC Sidemarker Red Lens w/.180 Bullet		100	0.180" Bullets
S34-RR9H-1	Red Mini PC Sidemarker Red Lens 18" Lead Black Positive		100	0.180" Bullets (18")
S34-RR9M-1	Red Mini PC Sidemarker Red Lens White Ground Wire w/ .156 Bullet		100	0.156" Bullets
S34-RR9N-1	Red Mini PC Sidemarker Red Lens White Ground Wire w/ .156 Barrel		100	0.180" Bullets
S34-WC00-1	White Mini PC Sidemarker Clear Lens		100	Sheathed Pigtail
S34-WC09-1	White Mini PC Sidemarker Clear Lens white ground wire		100	Sheathed Pigtail

Part No.	Part Description	Color	STD Pack	Connector
S34-WC0M-1	White Mini PC Sidemarker Clear Lens w/ .156 Bullet		100	0.156" Bullets
S36 - Sidemarker				Pg 24
S36-AA10-1	S36 Amber P2 Sidemarker Amber Lens		100	Two Pole (S99-3600-1)
S36-AA20-1	S36 Amber PC Sidemarker Amber Lens		100	Two Pole (S99-3600-1)
S36-AC10-1	S36 Amber P2 Sidemarker Clear Lens		100	Two Pole (S99-3600-1)
S36-AC20-1	S36 Amber PC Sidemarker Clear Lens		100	Two Pole (S99-3600-1)
S36-RC20-1	S36 Red PC Sidemarker Clear Lens		100	Two Pole (S99-3600-1)
S36-RC10-1	S36 Red P2 Sidemarker Clear Lens		100	Two Pole (S99-3600-1)
S36-RR10-1	S36 Red P2 Sidemarker Red Lens		100	Two Pole (S99-3600-1)
S36-RR20-1	S36 Red PC Sidemarker Red Lens		100	Two Pole (S99-3600-1)
S37 - Sidemarker				Pg 24
S37-AA09-1	Amber Mini Grommet Mount PC Sidemarker Amber Lens		100	Pigtail (5")
S37-AA90-1	Amber Mini Grommet Mount PC Sidemarker Amber Lens w/ 9" Wires		100	Pigtail (9")
S37-AA9A-1	Amber Mini Grommet Mount PC Sidemarker Amber Lens w/ .156 Bullet		100	0.156" Bullets
S37-AA9B-1	Amber Mini Grommet Mount PC Sidemarker Amber Lens w/0.180 Bullet		100	0.180" Bullets
S37-AA9H-1	Amber Mini Grommet Mount PC Sidemarker Amber Lens w/18" Wire		100	Sheathed Pigtail (18")
S37-AA9N-1	Amber Mini Grommet Mount PC Sidemarker Amber Lens 0.156 Barrel		100	0.156" Bullets
S37-AA9U-1	Amber 3/4 PC Sidemarker Amber Lens Black Positive Wire .156 Barrel w/ Shroud & 12" Wire		100	0.156" Bullets (12")
S37-AAS9V-1	Amber Mini Grommet Mount PC Sidemarker Amber Lens w/ 9" Sheathed Wire		100	Sheathed Pigtail (9")
S37-AC09-1	Amber Mini Grommet Mount PC Sidemarker Clear Lens		100	Pigtail (5")
S37-AC90-1	Amber Mini Grommet Mount PC Sidemarker Clear Lens w/ 9" Wires		100	Pigtail (9")
S37-AC9H-1	Amber Mini Grommet Mount PC Sidemarker Clear Lens 18" Wire W/Sheath		100	Sheathed Pigtail (18")
S37-ACS9V-1	Amber Mini Grommet Mount PC Sidemarker Clear Lens w/9" Sheathed Wire		100	Sheathed Pigtail (9")
S37-BC09-1	Blue Mini Grommet Mount Accent Light Clear Lens		100	Pigtail (5")
S37-GC09-1	Green Mini Grommet Mount Accent Light Clear Lens		100	Pigtail (5")
S37-RC09-1	Red Mini Grommet Mount PC Sidemarker Clear Lens		100	Pigtail (5")
S37-RC90-1	Red Mini Grommet Mount PC Side Marker Clear Lens w/ 9" Wires		100	Pigtail (9")
S37-RCS9V-1	Red Mini Grommet Mount PC Side Marker Clear Lens w/ 9" Sheathed Wire		100	Sheathed Pigtail (9")
S37-RR09-1	Red Mini Grommet Mount PC Sidemarker Red Lens		100	Pigtail (5")
S37-RR90-1	Red Mini Grommet Mount PC Sidemarker Red Lens w/ 9" Wires		100	Pigtail (9")
S37-RR9A-1	Red Mini Grommet Mount PC Sidemarker Red Lens w/ .156 Bullet		100	0.156" Bullets
S37-RR9B-1	Red Mini Grommet Mount PC Sidemarker Red Len w/ 0.180 Bullet		100	0.180" Bullets
S37-RR9H-1	Red Mini Grommet Mount PC Sidemarker Red Lens w/ 18" Wire		100	Sheathed Pigtail (18")
S37-RR9N-1	Red Mini Grommet Mount PC Sidemarker Red Lens 0.156 Barrel		100	0.156" Bullets
S37-RR9U-1	Red 3/4 PC Sidemarker Red Lens Black Positive .156 Barrel w/ Shroud & 12" Wire		100	0.156" Bullets (12")
S37-RRS9V-1	Red Mini Grommet Mount PC Sidemarker Red Lens w/ 9" Sheathed Wire		100	Sheathed Pigtail (9")
S37-WC09-1	White Mini Grommet Mount Accent Light Clear Lens		100	Pigtail (5")
S37-WC9H-1	White Mini Grommet Mount Accent Light Clear Lens w/18" Wire		100	Sheathed Pigtail (18")
S38 - Sidemarker				Pg 25
S38-0G00-1	Gasket for S38 Sidemarker		100	-
S38-AA09-1	Amber Mini Surface Mount PC Sidemarker Amber Lens		100	Sheathed Pigtail















Part No.	Part Description	Color	STD Pack	Connector
S38-AAG0-1	Amber Mini Surface PC Sidemarker Amber Lens 5" wire Self Grounding		100	Pigtail / Self grounded
S38-AC09-1	Amber Mini Surface Mount PC Sidemarker Clear Lens		100	Sheathed Pigtail
S38-ACG0-1	Amber Mini Surface PC Sidemarker Clear Lens 5" wire Self Grounding		100	Pigtail / Self grounded
S38-BC09-1	Blue Mini Surface Mount Accent Light Clear Lens		100	Sheathed Pigtail
S38-GC09-1	Green Mini Surface Mount Accent Light Clear Lens		100	Sheathed Pigtail
S38-RC09-1	Red Mini Surface Mount PC Sidemarker Clear Lens		100	Sheathed Pigtail
S38-RCG0-1	Red Mini Surface PC Sidemarker Clear Lens 5" wire Self Grounding		100	Pigtail / Self grounded
S38-RR09-1	Red Mini Surface Mount PC Sidemarker Red Lens		100	Sheathed Pigtail
S38-RRG0-1	Red Mini Surface PC Sidemarker Red Lens 5" wire Self Grounding		100	Pigtail / Self grounded
S38-WC09-1	White Mini Surface Mount Accent Light Clear Lens		100	Sheathed Pigtail
S39 - Adhesive Mounted PC Rated Side Marker				Pg 25
S39-AA00-1	S39 Amber 1.5" x .75" SM PC Sidemarker		100	Pigtail (9")
S39-RR00-1	S39 Red 1.5" x .75" SM PC Sidemarker		100	Pigtail (9")
S50 - Heavy Duty ID Bar				Pg 2
S50-AAB0-1	Tri-Bar Amber Amber Lens Black Body		25	Sheathed Pigtail
S50-ACB0-1	Tri-Bar Amber Clear Lens Black Body		25	Sheathed Pigtail
S50-RCB0-1	Tri-Bar Red Clear Lens Black Body		25	Sheathed Pigtail
S50-RRB0-1	Tri-Bar Red Red Lens Black Body		25	Sheathed Pigtail
S51 - Heavy Duty ID Bar				Pg 2
S51-AA00-1	Tri-Bar Amber LED, Amber Lens, Black Body, Pigtail		25	Sheathed Pigtail
S51-AAG0-1	Tri-Bar Amber LED, Amber Lens, Grey Body, Pigtail		25	Sheathed Pigtail
S51-AC00-1	Tri-Bar Amber LED, Clear Lens, Black Body, Pigtail		25	Sheathed Pigtail
S51-RC00-1	Tri-Bar Red LED, Clear Lens, Black Body, Pigtail		25	Sheathed Pigtail
S51-RR00-1	Tri-Bar Red LED, Red Lens, Black Body, Pigtail		25	Sheathed Pigtail
S51-RRG0-1	Tri-Bar Red LED, Red Lens, Grey Body, Pigtail		25	Sheathed Pigtail
S52 - V-shaped ID Bar				Pg 3
S52-RC00-1	V-Shaped Over 80" Tri-Bar Red LED, Clear Lens, Pigtail		25	Sheathed Pigtail
S52-RC10-1	V-Shaped Over 80" Tri-Bar Red LED, Clear Lens, 58" Pigtail		25	Pigtail (58")
S52-RR00-1	V-Shaped Over 80" Tri-Bar Red LED, Red Lens, Pigtail		25	Sheathed Pigtail
S52-RR10-1	V-Shaped Over 80" Tri-Bar Red LED, Red Lens, 58" Pigtail		25	Pigtail (58")
S90 - Heavy Duty Miniature Bi-color Fender Light				Pg 25
S90-0000-1	Fender Sidemarker Light		150	Pigtail (9")
S90-000M-1	Fender Sidemarker Light w/ .156 Bullet		150	0.156" Bullet
S90-002B-1	Fender Sidemarker Light w/20" Wire #10 GND Ring .180 Bullet		150	0.180" Bullet / Ground Ring
S90-00G0-1	Fender Sidemarker Light with Grounding Ring		150	Pigtail (9") / Ground Ring
S90-0B00-1	Fender Sidemarker Light Wire Guide Black		150	-
S90-0B05-1	Fender Sidemarker Light Wire Guide Black - 5" Length		150	-
S90-0B20-1	Fender Sidemarker Light Wall Cover Black		150	-
S90-0B30-1	Fender Sidemarker Light SS Stamping w/ Black Finish		150	-
S90-0BS0-1	Fender Sidemarker Light Wire Guide 4 Hole Black		150	-
S90-0C00-1	Fender Sidemarker Light Wire Guide Chrome		150	-

Part No.	Part Description	Color	STD Pack	Connector
S90-0C20-1	Fender Sidemarker Light Wall Cover Chrome		150	-
S90-0CS0-1	Fender Sidemarker Light Wire Guide 4 Hole Chrome		150	-
S90-00D0-1	Fender Sidemarker Light - Dual Intensity		150	Pigtail (9")
S90-0SS0-1	Fender Sidemarker Light SS Stamping		150	-
S91 - Heavy Duty Miniature Bi-color Fender Light				Pg 26
S91-AR00-1	Fender Sidemarker Light, Red/Amber Lens Pigtail		100	Pigtail (9")
S91-ARC0-1	Fender Sidemarker Light, Clear Lens, Red/Amber LED Pigtail		100	Pigtail (9")
T1x - Low Profile Tail Light/ID Bar				Pg 3
T10-0B00-1	Black Bezel		100	-
T10-0C00-1	Chrome Bezel		100	-
T10-0G00-1	T10 Noeprene gasket		100	-
T10-AA00-1	Amber Low Profile Turn Sidemarker Amber Lens		100	Pigtail
T10-AC00-1	Amber Low Profile Turn Sidemarker Clear Lens		100	Pigtail
T10-LC00-1	Low Profile Auxiliary Light		100	Pigtail
T10-LC0M-1	Low Profile Auxiliary Light w/ .156 bullets (black wire is ground)		100	0.156" Bullets
T10-LC9M-1	Low Profile Auxiliary Light w/ .156 bullets (black wire is positive)		100	0.156" Bullets
T10-RC00-1	Red Low Profile STT Clear Lens		100	Pigtail
T10-RC0M-1	Red Low Profile STT Clear Lens w/ .156 bullets		100	0.156" Bullets
T10-RR00-1	Red Low Profile STT Red Lens		100	Pigtail
T10-RR0B-1	Red Low Profile STT Red Lens Pigtail w/ 0.180" M. Bullets		100	0.180" Bullets
T10-RR0M-1	Red Low Profile STT Red Lens Pigtail w/ 0.156 Bullets		100	0.156" Bullets
T10-RR0T-1	Red Low Profile STT Red Lens Pigtail w/ 0.156" Barrels		100	0.156" Barrels
T12-AA00-1	Amber Low Profile ID Bar Amber Lens		100	Pigtail
T12-AC00-1	Amber Low Profile ID Bar Clear Lens		100	Pigtail
T12-RC00-1	Red Low Profile ID Bar Clear Lens		100	Pigtail
T12-RC0T-1	Red Low Profile ID Bar Clear Lens .156" Barrels		100	0.156" Barrels
T12-RR00-1	Red Low Profile ID Bar Red Lens		100	Pigtail
T12-RR0B-1	Red Low Profile ID Bar Red Lens PigTail w/.180" Bullets		100	0.180" Bullets
T12-RW00-1	Red ID Bar/Load Lamp Clear Lens		100	Pigtail
T14-RW00-1	Low Profile ID Bar/ Load Lamp Combination		100	Pigtail
T15-RCW0-1	Low profile Red LED Clear Lens with Reverse		100	Pigtail
T40 - 4" Round Stop-Turn-Tail				Pg 6
T40-0G00-1	4" Round Grommet		100	-
T40-0G20-1	4" Round Grommet High Grip		100	-
T40-0S00-1	4" Round Trim Ring SS		100	-
T40-AA0A-1	4" Round Amber Turn Lamp Amber Lens Grommet Mount Amp Connector		100	Amp
T40-AA0P-1	4" Round Amber Turn Lamp Amber Lens Grommet Mount w/Pig Tail		100	Pigtail
T40-AA0T-1	4" Round Amber Turn Lamp Amber Lens Grommet Mount 3 Pole		100	Tri Pole
T40-AAFA-1	4" Round Amber Turn Lamp Amber Lens Flange Mount Amp Connector		100	Amp
T40-AAFB-1	4" Round Amber Turn Lamp Amber Lens Flange 0.180 Bullet		100	0.180" Bullets
T40-AAFP-1	4" Round Amber Turn Lamp Amber Lens Flange Mount w/Pig Tail		100	Pigtail

Part No.	Part Description	Color	STD Pack	Connector
T40-AAFT-1	4" Round Amber Turn Lamp Amber Lens Flange Mount 3 Pole	 	100	Tri Pole
T40-AC0A-1	4" Round Amber Turn Lamp Clear Lens Grommet Mount Amp Connector	 	100	Amp
T40-AC0P-1	4" Round Amber Turn Lamp Clear Lens Grommet Mount w/Pig Tail	 	100	Pigtail
T40-AC0T-1	4" Round Amber Turn Lamp Clear Lens Grommet Mount 3 Pole	 	100	Tri Pole
T40-ACFA-1	4" Round Amber Turn Lamp Clear Lens Flange Mount Amp Connector	 	100	Amp
T40-ACFP-1	4" Round Amber Turn Lamp Clear Lens Flange Mount w/Pig Tail	 	100	Pigtail
T40-ACFT-1	4" Round Amber Turn Lamp Clear Lens Flange Mount 3 Pole	 	100	Tri Pole
T40-RC0A-1	4" Round STT Lamp Clear Lens Grommet Mount Amp Connector	 	100	Amp
T40-RC0P-1	4" Round STT Lamp Clear Lens Grommet Mount w/Pig Tail	 	100	Pigtail
T40-RC0T-1	4" Round STT Lamp Clear Lens Grommet Mount 3 Pole	 	100	Tri Pole
T40-RCFA-1	4" Round STT Lamp Clear Lens Flange Mount Amp Connector	 	100	Amp
T40-RCFP-1	4" Round STT Clear Lens Flange Mount w/Pig Tail	 	100	Pigtail
T40-RCFT-1	4" Round STT Lamp Clear Lens Flange Mount 3 Pole	 	100	Tri Pole
T40-RR0A-1	4" Round STT Lamp Red Lens Grommet Mount Amp Connector	 	100	Amp
T40-RR0B-1	4" Round STT Lamp Red Lens Grommet Mount Pig Tail w/.180 Bullet	 	100	0.180" Bullets
T40-RR0P-1	4" Round STT Lamp Red Lens Grommet Mount w/Pig Tail	 	100	Pigtail
T40-RR0T-1	4" Round STT Lamp Red Lens Grommet Mount 3 Pole	 	100	Tri Pole
T40-RRFA-1	4" Round STT Red Lens Flange Mount Amp Connector	 	100	Amp
T40-RRFB-1	4" Round STT Red Lamp Red Lens Pig Tail w/.180 Bullet	 	100	0.180" Bullets
T40-RRFP-1	4" Round STT Red Lens Flange Mount w/Pig Tail	 	100	Pigtail
T40-RRFT-1	4" Round STT Red Lens Flange Mount 3 Pole	 	100	Tri Pole





T41 - 4" Round Reverse Lamp

Pg 12

T41-WC0A-1	4" Round 2x Reverse Lamp Grommet Amp	 	100	Amp
T41-WC0B-1	4" Round 2X Reverse Lamp Grommet .180 Bullet	 	100	0.180" Bullets
T41-WC0P-1	4" Round 2x Reverse Lamp Grommet w/Pig Tail	 	100	Pigtail
T41-WC0T-1	4" Round 2x Reverse Lamp Grommet 3 Pole	 	100	Tri Pole
T41-WCFA-1	4" Round 2X Reverse Lamp Clear Lens Flange Mount Amp	 	100	Amp
T41-WCFP-1	4" Round 2X Reverse Lamp Clear Lens Flange Mount Pigtail	 	100	Pigtail
T41-WCFT-1	4" Round 2X Reverse Lamp Clear Lens Flange Mount 3 Pole	 	100	Tri Pole


T44 - 4" Interior Dome Light









































Pg 45

T44-WD0B-1	4" Round 8 LED Grommet Mount Dome Light w/ .180 Bullets	 	100	0.180" Bullets
T44-WDFB-1	4" Round 8 LED Flange Mount Dome Light w/ .180 Bullets	 	100	0.180" Bullets

T45 - 4" Round Hi Visibility Stop/Turn/Tail/Reverse Combo Light

Pg 6

T45-RC0A-1	4" Round STTR Clear Lens Grommet Mount Amp	 	100	Amp
T45-RC0P-1	4" Round STTR Clear Lens Grommet Mount Pig-Tail	 	100	Pigtail
T45-RC0T-1	4" Round STTR Clear Lens Grommet Mount Tri-Pole	 	100	Tri Pole
T45-RCFA-1	4" Round STTR Clear Lens Flange Mount Amp	 	100	Amp
T45-RCFP-1	4" Round STTR Clear Lens Flange Mount Pig-Tail	 	100	Pigtail
T45-RCFT-1	4" Round STTR Clear Lens Flange Mount Tri-Pole	 	100	Tri Pole
T45-RW0A-1	4" Round STTR Red Lens Grommet Mount Amp	 	100	Amp
T45-RW0P-1	4" Round STTR Red Lens Grommet Mount Pig-Tail	 	100	Pigtail

Part No.	Part Description	Color	STD Pack	Connector
T45-RW0T-1	4" Round STTR Red Lens Grommet Mount Tri-Pole		100	Tri Pole
T45-RWFA-1	4" Round STTR Red Lens Flange Mount Amp		100	Amp
T45-RWFP-1	4" Round STTR Red Lens Flange Mount Pig-Tail		100	Pigtail
T45-RWFT-1	4" Round STTR Red Lens Flange Mount Tri-Pole		100	Tri Pole
T46 - 4" Round Hi Visibility Stop/Turn/Tail				Pg 7
T46-AA0A-1	Hi Visibility 4" Round Amber Turn Amber Lens Amp Connector		100	Amp
T46-AA0P-1	Hi Visibility 4" Round Amber Turn Amber Lens Pig Tail		100	Pigtail
T46-AA0T-1	Hi Visibility 4" Round Amber Turn Amber Lens Tri Pole Connector		100	Tri Pole
T46-AC0A-1	Hi Visibility 4" Round Amber Turn Clear Lens Amp Connector		100	Amp
T46-AC0P-1	Hi Visibility 4" Round Amber Turn Clear Lens Pig Tail		100	Pigtail
T46-AC0T-1	Hi Visibility 4" Round Amber Turn Clear Lens Tri Pole Connector		100	Tri Pole
T46-RC0A-1	Hi Visibility 4" Round STT Clear Lens Grommet Mount Amp		100	Amp
T46-RC0P-1	Hi Visibility 4" Round STT Clear Lens Grommet Mount Pigtail		100	Pigtail
T46-RC0T-1	Hi Visibility 4" Round STT Clear Lens Grommet Mount Tri-Pole		100	Tri Pole
T46-RCFA-1	Hi Visibility 4" Round STT Clear Lens Flange Mount Amp		100	Amp
T46-RCFT-1	Hi Visibility 4" Round STT Clear Lens Flange Mount Tri-Pole		100	Tri Pole
T46-RR0A-1	Hi Visibility 4" Round STT Red Lens Grommet Mount Amp		100	Amp
T46-RR0P-1	Hi Visibility 4" Round STT Red Lens Grommet Mount Pig-Tail		100	Pigtail
T46-RR0T-1	Hi Visibility 4" Round STT Red Lens Grommet Mount Tri-Pole		100	Tri Pole
T46-RRFA-1	Hi Visibility 4" Round STT Red Lens Flange Mount Amp		100	Amp
T46-RRFT-1	Hi Visibility 4" Round STT Red Lens Flange Mount Tri-Pole		100	Tri Pole
T46-WC0A-1	Hi Visibility 4" Round Reverse Clear Lens Grommet Mount AMP		100	Amp
T46-AAZ0A-1	Hi Vis 4" Round Strobe Amber Amber Lens Grommet Amp		100	Amp
T46-AAZ0B-1	Hi Vis 4" Round Strobe Amber Amber Lens Grommet Bullet		100	0.180" Bullets
T46-AAZ0P-1	Hi Vis 4" Round Strobe Amber Amber Lens Grommet Pigtail		100	Pigtail
T46-AAZ0T-1	Hi Vis 4" Round Strobe Amber Amber Lens Grommet Tri-P		100	Tri Pole
T46-AAZFA-1	Hi Vis 4" Round Strobe Amber Amber Lens Flange Amp		100	Amp
T46-AAZFB-1	Hi Vis 4" Round Strobe Amber Amber Lens Flange Bullet		100	Tri Pole
T46-AAZFP-1	Hi Vis 4" Round Strobe Amber Amber Lens Flange Pigtail		100	Pigtail
T46-AAZFT-1	Hi Vis 4" Round Strobe Amber Amber Lens Flange Tri-P		100	Tri Pole
T46-ACZ0A-1	Hi Vis 4" Round Strobe Amber Clear Lens Grommet Amp		100	Amp
T46-ACZ0B-1	Hi Vis 4" Round Strobe Amber Clear Lens Grommet Bullet		100	0.180" Bullets
T46-ACZ0P-1	Hi Vis 4" Round Strobe Amber Clear Lens Grommet Pigtail		100	Pigtail
T46-ACZ0T-1	Hi Vis 4" Round Strobe Amber Clear Lens Grommet Tri-P		100	Tri Pole
T46-ACZFA-1	Hi Vis 4" Round Strobe Amber Clear Lens Flange Amp		100	Amp
T46-ACZFB-1	Hi Vis 4" Round Strobe Amber Clear Lens Flange Bullet		100	0.180" Bullets
T46-ACZFP-1	Hi Vis 4" Round Strobe Amber Clear Lens Flange Pigtail		100	Pigtail
T46-ACZFT-1	Hi Vis 4" Round Strobe Amber Clear Lens Flange Tri-P		100	Tri Pole
T46-WC0A-1	Hi Visibility 4" Round Reverse Clear Lens Grommet Mount AMP		100	Amp
T46-WC0P-1	Hi Visibility 4" Round Reverse Clear Lens Grommet Mount Pig Tail		100	Pigtail
T46-WCFP-1	Hi Visibility 4" Round Reverse Clear Lens Flange Mount Pig Tail		100	Pigtail

Part No.	Part Description	Color	STD Pack	Connector
T46-WC0T-1	Hi Visibility 4" Round Reverse Clear Lens Grommet Mount Tri Pole		100	Tri Pole
T46-WCFT-1	Hi Visibility 4" Round Reverse Clear Lens Flange Mount Tri Pole		100	Tri Pole
T46-WCFA-1	Hi Visibility 4" Round Reverse Clear Lens Flange Mount Amp Connector		100	Amp

T60 - 6" Grommet Mount Oval Stop-Turn-Tail













































































Pg 7








































T60-0G00-1	6" Oval Grommet		-	-
T60-AAHA-1	6" Oval Amber Turn Horiz. Grommet Mt Amber Lens Amp Connector		100	Amp
T60-AAHP-1	6" Oval Amber Turn Horiz. Grommet Mnt Amber Lens Pig Tail		140	Pigtail
T60-AAHT-1	6" Oval Amber Turn Horiz. Grommet Mnt Amber Lens 3 Pole		100	Tri Pole
T60-AAVA-1	6" Oval Amber Turn Vertical Grommet Mnt Amber Lens Amp Connector		100	Amp
T60-AAVP-1	6" Oval Amber Turn Vertical Grommet Mnt Amber Lens Pig Tail		140	Pigtail
T60-AAVT-1	6" Oval Amber Turn Vertical Grommet Mnt Amber Lens 3 Pole		100	Tri Pole
T60-AAZHA-1	6" Oval Amber Strobe Horiz. Grommet Mt Amber Lens Amp Connector		100	Amp
T60-AAZHP-1	6" Oval Amber Strobe Horiz. Grommet Mnt Amber Lens Pig Tail		140	Pigtail
T60-AAZHT-1	6" Oval Amber Strobe Horiz. Grommet Mnt Amber Lens 3 Pole		100	Tri Pole
T60-AAZVA-1	6" Oval Amber Strobe Vertical Grommet Mt Amber Lens Amp Connector		100	Amp
T60-AAZVP-1	6" Oval Amber Strobe Vertical Grommet Mnt Amber Lens Pig Tail		140	Pigtail
T60-AAZVT-1	6" Oval Amber Strobe Vertical Grommet Mnt Amber Lens 3 Pole		100	Tri Pole
T60-ACHA-1	6" Oval Amber Turn Horiz. Grommet Mnt Clear Lens Amp Connector		100	Amp
T60-ACHP-1	6" Oval Amber Turn Horiz. Grommet Mount Clear Lens Pig Tail		140	Pigtail
T60-ACHT-1	6" Oval Amber Turn Horiz. Grommet Mount Clear Lens 3 Pole		100	Tri Pole
T60-ACVA-1	6" Oval Amber Turn Vertical Grommet Mount Clear Lens Amp Connector		100	Amp
T60-ACVP-1	6" Oval Amber Turn Vertical Grommet Mnt Clear Lens Pig Tail		140	Pigtail
T60-ACVT-1	6" Oval Amber Turn Vertical Grommet Mnt Clear Lens 3 Pole		100	Tri Pole
T60-RCHA-1	6" Oval Red STT Horiz. Grommet Mount Clear Lens Amp		100	Amp
T60-RCHP-1	6" Oval Red STT Horiz. Grommet Mount Clear Lens Pig Tail		140	Pigtail
T60-RCHT-1	6" Oval Red STT Horiz. Grommet Mount Clear Lens 3 Pole		100	Tri Pole
T60-RCVA-1	6" Oval Red STT Vertical Grommet Mount Clear Lens Amp		100	Amp
T60-RCVP-1	6" Oval Red STT Vertical Grommet Mount Clear Lens Pig Tail		140	Pigtail
T60-RCVT-1	6" Oval Red STT Vertical Grommet Mount Clear Lens 3 Pole		100	Tri Pole
T60-RRHA-1	6" Oval Red STT Horiz. Grommet Mount Red Lens Amp		100	Amp
T60-RRHB-1	6" Oval Red STT Horiz. Grommet Mount Red Lens w/.180" Bullet		140	0.180" Bullets
T60-RRHP-1	6" Oval Red STT Horiz. Grommet Mount Red Lens Pig Tail		140	Pigtail
T60-RRHT-1	6" Oval Red STT Horiz. Grommet Mount Red Lens 3 Pole		100	Tri Pole
T60-RRVA-1	6" Oval Red STT Vertical Grommet Mount Red Lens Amp		100	Amp
T60-RRVP-1	6" Oval Red STT Vertical Grommet Mount Red Lens Pig Tail		140	Pigtail
T60-RRVT-1	6" Oval Red STT Vertical Grommet Mount Red Lens 3 Pole		100	Tri Pole
T60-WCHP-1	6" Oval White Light Horiz Grommet Mount Clear Lens Pig Tail		140	Pigtail
T60-WCVA-1	6" Oval White Vertical Grommet Mount Clear Lens Amp		100	Amp

T61 - Surface mount Oval Stop-Turn-Tail




















Pg 8

T61-0B00-1	6" Oval Surface Mount Trim Ring Black		-	
T61-0C00-1	6" Oval Surface Mount Trim Ring Chrome		-	

Part No.	Part Description	Color	STD Pack	Connector
T61-0G00-1	6" Oval Surface Mount Gasket		-	
T61-AAHA-1	6" Oval Amber Turn Horiz. Surface Mount Amber Lens Amp	 	120	Amp
T61-AAHP-1	6" Oval Amber Turn Horiz. Surface Mount Amber Lens Pig Tail	 	140	Pigtail
T61-AAHT-1	6" Oval Amber Turn Horiz. Surface Mount Amber Lens 3 Pole	 	120	Tri Pole
T61-AAVA-1	6" Oval Amber Turn Vert. Surface Mount Amber Lens Amp Connector	 	120	Amp
T61-AAVP-1	6" Oval Amber Turn Vertical Surface Mount Amber Lens Pig Tail	 	140	Pigtail
T61-AAVT-1	6" Oval Amber Turn Vertical Surface Mount Amber Lens 3 Pole	 	120	Tri Pole
T61-AAZHA-1	6" Oval Amber Strobe Horiz. Surface Mt Amber Lens Amp Connector	 	120	Amp
T61-AAZHP-1	6" Oval Amber Strobe Horiz. Surface Mnt Amber Lens Pig Tail	 	140	Pigtail
T61-AAZHT-1	6" Oval Amber Strobe Horiz. Surface Mnt Amber Lens 3 Pole	 	120	Tri Pole
T61-AAZVA-1	6" Oval Amber Strobe Vertical Surface Mt Amber Lens Amp Connector	 	120	Amp
T61-AAZVP-1	6" Oval Amber Strobe Vertical Surface Mnt Amber Lens Pig Tail	 	140	Pigtail
T61-AAZVT-1	6" Oval Amber Strobe Vertical Surface Mnt Amber Lens 3 Pole	 	120	Tri Pole
T61-ACHA-1	6" Oval Amber Turn Horiz. Surface Mount Clear Lens Amp Connector	 	120	Amp
T61-ACHP-1	6" Oval Amber Turn Horiz. Surface Mount Clear Lens Pig Tail	 	140	Pigtail
T61-ACHT-1	6" Oval Amber Turn Horiz. Surface Mount Clear Lens 3 Pole	 	120	Tri Pole
T61-ACVA-1	6" Oval Amber Turn Vert. Surface Mount Clear Lens Amp connector	 	120	Amp
T61-ACVP-1	6" Oval Amber Turn Vertical Surface Mnt Clear Lens Pig Tail	 	140	Pigtail
T61-ACVT-1	6" Oval Amber Turn Vertical Surface Mnt Clear Lens 3 Pole	 	120	Tri Pole
T61-RCHA-1	6" Oval Red STT Horiz. Surface Mount Clear Lens Amp	 	120	Amp
T61-RCHP-1	6" Oval Red STT Horiz. Surface Mount Clear Lens w/Pig-Tail	 	140	Pigtail
T61-RCHT-1	6" Oval Red STT Horiz. Surface Mount Clear Lens 3 Pole	 	120	Tri Pole
T61-RCVA-1	6" Oval Red STT Vertical Surface Mount Clear Lens Amp	 	120	Amp
T61-RCVP-1	6" Oval Red STT Vertical Surface Mount Clear Lens Pig Tail	 	140	Pigtail
T61-RCVT-1	6" Oval Red STT Vertical Surface Mount Clear Lens 3 Pole	 	120	Tri Pole
T61-RRHA-1	6" Oval Red STT Horiz. Surface Mount Red Lens Amp	 	120	Amp
T61-RRHB-1	6" Oval Red STT Horiz Surf Mnt Red Lens Pigtail w/.180 Bullet	 	140	0.180" Bullets
T61-RRHP-1	6" Oval Red STT Horiz. Surface Mount Red Lens w/Pig-Tail	 	140	Pigtail
T61-RRHT-1	6" Oval Red STT Horiz. Surface Mount Red Lens 3 Pole	 	120	Tri Pole
T61-RRVA-1	6" Oval Red STT Vertical Surface Mount Red Lens Amp	 	120	Amp
T61-RRVP-1	6" Oval Red STT Vertical Surface Mount Red Lens Pig Tail	 	140	Pigtail
T61-RRVT-1	6" Oval Red STT Vertical Surface Mount Red Lens 3 Pole	 	120	Tri Pole
T61-WCHP-1	6" Oval Horizontal White Light Surface Mount Pig Tails	 	140	Pigtail
T61-WCVP-1	6" Oval Vertical White Light Surface Mount Pig Tails	 	140	Pigtail
T62 - Flush Mount Oval Tail				Pg 8
T62-0S00-1	SS trim ring for oval tail lamp		-	-
T62-AAHA-1	Amber Flange Mount Horizontal Oval Amber Lens Amp Connector	 	120	Amp
T62-RCHA-1	Red Flange Mount Horizontal Oval Tail Clear Lens Amp Connector	 	120	Amp
T62-RCVA-1	Red Flange Mount Vertical Oval Tail Clear Lens Amp Connector	 	120	Amp
T62-RRHA-1	Red Flange Mount Horizontal Oval Tail Red Lens Amp Connector	 	120	Amp
T62-RRVA-1	Red Flange Mount Vertical Oval Tail Red Lens Amp Connector	 	120	Amp

Part No.	Part Description	Color	STD Pack	Connector
T62-W0VA-1	Oval Tail Reverse Lamp Flange Vertical Mount Amp Connector		120	Amp
T66 - Universal Mount Oval Stop-Turn-Tail				Pg 9
T66-AA0A-1	6" Oval 6 LED Turn Dual Intensity Grommet Mount Amber Lens Amp Con		120	Amp
T66-AA0P-1	6" Oval 6 LED Turn Dual Intensity Grommet Mount Amber Lens Pigtail		140	Pigtail
T66-AA0T-1	6" Oval 6 LED Turn Dual Intensity Grommet Mount Amber Lens 3 Pole		120	Tri Pole
T66-AASA-1	6" Oval 6 LED Turn Dual Intensity Surface Mount Amber Lens Amp Con		120	Amp
T66-AASP-1	6" Oval 6 LED Turn Dual Intensity Surface Mount Amber Lens Pigtail		140	Amp
T66-AAST-1	6" Oval 6 LED Turn Dual Intensity Surface Mount Amber Lens Three Pole		120	Tri Pole
T66-AAZA-1	6" Oval Amber Strobe Horiz. Grommet Mt Amber Lens Amp Connector		120	Tri Pole
T66-AAZP-1	6" Oval Amber Strobe Horiz. Grommet Mnt Amber Lens Pig Tail		140	Tri Pole
T66-AAZSA-1	6" Oval Amber Strobe Horiz. Surface Mt Amber Lens Amp Connector		120	Amp
T66-AAZSP-1	6" Oval Amber Strobe Horiz. Surface Mnt Amber Lens Pig Tail		140	Pigtail
T66-AAZST-1	6" Oval Amber Strobe Horiz. Surface Mnt Amber Lens 3 Pole		120	Tri Pole
T66-AAZT-1	6" Oval Amber Strobe Horiz. Grommet Mnt Amber Lens 3 Pole		120	Tri Pole
T66-AC0A-1	6" Oval 6 LED Turn Dual Intensity Grommet Mount Clear Lens Amp Con		120	Amp
T66-AC0P-1	6" Oval 6 LED Turn Dual Intensity Grommet Mount Clear Lens Pigtail		140	Pigtail
T66-AC0T-1	6" Oval 6 LED Turn Dual Intensity Grommet Mount Clear Lens T style		120	Tri Pole
T66-RC0A-1	6" Oval 6 LED STT Grommet Mount Clear Lens Amp Con		120	Amp
T66-RC0P-1	6" Oval 6 LED STT Grommet Mount Clear Lens Pigtail		140	Pigtail
T66-RC0T-1	6" Oval STT 6 LED Grommet Mount Clear Lens T Style		120	Tri Pole
T66-RCSP-1	6" Oval 6 LED STT Surface Mount Clear Lens Pigtail		140	Pigtail
T66-RCST-1	6" Oval 6 LED STT Surface Mount Clear Lens Tri Pole		140	Tri Pole
T66-RR0A-1	6" Oval STT 6 LED Grommet Mount Red Lens Amp Con		120	Amp
T66-RR0P-1	6" Oval 6 LED STT Grommet Mount Red Lens Pigtail		140	Pigtail
T66-RR0T-1	6" Oval 6 LED STT Grommet Mount Red Lens 3 Pole		120	Tri Pole
T66-RRSP-1	6" Oval 6 LED STT Surface Mount Red Lens Pig Tail		140	Pigtail
T66-RRST-1	6" Oval 6 LED STT Surface Mount Red Lens Three Pole		120	Pigtail
T66-WC0T-1	6" Oval 6 LED White Grommet Mount Clear Lens Three Pole		120	Tri Pole
T66-WCRB-1	6" Oval 6 LED White Grommet Mount Clear Lens .180" Bullets		140	0.180" Bullets
T66-WCRP-1	6" Oval Reverse 6 LED White Grommet Mount Clear Lens Pigtail		140	Pigtail
T66-WCRT-1	6" Oval Reverse 6 LED White Grommet Mount Clear Lens 3 Pole		120	Tri Pole
T66-WCSP-1	6" Oval Reverse 6 LED White Surface Mount Clear Lens Pigtail		140	Pigtail
T66-WCST-1	6" Oval Reverse 6 LED White Surface Mount Clear Lens Tri Pole Connector		120	Tri Pole
T68 - 6" Oval High Visibility LED Stop/Tail/Turn				Pg 9
T68-AAZ0A-1	6" Oval High Visibility Strobe Grommet Mount Amp		120	Amp
T68-AAZ0P-1	6" Oval High Visibility Strobe Grommet Mount Pigtail		140	Pigtail
T68-AAZ0T-1	6" Oval High Visibility Strobe Grommet Mount Tri Pole		120	Tri Pole
T68-RRF0A-1	6" Oval High Visibility STT Flange Mount Amp		120	Amp
T68-RRF0P-1	6" Oval High Visibility STT Flange Mount Pigtail		140	Pigtail
T68-RRF0T-1	6" Oval High Visibility STT Flange Mount Tri Pole		120	Tri Pole
T68-RRG0A-1	6" Oval High Visibility STT Grommet Mount Amp		120	Amp

Part No.	Part Description	Color	STD Pack	Connector
T68-RRG0P-1	6" Oval High Visibility STT Grommet Mount Pigtail		140	Pigtail
T68-RRG0T-1	6" Oval High Visibility STT Grommet Mount Tri Pole		120	Tri Pole
T68-RRS0A-1	6" Oval High Visibility STT Surface Mount Amp		120	Amp
T68-RRS0P-1	6" Oval High Visibility STT Surface Mount Pig Tail		140	Pigtail
T68-RRS0T-1	6" Oval High Visibility STT Surface Mount Tri Pole		120	Tri Pole
T68-WCF0A-1	6" Oval High Vis Reverse Clear Lens Flange Mount Amp Connector		120	Amp
T68-WCF0P-1	6" Oval High Vis Reverse Clear Lens Flange Mount Pigtail Connector		140	Pigtail
T68-WCF0T-1	6" Oval High Vis Reverse Clear Lens Flange Mount Tripole Connector		120	Tri Pole
T68-WCG0A-1	6" Oval High Vis Reverse Clear Lens Grommet Mount Amp Connector		120	Amp
T68-WCG0P-1	6" Oval High Vis Reverse Clear Lens Grommet Mount Pigtail Connector		140	Pigtail
T68-WCG0T-1	6" Oval High Vis Reverse Clear Lens Grommet Mount Tripole Connector		120	Tri Pole
T70 - Combination Oval Stop-Turn-Tail-Reverse				Pg 10
T70-RC0A-1	6" Oval Stop Tail Turn Reverse Grommet Clear Lens Amp Connectors		100	Amp
T70-RC0P-1	6" Oval Stop Tail Turn Reverse Grommet Clear Lens Pigtail Connectors		120	Pigtail
T70-RC0T-1	6" Oval Stop Tail Turn Reverse Grommet Clear Lens Tri Pole Connectors		100	Tri Pole
T70-RCFA-1	6" Oval Stop Tail Turn Reverse Flange Clear Lens Amp Connectors		120	Amp
T70-RCFP-1	6" Oval Stop Tail Turn Reverse Flange Clear Lens Pigtail Connectors		140	Pigtail
T70-RCSA-1	6" Oval Stop Tail Turn Reverse Surface Clear Lens Amp Connectors		120	Amp
T70-RCSP-1	6" Oval Stop Tail Turn Reverse Surface Clear Lens Pigtail Connectors		140	Pigtail
T70-RCST-1	6" Oval Stop Tail Turn Reverse Surface Clear Lens Tri Pole Connectors		120	Tri Pole
T70-RW0A-1	6" Oval Stop Tail Turn Reverse Grommet Red Lens Amp Connectors		100	Amp
T70-RW0P-1	6" Oval Stop Tail Turn Reverse Grommet Red Lens Pigtail Connectors		120	Pigtail
T70-RW0T-1	6" Oval Stop Tail Turn Reverse Grommet Red Lens Tri Pole Connectors		100	Tri Pole
T70-RWFA-1	6" Oval Stop Tail Turn Reverse Flange Red Lens Amp Connectors		100	Amp
T70-RWFP-1	6" Oval Stop Tail Turn Reverse Flange Red Lens Pigtail Connectors		140	Pigtail
T70-RWSA-1	6" Oval Stop Tail Turn Reverse Surface Red Lens Amp Connectors		120	Amp
T70-RWSP-1	6" Oval Stop Tail Turn Reverse Surface Red Lens Pigtail Connectors		140	Pigtail
T70-RWST-1	6" Oval Stop Tail Turn Reverse Surface Red Lens Tri Pole Connectors		120	Tri Pole
T71 - 4" Rectangular LED Stop/Tail/Turn				Pg 10
T71-0G00-1	T71 Grommet		-	
T71-AA0A-1	rectangular 8 LED Turn Dual Intensity Grommet Mount Amber Lens Amp Con		24	Amp
T71-AA0P-1	rectangular 8 LED Turn Dual Intensity Grommet Mount Amber Lens Pigtail		24	Pigtail
T71-AA0T-1	rectangular 8 LED Turn Dual Intensity Grommet Mount Amber Lens 3 Pole		24	Tri Pole
T71-AAZA-1	rectangular 8 LED Amber Strobe Horiz. Grommet Mt Amber Lens Amp Connector		24	Amp
T71-AAZP-1	rectangular 8 LED Amber Strobe Horiz. Grommet Mnt Amber Lens Pig Tail		24	Pigtail
T71-AAZT-1	rectangular 8 LED Amber Strobe Horiz. Grommet Mnt Amber Lens 3 Pole		24	Tri Pole
T71-AC0A-1	rectangular 8 LED Turn Dual Intensity Grommet Mount Clear Lens Amp Con		24	Amp
T71-AC0P-1	rectangular 8 LED Turn Dual Intensity Grommet Mount Clear Lens Pigtail		24	Tri Pole
T71-AC0T-1	rectangular 8 LED Turn Dual Intensity Grommet Mount Clear Lens T style		24	Tri Pole
T71-RC0A-1	rectangular 8 LED STT Grommet Mount Clear Lens Amp Con		24	Amp
T71-RC0P-1	rectangular 8 LED STT Grommet Mount Clear Lens Pigtail		24	Pigtail

Part No.	Part Description	Color	STD Pack	Connector
T71-RC0T-1	rectangular 8 LED STT 6 LED Grommet Mount Clear Lens T Style		24	Tri Pole
T71-RR0A-1	rectangular 8 LED STT 6 LED Grommet Mount Red Lens Amp Con		24	Amp
T71-RR0P-1	rectangular 8 LED STT Grommet Mount Red Lens Pigtail		24	Pigtail
T71-RR0T-1	rectangular 8 LED STT Grommet Mount Red Lens 3 Pole		24	Tri Pole
T71-WCRA-1	4" Rectangular Clear Lens White LED Amp Connector		24	Amp
T71-WCRP-1	rectangular 8 LED Reverse 6 LED White Grommet Mount Clear Lens Pigtail		24	Pigtail
T71-WCRT-1	rectangular 8 LED Reverse 6 LED White Grommet Mount Clear Lens 3 Pole		24	Tri Pole
T80 - 8" Multifunction Box Tail Light				Pg 11
T80-RRLG-1	8 Function 8" Box Tail Light Left Side Pig Tail w/ Ground Ring		32	Pigtail / Self grounded
T80-RRLP-1	8 Function 8" Box Tail Light Left Side Pig Tail		32	Pigtail
T80-RRRG-1	7 Function 8" Box Tail Light Right Side Pig Tail w/ Ground Ring		32	Pigtail / Self grounded
T80-RRRP-1	7 Function 8" Box Tail Light Right Side Pig Tail		32	Pigtail
T85 - 4" Multifunction Box Tail Light				Pg 11
T85-RRLG-1	8 Function 4" Box Tail Light Left Side Pig Tail B641		32	Pigtail / Self grounded
T85-RRLP-1	8 Function 4" Box Tail Light Left Side Pig Tail		32	Pigtail
T85-RRRG-1	7 Function 4" Box Tail Light Right Side Pig Tail w/ Ground Ring		32	Pigtail / Self grounded
T85-RRRP-1	7 Function 4" Box Tail Light Right Side Pig Tail		32	Pigtail
T86 - 6" Multifunction Box Tail Light				Pg 11
T86-RR2LG-1	8 Function 6" Box Light Slim Line Left Side Pig Tail w/ Ground Ring		32	Pigtail / Self grounded
T86-RR2LP-1	8 Function 6" Box Light Slim Line Left Side Pig Tail		32	Pigtail
T86-RR2RG-1	7 Function 6" Box Light Slim Line Right Side Pig Tail w/Ground Ring		32	Pigtail / Self grounded
T86-RR2RP-1	8 Function 6" Box Light Slim Line Right Side Pig Tail		32	Pigtail
Wires & Connectors				Pg 61
S99-0010-1	6" 2-Pole .156" Bullet with #6 GND Lug		-	Male 2 Pole
S99-0035-1	S35 2-Pole Sure-Seal w/.180" Bullet and #6 GND Lug 90 deg.		-	Two Pole
S99-0A35-1	S35 2-Pole Sure-Seal w/.180" Bullet and 1" #10 GND Lug		-	Two Pole
S99-3600-1	2 Pole Connector W/Bullet Ends		-	Two Pole
S99-3610-1	2 Pole Connector W/Bullet Ends and Grommet		-	Two Pole
T99-0010-1	12" 3-Pole .156" Bullet w/#6 GND Lug - Straight		-	Tri Pole
T99-0020-1	12" 3-Pole .156" Bullet w/#6 GND Lug - 90 degree		-	Tri Pole
T99-0040-1	Amp - Pigtail Wire Adapter		-	Amp
T99-0050-1	Amp - Tri pole Adapter		-	Amp - Tri Pole
T99-0060-1	3 Pole Style plug with 6" wires		-	Tri Pole

California Proposition 65

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, birth defects or other reproductive harm





TecNiq, Inc.

sales@tecniqinc.com

269-629-4440

www.TecNiqinc.com



TecNiq lights are produced with **TecSeal**, our proprietary polyurethane potting material. TecSeal is developed to last longer and can withstand more extreme weather than competitors lights.



TecNiq is your premier **OEM Supplier** for LED lighting solutions. We take pride each and every day in our commitment to supporting the manufacturers that rely on us for their lighting needs. With technical support, account, and delivery information readily available, it's easy to see why so many companies are choosing TecNiq.



TecNiq is proud to offer a No Haggle, Limited Lifetime Warranty on all of our LED products. Take the worry out of your OEM experiences, and have piece of mind that TecNiq lights will light up time and time again, or we will replace them.